

## Supplementary Material

### **Potential drivers of common brushtail possum (*Trichosurus vulpecula*) decline on a Murray River floodplain**

*H. Neilly*<sup>A,B,\*</sup>, *T. McKenzie*<sup>B</sup>, *M. Ward*<sup>C,D</sup>, *A. Chaber*<sup>B</sup> and *P. Cale*<sup>A</sup>

<sup>A</sup>Australian Landscape Trust, Calperum Station, PO Box 955, Renmark, SA 5341, Australia

<sup>B</sup>School of Animal and Veterinary Science, The University of Adelaide, Roseworthy, Australia

<sup>C</sup>School of Earth and Environmental Sciences, The University of Queensland, Brisbane, Australia

<sup>D</sup>World Wild Fund Australia, Level 4B, 340 Adelaide Street, Brisbane, Qld 4000, Australia

\*Correspondence to: Email: [heathern@alt.org.au](mailto:heathern@alt.org.au)

## Appendix S1

Table 1: Brushtail possum spotlighting surveys were conducted on 13 occasions between 1998- 2019, along 17 transects on Reny and Hunchee islands.

<b>Brushtail possum primary survey periods</b>
October 1998
June 2000
November 2000
March 2001
December 2001
April 2002
December 2002
March 2005
May 2006
May 2007
June 2008
December 2018
August 2019