

## Supplementary Material

### **At the edge of the sea: the supralittoral nemertean, *Acteonemertes orientalis* sp. nov. (Nemertea: Eumonostilifera: Plectonemertidae) from Japan**

Natsumi Hookabe<sup>A,B,\*</sup>, Yuma Fujino<sup>C</sup>, Naoto Jimi<sup>D,E</sup> and Rei Ueshima<sup>A</sup>

<sup>A</sup>Research Institute for Global Change (RIGC), Japan Agency for Marine–Earth Science and Technology (JAMSTEC), Yokosuka, Kanagawa 237-0061, Japan

<sup>B</sup>School of Science, the University of Tokyo, Bunkyo, 113-0033, Japan

<sup>C</sup>Tsunai-cho 1-10-11, Tsuruga, Fukui, 914-0056, Japan

<sup>D</sup>Sugashima Marine Biological Laboratory, Graduate School of Science, Nagoya University, Toba, 517-0004, Mie, Japan

<sup>F</sup>Centre for Marine and Coastal Studies, Universiti Sains Malaysia, 11800, Penang, Malaysia

\*Correspondence to: Email: [sofeechn312@gmail.com](mailto:sofeechn312@gmail.com)

*Acteonemertes orientalis* sp. nov. everting a proboscis is available in Supplementary Video S1 on YouTube (see <https://youtu.be/r2jdjZ39qGk>).