



Marine Freshwater Research

VOLUME 52, 2001 © CSIRO 2001

A journal for the publication of original contributions in physical oceanography, marine chemistry, marine and estuarine biology and limnology

All enquiries and manuscripts should be directed to:

Marine and Freshwater Research CSIRO Publishing PO Box 1139 (150 Oxford St) Collingwood, Vic. 3066, Australia



Telephone: +61 3 9662 7618

Fax: +61 3 9662 7611 Email: mfr@publish.csiro.au

Published by CSIRO Publishing for CSIRO and the Australian Academy of Science

www.publish.csiro.au/journals/mfr

10.1071/MFauth2001 1669

Index to Volume 52 (2001) Authors and Titles

Aboal M

See Moreno J L et al. 891 Acuña E H See Villarroel J C et al. 833 Addison J T See Bell M C et al. 1233 Adriano R See Cruz R et al. 1263 and Cruz R et al. 1633 Agnalt A-L See Jørstad K E et al. 1431 Alden D See Connor R et al. 387 Aldrich A P, van den Berg C M G, Thies H, Nickus U The redox speciation of iron in two lakes. 885 Allen S E See Moss G A et al. 1459 Althaus F See Bulman C M et al. 537 Anderton S M See Melville-Smith R et al. 1527 Andrade M J See Villarroel J C et al. 833 Andrew N L See Gillanders B M et al. 179 and Graham K J et al. 549 Appleyard S A See Ward R D et al. 965 Attiwill P M, May B M Does N limit the growth of eucalypt forests? 111 Avila S See Perez-Enriquez R et al. 1541 Babu M T See Unnikrishnan A S et al. 727 Bacic A See Chiovitti A et al. 917 Baelde P Fishers' description of changes in fishing gear and fishing practices in the Australian South East Trawl Fishery. 411 Báez M See Cruz R et al. 1263 Baird A H, Pratchett M S, Gibson D J, Koziumi N, Marquis C P Variable palatability of coral eggs to a planktivorous fish. 865 Baird S J See Francis M P et al. 165 Ball B See Mercer J P et al. 1291 Bannister C A See Bell M C et al. 1233

and Mercer J P et al. 1291

See Kloser R J et al. 475

Bax N J, Williams A

Barker B A

Seabed habitat on the south-eastern Australian continental shelf: context, vulnerability and monitoring. 491 Bax N J, Burford M, Clementson L, Davenport S Phytoplankton blooms and production sources on the south-east Australian continental shelf. 451 See also Kloser R J et al. 475 and Williams A et al. 513 and Bulman C et al. 537 and Cui G et al. 691 Beet A See Cowan D F et al. 1095 Bell M C, Addison J T, Bannister C A Estimating trapping areas from trap-catch data for lobsters and crabs. 1233 Berger D K, Butler M J IV Octopuses influence den selection by juvenile Caribbean spiny lobster. 1049 Bertelsen R D, Matthews T R Fecundity dynamics of female spiny lobster (Panulirus argus) in a south Florida fishery and Dry Tortugas National Park lobster sanctuary. 1559 Booth J D Habitat preferences and behaviour of newly settled Jasus edwardsii (Palinuridae). 1055 Booth JD, Stotter DR, Forman JS, Bradford E Juvenile abundance both mirrors and masks a settlement pulse of the rock lobster Jasus edwardsii. 1067 See also Jeffs A G et al. 1211 Bowman W See Jones C M et al. 1425 Bradford E See Booth J D et al. 1067 Bradford R W See Young J W et al. 463 and Bruce B D et al. Branch G M See Mayfield S et al. 773 Briones-Fourzán P See Lozano-Álvarez E et al. 1145 Britt A F, Smith R E, Gray D J Element mobilities and the Australian regolith - a mineral exploration perspective. 25 Broadhurst M K See Mattos S M G et al. 745 Browne R See Mercer J P et al. 1291 Bruce B D, Condie S A, Sutton C A

Larval distribution of blue grenadier

for a second spawning area. 603

Bruce B D. Neira F J. Bradford R W

south-eastern Australia. 631

(Macruronus novaezelandiae Hector) in

south-eastern Australia: further evidence

Larval distribution and abundance of blue

and spotted warehous (Seriolella brama

and S. punctata: Centrolophidae) in

of the south-eastern Australian shelf. 537 Bunn S E See Udy J W et al. 347 Burford M See Bax N J et al. 451 Butler M J IV The 6th International Conference and Workshop on Lobster Biology and Management: an introduction. 1033 Butler M J IV, Dolan T, Herrnkind W, Hunt J Modelling the effect of spatial variation in postlarval supply and habitat structure on recruitment of Caribbean spiny lobster. See also Berger D K et al. 1049 and Porter L et al. 1401 Camacho A, Vicente E, Miracle M R Ecology of Cryptomonas at the chemocline of a karstic sulfate-rich lake. 805 Campbell R A See Punt A E et al. 819 Caputi N, Chubb C, Pearce A Environmental effects on recruitment of the western rock lobster, Panulirus cygnus. 1167 See also Griffin D A et al. 1187 and Melville-Smith R et al. 1527 Caraco N F, Cole J J Human influence on nitrogen export: a comparison of mesic and xeric catchments. 119 See also Cole J J et al. 101 Carranza-Edwards A See Rosales-Hoz L et al. 259 Castro K M, Cobb J S, Wahle R A, Catena J Habitat addition and stock enhancement for American lobsters, Homarus americanus. 1253 Cate H S See Derby C D et al. 1339 and Harrison P J H et al. 1357 Catena I See Castro K M et al. 1253 Cawthorn A See Gardner C et al. 1271 Chakalall B See Cochrane K L et al. 1623 Chan T U, Hamilton D P Effect of freshwater flow on the succession and biomass of phytoplankton in a seasonal estuary. 869 Charyulu R J K See Unnikrishnan A S et al. 727 Cheng Y W See Phillips B F et al. 1465 Childress M J. Herrnkind W F Influence of conspecifics on the ontogenetic habitat shift of juvenile Caribbean spiny lobsters. 1077 See also Ptacek M B et al. 1037

Bulman C, Althaus F, He X, Bax N J,

Diets and trophic guilds of demersal fishes

Williams A

and Herrnkind W F et al. 1113 Distribution and abundance of Caribbean Cruz R, Adriano R Chiovitti A, Kraft G T, Bacic A, Liao M-L Regional and seasonal prediction of the spiny lobsters in the Key West National Gelling polysaccharides from Australian Caribbean lobster (Panulirus argus) Wildlife Refuge: relationship to habitat seaweeds: research and potential. 917 commercial catch in Cuba. 1633 features and impact of an intensive Chiswell S M Cruz R, Díaz E, Báez M, Adriano R recreational fishery. 1567 See Jeffs A G et al. 1211 Variability in recruitment of multiple life See also Lipcius R N et al. stages of the Caribbean spiny Chubb C F Elliott N G See Caputi N et al. 1167 lobster, Panulirus argus, in the Gulf of See Ward R D et al. 563 and Griffin D A et al. 1187 Batabanó, Cuba. 1263 Ellis S L, Cowan D F Volunteer-based monitoring of juvenile and Hall N et al. 1657 Cui G, Bax N J, Punt A E, Knuckey I A Clarke R Estimating gill-net selectivity for five American lobster, Homarus americanus. See Jolly I D et al. 53 species caught in the South East Fishery, Clarkson P S Australia 691 Ellwood M J, Hunter K A, Kim J P See also Punt A E et al. 719 See Shepherd S A et al. 311 Zinc speciation in Lakes Manapouri and Clementson L A Cyrus D P Hayes, New Zealand. 217 See Bax N J et al. 451 See Mackay C F et al. 267 Evans L. and Young J W et al. 463 See Fotedar S et al. 1351 Cobb J S Dahlgren C P and Tsvetnenko E et al. 1407 See Eggleston D B et al. 1567 See Castro K M et al. 1253 Eyre B Cochrane K L, Chakalall B Daley R K See McKee L J et al. 235 The spiny lobster fishery in the WECAFC See Ward R D et al. 965 region — an approach to responsible Daniel P C, Shineman M, Fischetti M Feenstra J E fisheries management. 1623 Comparison of chemosensory activation of See McGarvey R et al. 1517 Cockcroft A C antennular grooming behaviour in five Ferrell D J Jasus lalandii 'walkouts' or mass See Gillanders B M et al. 179 species of decapods. 1333 strandings in South Africa during the Davenport S Fischetti M 1990s: an overview. 1085 See Bax N J et al. 451 See Daniel P C et al. 1333 Cockcroft A C de Beer E Ford P W See Hazell R W A et al. 1367 See Mayfield S et al. 773 See Webster I T et al. 127 Cole LL Caraco N F Debuse V Ford W Carbon in catchments: connecting See Mercer J P et al. 1291 Restructing the Tasmanian rock-lobster Dennis D M, Pitcher C R, Skewes T D terrestrial carbon losses with aquatic fishery - the effect of two years of metabolism. 101 Distribution and transport pathways of management under individual transferable See also Caraco N F et al. 119 Panulirus ornatus (Fabricius, 1776) and quotas. 1641 Condie S A Panulirus spp. larvae in the Coral Sea, Forman J S See Bruce B D et al. 603 Australia. 1175 See Booth J D et al. 1067 Connor R. Alden D Derby C D, Steullet P, Horner A J, Cate H S Forteath G N R Indicators of the effectiveness of quota The sensory basis of feeding behaviour in See Crear B J et al. 763 Fotedar S, Tsvetnenko E, Evans L markets: the South East Trawl Fishery of the Caribbean spiny lobster, Panulirus Effect of air exposure on the immune Australia, 387 argus. 1339 Cowan D F, Solow A R, Beet A See also Harrison P J H et al. 1357 system of the rock lobster Panulirus Patterns in abundance and growth of Díaz E cygnus. 1351 See also Tsvetnenko E et al. 1407 See Cruz R et al. 1263 juvenile lobster, Homarus americanus. Fournier D A Dogramaci S S See also Ellis S L et al. 1103 See Herczeg A L et al. 41 See Hampton J et al. 937 Cowley P D, Whitfield A K Foy R H Dolan T Fish population size estimates from a See Butler M J IV et al. 1243 See Heaney S I et al. 151 Francis M P, Griggs L H, Baird S J small intermittently open estuary in South Dowling T I Pelagic shark bycatch in the New Zealand Africa, based on mark-recapture See Jolly I D et al. 53 techniques. 283 Drysdale R N tuna longline fishery. 165 Crear B J, Forteath G N R Factors controlling the hydrochemistry of Frusher S D, Hoenig J M Flow-rate requirements for captive western Louie Creek, a travertine-depositing Strategies for improving the precision of rock lobsters (Panulirus cygnus): effects stream in the seasonally wet tropics of fishing and natural mortality estimates of body weight, temperature, activity, northern Australia. 793 from multiyear tagging models: a case emersion, daily rhythm, feeding and Dunphy B J, Wells R M G study. 1649 oxygen tension on oxygen consumption. Endobiont infestation, shell strength and See also Gardner C et al. 1271 condition index in wild populations of Fuentes-Yaco C, Salas de León D A, 763 Criales M M New Zealand abalone, Haliotis iris. 781 Monreal-Gómez M A, Vera-Herrera F See Yeung C et al. 1217 Dyce P Environmental forcing in a tropical Croke B F W, Jakeman A J See Jolly I D et al. 53 estuarine ecosystem: the Palizada River in Predictions in catchment hydrology: an the southern Gulf of Mexico. 735

Edwards E D

See Thompson R M et al. 339

Eggleston D B, Dahlgren C P

Galea H

See Young J W et al. 463

Australian perspective. 65

See Heaney S I et al. 151

Crozier W W

Gardner C Composition of eggs in relation to embryonic development and female size in giant crabs [Pseudocarcinus gigas (Lamarck)]. 333 Gardner C, Frusher S D, Kennedy R B, Cawthorn A Relationship between settlement of southern rock lobster pueruli, Jasus edwardsii, and recruitment to the fishery in Tasmania, Australia. 1271 Gibson D J See Baird A H et al. 865 Gilfedder M See Jolly I D et al. 53 Gillanders B M, Ferrell D J, Andrew N L Estimates of movement and life history parameters of yellowtail kingfish (Seriola lalandi): how useful are data from a cooperative tagging programme? 179 Goñi R, Reñones O, Quetglas A Dynamics of a protected Western Mediterranean population of the European spiny lobster Palinurus elephas (Fabricius, 1787) assessed by trap surveys. 1577 Goodreid A See Simpfendorfer C A et al. 975 Gopinathan C K See Unnikrishnan A S et al. 727 Graham K J, Andrew N L, Hodgson K E Changes in relative abundance of sharks and rays on Australian South East Fishery trawl grounds after twenty years of fishing. 549 Gray C A

Spatial variation in by-catch from a prawn seine-net fishery in a south-east

Australian coastal lagoon. 987

Grav D.I.

See Britt A F et al. 25

Grieve C, Richardson G

Recent history of Australia's South East Fishery; a manager's perspective. 377

Griffin D A, Wilkin J L, Chubb C F, Pearce AF, Caputi N

Ocean currents and the larval phase of Australian western rock lobster, Panulirus cygnus. 1187

See also Prince J D et al. 611

Griffiths D J

See Saker M L et al. 907

Griggs L H

See Francis M P et al. 165

Grobler C A F, Ndjaula H O N

Namibian Jasus lalandii recruitment: size, weight and growth of pueruli and early juveniles. 1277

Haddon M

See Punt A E et al. 701 Haine O S, Ridd P V, Rowe R J Range of electrosensory detection of prey by Carcharhinus melanopterus and Himantura granulata. 291

Hall N. Chubb C

The status of the western rock lobster, Panulirus cygnus, fishery and the effectiveness of management controls in increasing the egg production of the stock. 1657

Hamilton D P

See Chan T U et al. 869

Hampton J, Fournier D A

A spatially disaggregated, length-based, age-structured population model of yellowfin tuna (Thunnus albacares) in the western and central Pacific Ocean. 937

Hancock G

See Webster I T et al. 127

Hanelt D

See Rae R et al. 1023

Harris G P

Frontiers in catchment biogeochemistry: introduction to a collection of papers. 1 Biogeochemistry of nitrogen and phosphorus in Australian catchments, rivers and estuaries: effects of land use and flow regulation and comparisons with global patterns. 139

Harrison P J H, Cate H S, Steullet P, Derby C

Structural plasticity in the olfactory system of adult spiny lobsters: postembryonic development permits lifelong growth, turnover, and regeneration. 1357

Hart P R

See Phleger C F et al. 1475

Hawes I

See Rae R et al. 1023

Hazell R W A, Cockcroft A C, Mayfield S, Noffke M

Factors influencing the growth rate of juvenile rock lobsters, Jasus lalandii. 1367

Hazin F H V

See Mattos S M G et al. 745

He X

See Bulman C et al. 537 and Punt A E et al. 701

Heaney S I, Foy R H, Kennedy G J A, Crozier W W, O'Connor W C K Impacts of agriculture on aquatic systems: lessons learnt and new unknowns in Northern Ireland. 151

Herczeg A L, Dogramaci S S, Leaney F W J Origin of dissolved salts in a large, semiarid groundwater system: Murray Basin, Australia. 41

Herrnkind W F, Childress M J, Lavalli K L Cooperative defence and other benefits among exposed spiny lobsters: inferences from group size and behaviour. 1113 See also Ptacek M B et al. 1037 and Childress M J et al. 1077 and Butler M J IV et al. 1243

Hobday D, Punt A E

Size-structured population modelling and

risk assessment of the Victorian southern rock lobster, Jasus edwardsii, fishery. 1495

Hodgson K E

See Graham K J et al. 549

Hoenig J M

See Frusher S D et al. 1649

Horn P L

Validated ageing methods for blue warehou (Seriolella brama) and white warehou (S. caerulea) in New Zealand waters. 297

Horner A J

See Derby C D et al. 1339

Horton D

See Jones C M et al. 1425

Horwitz P

See Sommer B et al. 1015

Hossain S

See McKee L J et al. 235 Howell H

See Jury S et al. 1125

Hunt I

See Butler M J IV et al. 1243

Hunter K A

See Ellwood M J et al. 217

Inoue N, Sekiguchi H Distribution of late-stage phyllosoma larvae of Panulirus japonicus in the Kuroshio Subgyre. 1201

Jackson T L

See Yeung C et al. 1217

Jakeman A J

See Croke B F W et al. 65

James P J, Tong L J, Paewai M P Effect of stocking density and shelter on growth and mortality of early juvenile Jasus edwardsii held in captivity. 1413 See also Jeffs A G et al. 1419

Jeffs A G, Chiswell S M, Booth J D Distribution and condition of pueruli of the spiny lobster Jasus edwardsii offshore from north-east New Zealand. 1211

Jeffs A G, James P

Sea-cage culture of the spiny lobster *Jasus* edwardsii in New Zealand. 1419 See also Phleger C F et al. 1475

Johnston D J, Ritar A

Mouthpart and foregut ontogeny in phyllosoma larvae of the spiny lobster Jasus edwardsii (Decapoda: Palinuridae).

Jolly I D, Williamson D R, Gilfedder M, Walker G R, Morton R, Robinson G, Jones H, Zhang L, Dowling T I, Dyce P, Nathan R J, Nandakumar N, Clarke R, McNeill V

Historical stream salinity trends and catchment salt balances in the Murray-Darling Basin, Australia. 53

Jones C M, Linton L, Horton D, Bowman W Effect of density on growth and survival

Barker B A

Remote sensing of seabed types in the

development and application of normal

Australian South East Fishery;

incident acoustic techniques and

of ornate rock lobster, Panulirus ornatus associated 'ground truthing'. 475 juvenile spiny lobsters, Panulirus argus, (Fabricius, 1798), in a flow-through See also Young J W et al. 463 or as a fishing gear for adults. 1445 Knuckey I A, Sivakumaran K P raceway system. 1425 Losada-Tosteson V, Posada J M, Losada F Jones D L Reproductive characteristics and per-Size and reproductive status of fished recruit analyses of blue warehou spotted spiny lobster, Panulirus guttatus, See Yeung C et al. 1217 Jones H (Seriolella brama): implications for the in Morrocoy National Park, Venezuela: a See Jolly I D et al. 53 South East Fishery of Australia. 575 preliminary report. 1599 Jonnes D M Lovewell S See also Cui G et al. 691 See Mattos S M G et al. 745 Koziumi N See Mercer J P et al. 1291 See Baird A H et al. 865 Jordan A R Lozano-Álvarez E, Briones-Fourzán P Kraft G T Reproductive biology, early life-history Den choice and occupation patterns of and settlement distribution of sand See Chiovitti A et al. 917 shelters by two sympatric lobster species, flathead (Platycephalus bassensis) in Kristiansen T S Panulirus argus and Panulirus guttatus, See Jørstad K E et al. 1431 Tasmania. 589 under experimental conditions. 1145 Age, growth and spatial and interannual Kudo R Lyle J M See Kittaka J et al. 1439 See Punt A E et al. 701 trends in age composition of jackass morwong, Nemadactylus macropterus, in Tasmania. 651 Lamb T D MacDiarmid A B See Young J W et al. 463 Spatial and temporal variations in See Oliver M D et al. 1395 Landers D F Jr, Keser M, Saila S B abundance and distribution of juvenile and Mackay C F, Cyrus D P adult jackass morwong, Nemadactylus Changes in female lobster (Homarus Is freshwater quality adequately defined macropterus, in south-eastern Tasmania. americanus) size at maturity and by physico-chemical components? implications for the lobster resource in 661 Results from two drought-affected Jørstad K E, Agnalt A-L, Kristiansen T S, Long Island Sound, Connecticut. 1283 estuaries on the east coast of South Africa. Nøstvold E 267 Larcombe J W P, McLoughlin K J, Tilzey R High survival and growth of european Manson F J, Loneragan N R, McLeod I M, lobster juveniles (Homarus gammarus) Trawl operations in the South East Fishery, Kenyon R A reared communally on a natural-bottom Australia: spatial distribution and Assessing techniques for estimating the substrate. 1431 intensity. 419 extent of mangroves: topographic maps, Lavalli K L, Spanier E Jury S, Howell H, O'Grady D, Watson W aerial photographs and Landsat TM Lobster Trap Video: in situ video Does gregariousness function as an images. 787 Marquis C P surveillance of the behaviour of Homarus antipredator mechanism in the americanus in and around traps. 1125 Mediterranean slipper lobster, Scyllarides See Baird A H et al. 865 See also O'Grady D F et al. 1387 latus? 1133 Marsden I D, Wong C H T See also Herrnkind W F et al. 1113 Effects of sediment copper on a tube-Kanemaru K Leaney F W J dwelling estuarine amphipod, See Kittaka J et al. 1439 See Herczeg A L et al. 41 Paracorophium excavatum. 1007 Liao M-L Matsuda H, Takenouchi T, Yamakawa T Temporal variation in the movement of the See Chiovitti A et al. 917 Effects of temperature on pigmentation spiny lobster Jasus edwardsii. 323 and duration of the puerulus stage in Likens G E Kennedy G J A Biogeochemistry, the watershed approach: Panulirus japonicus metamorphosed from See Heaney S I et al. 151 some uses and limitations. 5 cultured phyllosomas, with reference to wild pueruli. 1451 Kennedy R B Linnane A See Gardner C et al. 1271 See Mercer J P et al. 1291 Matthews T R Kenyon R A Lintermans M Trap-induced mortality of the spiny See Manson F J et al. 787 lobster, Panulirus argus, in Florida, USA. Corrigendum to: Recolonization by the mountain galaxias Galaxias olidus of a See Landers D F Jr et al. 1283 montane stream after the eradication of See also Bertelsen R D et al. 1559 rainbow trout Oncorhynchus mykiss. 257 Mattos S M G, Broadhurst M K, Hazin F H See Ellwood M J et al. 217 Linton L V, Jonnes D M Kittaka J, Kudo R, Onoda S, Kanemaru K, See Jones C M et al. 1425 Reproductive biology of the Caribbean Mercer J P Lipcius R N, Stockhausen W T, Eggleston D sharpnose shark, Rhizoprionodon porosus, from northern Brazil. 745 Larval culture of the European spiny lobster Palinurus elephas. 1439 Marine reserves for Caribbean spiny May B M Klaer N L lobster: empirical evaluation and See Attiwill P M et al. 111 Steam trawl catches from south-eastern Mayfield S, de Beer E, Branch G M theoretical metapopulation recruitment Australia from 1918 to 1957: trends in dynamics 1589 Prey preference and the consumption of catch rates and species composition. 399 See also Stockhausen W T et al. 1605 sea urchins and juvenile abalone by Kloser R J, Bax N J, Ryan T, Williams A, Loneragan N R captive rock lobsters (Jasus lalandii).

See Manson F J et al. 787

See Losada-Tosteson V et al.

Using tyres as shelters for the protection of

Losada-Tosteson V, Posada J M

See also Hazell R W A et al. 1367

See Mercer J P et al. 1291

Mazzoni D

McAuley R B

Losada F

See Simpfendorfer C A et al. 975 McGarvey R, Feenstra J E Estimating length-transition probabilities as polynomial functions of premoult length. 1517 McIntosh A R See Thompson R M et al. 339 McKee L J, Eyre B D, Hossain S, Pepperell P Influences of climate, geology and humans on spatial and temporal nutrient geochemistry in the subtropical Richmond River catchment, Australia. 235 McLeod I M See Manson F J et al. 787 McLoughlin K J See Larcombe J W P et al. 419 McNeill V See Jolly I D et al. 53 Melville-Smith R, Anderton S M, Caputi N Predicting the recreational western rock lobster (Panulirus cygnus) catch in Western Australia. 1527 See also Phillips B F et al. 1465 Mercer J P, Bannister R C A, van der Meeren G I, Debuse V, Mazzoni D, Lovewell S, Browne R, Linnane A, Ball B An overview of the LEAR (Lobster Ecology and Recruitment) project: results of field and experimental studies on the juvenile ecology of Homarus gammarus in cobble. 1291 See also Kittaka J et al. 1439 Miracle M R See Camacho A et al. 805 Monreal-Gómez M A M See Fuentes-Yaco C et al. 735 Mooney B D See Phleger C F et al. 1475 Moran C J See Prosser I P et al. 81 Moreno J L, Aboal M, Vidal-Abarca M R, Suárez M L Macroalgae and submerged macrophytes from fresh and saline waterbodies of ephemeral steams ('ramblas') in semiarid south-eastern Spain. 891 Morison A K, Rowling K R Age, growth and mortality of redfish Centroberyx affinis. 637 Morton R See Jolly I D et al. 53 Moss G A, Tong L J, Allen S E Effect of temperature and food ration on the growth and survival of early and midstage phyllosomas of the spiny lobster Jasus verreauxi. 1459

Nandakumar N See Jolly I D et al. 53

See Page D W et al. 223

See Unnikrishnan A S et al. 727

Mulcahy D E

Murty V S N

Nathan R J See Jolly I D et al. 53 Ndjaula HON See Grobler C A F et al. 1277 Neira F J See Bruce B D et al. 631 Nelson M M See Phleger C F et al. 1475 Newell S Y Fungal biomass and productivity in standing-decaying leaves of black needlerush (Juncus roemerianus). Newman S J, Williams D McB Spatial and temporal variation in assemblages of Lutjanidae, Lethrinidae and associated fish species among midcontinental shelf reefs in the central Great Barrier Reef. 843 Nichols P D See Phleger C F et al. 1475 Nickus U See Aldrich A P et al. 885 Noffke M See Hazell R W A et al. 1367 Nøstvold E See Jørstad K E et al. 1431 O'Connor W C K See Heaney S I et al. 151 O'Donovan V See Wahle R A et al. 1157 O'Grady D F, Jury S H, Watson W H III Use of a treadmill to study the relationship between walking, ventilation and heart rate in the lobster Homarus americanus.

1387 See also Jury S et al. 1125 O'Hara T D

Consistency of faunal and floral assemblages within temperate subtidal rocky reef habitats. 853

Oliver M D, MacDiarmid A B
Blood refractive index and ratio of weight
to carapace length as indices of nutritional
condition in juvenile rock lobsters (*Jasus edwardsii*). 1395
Ollier C D

Evolution of the Australian landscape. 13 Olly J M

See Prosser I P et al. 81

Onoda S

Paewai M P

See Kittaka J et al. 1439

See James P J et al. 1413 Page D W, van Leeuwen J A, Spark K M,

Mulcahy D E Tracing terrestrial compounds leaching from two reservoir catchments as input to dissolved organic matter. 223

Palha de Sousa B

Fishery for the deep-water spiny lobster *Palinurus delagoae* in Mozambique, 1980 to 1999. 1535

Pankhurst N W
Stress inhibition of reproductive endocrine processes in a natural population of the spiny damselfish *Acanthochromis*

Pearce A F

See Caputi N et al. 1167 and Griffin D A et al. 1187

polyacanthus. 753

Pepperell P R

See McKee L J et al. 235

Perez-Enriquez R, Vega A, Avila S, Sandoval J L

Population genetics of red spiny lobster (*Panulirus interruptus*) along the Baja California Peninsula, Mexico. 1541

Phillips B F, Melville-Smith R, Cheng Y W, Rossbach M Testing collector designs for commercial harvesting of western rock lobster (*Panulirus cygnus*) puerulus. 1465

Phleger C F, Nelson M M, Mooney B D, Nichols P D, Ritar A J, Smith G G, Hart P R, Jeffs A G

Lipids and nutrition of the southern rock lobster, *Jasus edwardsii*, from hatch to puerulus. 1475

Pitcher C R

See Dennis D M et al. 1175
Porter L, Butler M, Reeves R H
Normal bacterial flora of the spiny lobster
Panulirus argus and its possible role in
shell disease. 1401

Posada J M

See Losada-Tosteson V et al. 1445 and Losada-Tosteson V et al. 1599 and Yallonardo M et al. 1615

Pratchett M S

See Baird A H et al. 865

Prince J D

Ecosystem of the South East Fishery (Australia), and fisher lore 431

Prince J D, Griffin D A
Spawning dynamics of the eastern gemfish

(Rexea solandri) in relation to regional oceanography in south-eastern Australia.

Prosser I P, Rutherfurd I D, Olly J M, Young W J, Wallbrink P J, Moran C J
Large-scale patterns of erosion and sediment transport in river networks, with examples from Australia. 81

Corrigendum to: Large-scale patterns of erosion and sediment transport in river networks, with examples from Australia. 817

Ptacek M B, Sarver S K, Childress M J, Herrnkind W F Molecular phylogeny of the spiny lobster genus *Panulirus* (Decapoda: Palinuridae). 1037

Punt A E, Smith D C

Assessments of species in the Australian South East Fishery can be sensitive to the method used to convert from size- to age-

See Prosser I P et al. 81

composition data. 683 Rvan T See Lavalli K L et al. 1133 Punt A E, Smith A D M, Cui G See Kloser R J et al. 475 Spark K M See Page D W et al. 223 Review of progress in the introduction of Steneck R S, Wilson C J management strategy evaluation (MSE) Saila S B approaches in Australia's South East See Landers D F Jr et al. 1283 Large-scale and long-term, spatial and Fishery 719 Saker M L, Griffiths D J temporal patterns in demography and Punt A E, Smith D C, Thomson R B, Haddon Occurrence of blooms of the landings of the American lobster, M, He X, Lyle J M cyanobacterium Cylindrospermopsis Homarus americanus, in Maine. 1303 Stock assessment of the blue grenadier raciborskii (Woloszyńska) Seenayya and Steullet P Macruronus novaezelandiae resource off Subba Raju in a north Queensland See Derby C D et al. 1339 south-eastern Australia. 701 domestic water supply. 907 and Harrison P J H et al. 1357 Punt A E, Campbell R A, Smith A D M Salas de León D A Stockhausen W T, Lipcius R N Evaluating empirical indicators and See Fuentes-Yaco C et al. 735 Single large or several small marine reference points for fisheries Sandoval J L reserves for the Caribbean spiny lobster? management: application to the broadbill See Perez-Enriquez R et al. 1541 swordfish fishery off eastern Australia. Sarver S K See also Lipcius R N et al. 1589 See Ptacek M B et al. 1037 Stotter D R See also Smith D C et al. 671 Schweizer D M See Booth J D et al. 1067 and Cui G et al. 691 See Yallonardo M et al. 1615 Suárez M L and Hobday D K et al. 1495 Sekiguchi H See Moreno J L et al. 891 See Inoue N et al. 1201 Sutton C A Quetglas A Shepherd S A, Clarkson P S See Bruce B D et al. 603 See Goñi R et al. 1577 Diet, feeding behaviour, activity and predation of the temperate blue-throated Takenouchi T Rae R, Hanelt D, Hawes I See Matsuda H et al. 1451 wrasse, Notolabrus tetricus. 311 Sensitivity of freshwater macrophytes to Shineman M Thies H UV radiation: relationship to depth See Daniel P C et al. 1333 See Aldrich A P et al. 885 zonation in an oligotrophic New Zealand Simpfendorfer C A, Goodreid A, McAuley R Thomson R B lake. 1023 В See Punt A E et al. 701 Diet of three commercially important Thompson R M, Edwards E D, McIntosh A Reeves R H See Porter L et al. 1401 shark species from Western Australian R, Townsend C R Reilly A waters. 975 Allocation of effort in stream food-web See Ward R D et al. 965 Sivakumaran K P studies: the best compromise? 339 See Knuckey I A et al. 575 Tilzey R D J, Rowling K R Renones O See Goñi R et al. 1577 Skewes T D History of Australia's South East Fishery: Richards W J See Dennis D M et al. 1175 a scientist's perspective. 361 See Yeung C et al. 1217 Smith A D M, Smith D C See also Larcombe J W P et al. 419 Richardson G A complex quota-managed fishery: Tong L J See Grieve C et al. 377 science and management in Australia's See James P J et al. 1413 Ridd P V South East Fishery. 353 and Moss G A et al. 1459 See Haine O S et al. 291 See also Smith D C et al. Townsend C R and Punt A E et al. 719 Ritar A J See Thompson R M et al. 339 See Johnston D J et al. 1375 and Punt A E et al. 819 Tremblay M J, Smith S J and Phleger C F et al. 1475 Smith D C, Smith A D M, Punt A E Lobster (Homarus americanus) Robinson G Approach and process for stock catchability in different habitats in late See Jolly I D et al. 53 spring and early fall. 1321 assessment in the South East Fishery, Rosales-Hoz L, Carranza-Edwards A Australia: a perspective. 671 Geochemistry of deep-sea sediment cores See also Smith A D M et al. 353 Diel and tidal abundance of fish larvae in a and their relationship with polymetallic and Punt A E et al. 683 barrier-estuary channel in New South and Punt A E et al. 701 Wales. 995 nodules from the north-eastern Pacific. Smith G G Tsvetnenko E, Fotedar S, Evans L Rossbach M See Phleger C F et al. 1475 Antibacterial activity in the haemolymph See Phillips B F et al. 1465 of western rock lobster, Panulirus cygnus. Smith R E Rowe R J See Britt A F et al. 25 1407 See Haine O S et al. 291 Smith S J See also Fotedar S et al. 1351 See Tremblay M J et al. 1321 Rowling K R Comment on 'Spawning dynamics of the Solow A R Impact of the v-notch technical eastern gemfish (Rexea solandri) in See Cowan D F et al. 1095 conservation measure on reproductive Sommer B, Horwitz P relation to regional oceanography in potential in a lobster (Homarus gammarus south-eastern Australia'. 623 Water quality and macroinvertebrate L.) fishery in Ireland. 1551 See also Tilzey R D J et al. 361 response to acidification following See also Wahle R A et al. 1157 and Morison A K et al. 637 intensified summer droughts in a Western Rutherfurd I D Australian wetland. 1015 Udy J W, Bunn S E

Spanier E

Elevated ¹⁵N values in aquatic plants from

cleared catchments: why? 347 Unnikrishnan A S, Murty V S N, Babu M T, Gopinathan C K, Charyulu R J K Anomalous current structure in the eastern equatorial Indian Ocean during the southwest monsoon of 1994. 727

Uthicke S

Influence of asexual reproduction on the structure and dynamics of *Holothuria* (*Halodeima*) atra and *Stichopus* chloronotus populations of the Great Barrier Reef 205

van den Berg C M G
See Aldrich A P et al. 885
van der Meeren G I
Effects of experience with shelter in hatchery-reared juvenile European lobsters Homarus gammarus. 1487
See also Mercer J P et al. 1291
van Leeuwen J A
See Page D W et al. 223
Vega A
See Perez-Enriquez R et al. 1541
Vera-Herrera F
See Fuentes-Yaco C et al. 735
Vicente E
See Camacho A et al. 805

See Moreno J L et al. 891 Villarroel J C, Acuña E H, Andrade M J Feeding and distribution of the bigeye flounder *Hippoglossina macrops* off Northern Chile. 833

Vidal-Abarca M R

Wahle R A, Tully O, O'Donovan V Environmentally mediated crowding effects on growth, survival and metabolic rate of juvenile American lobsters (Homarus americanus). 1157 See also Castro K M et al. 1253 Walker G R

See Jolly I D et al. 53

Wallbrink P J

See Prosser I P et al. 81

Ward R D, Elliott N G

Genetic population structure of species in the South East Fishery of Australia. 563

Ward R D, Appleyard S A, Daley R K, Reilly A

Population structure of pink ling (*Genypterus blacodes*) from south-eastern Australian waters, inferred from allozyme and microsatellite analyses. 965

Ward T M

Age structures and reproductive patterns of two species of sea snakes, *Lapemis hardwickii* Grey (1836) and *Hydrophis elegans* (Grey 1842), incidentally captured by prawn trawlers in northern Australia.

Watson W H III

See Jury S et al. 1125 and O'Grady D F et al. 1387

Webster I T, Ford P W, Hancock G
Phosphorus dynamics in Australian
lowland rivers. 127

Wells R M G

See Dunphy B J et al. 781

Whitfield A K

See Cowley P D et al. 283

Wilkin J L

See Griffin D A et al. 1187

Williams A, Bax N J

Delineating fish-habitat associations for spatially based management: an example

from the south-eastern Australian continental shelf. 513 See also Kloser R J et al. 475 and Bax N J et al. 491 and Bulman C et al. 537 Williams D McB

See Newman S J et al. 843

Williamson D R

See Jolly I D et al. 53

Wilson C J

See Steneck R S et al. 1303

Wong C H T

See Marsden I D et al. 1007

Yallonardo M, Posada J M, Schweizer D M Current status of the spiny lobster, Panulirus argus, fishery in the Los Roques Archipelago National Park, Venezuela. 1615

Yamakawa T

See Matsuda H et al. 1451

Yeung C, Jones D L, Criales M M, Jackson T L, Richards W J Influence of coastal eddies and counter-currents on the influx of spiny lobster,

currents on the influx of spiny lobster,

Panulirus argus, postlarvae into Florida

Bay. 1217

Young J W, Bradford R, Lamb T D, Clementson L A, Kloser R, Galea H Yellowfin tuna (*Thunnus albacares*) aggregations along the shelf break off south-eastern Australia: links between inshore and offshore processes. 463

Young W J

See Prosser I P et al. 81

Zhang L

See Jolly I D et al. 53