

Low-intensity monitoring of small-mammal habitat associations and species interactions in an urban forest-preserve network

Kevin W. Cassel^{A,D}, Dana J. Morin^{B,F}, Clayton K. Nielsen^A, Timothy S. Preuss^{C,E} and Gary A. Glowacki^C

^ACooperative Wildlife Research Laboratory and Department of Forestry, Southern Illinois University, 251 Life Science II, Mail Code 6504, Carbondale, IL 62901, USA.

^BDepartment of Wildlife, Fisheries and Aquaculture, Mississippi State University, Box 9680, Mississippi State, MS 39762, USA.

^CLake County Forest Preserve District, 1899 West Winchester Road, Libertyville, IL 60048, USA.

^DPresent address: New Hanover County Government, Department of Parks and Gardens, Wilmington, NC 28403, USA.

^EPresent address: Illinois Department of Natural Resources, 28W040 State Route 58, Elgin, IL 60120, USA.

^FCorresponding author. Email: dana.morin@msstate.edu

Table S1. Candidate model set for detection probability for six small mammal species from 225 sites on forest preserves in Lake County, Illinois, USA during August-October 2009-2012.

Hypothesis	Model
Global	$\beta_0 + \beta_1(\text{Day of year}) + \beta_2(\text{Day of year}^2) + \beta_3(\text{Temp}) + \beta_4(\text{Temp}^2) + \beta_5(\text{Year}) + \beta_6(\text{Temp} \times \text{Rain}) + \beta_7(\text{Trap-response}) + \beta_8(\text{Effort})$
Temporal	$\beta_0 + \beta_1(\text{Year})$
Temporal	$\beta_0 + \beta_1(\text{Survey-specific})$
Environmental	$\beta_0 + \beta_1(\text{Temp}) + \beta_2(\text{Temp}^2) + \beta_3(\text{Rain})$
Environmental	$\beta_0 + \beta_1(\text{Temp}) + \beta_2(\text{Temp}^2)$
Environmental	$\beta_0 + \beta_1(\text{Temp}) + \beta_2(\text{Rain})$
Environmental	$\beta_0 + \beta_1(\text{Temp} \times \text{Rain})$
Environmental	$\beta_0 + \beta_1(\text{Temp})$
Environmental	$\beta_0 + \beta_1(\text{Rain})$
Temporal and environmental	$\beta_0 + \beta_1(\text{Day of year}) + \beta_2(\text{Day of year}^2) + \beta_3(\text{Rain})$
Temporal	$\beta_0 + \beta_1(\text{Day of year}) + \beta_2(\text{Day of year}^2)$
Temporal and environmental	$\beta_0 + \beta_1(\text{Day of year}) + \beta_2(\text{Rain})$
Temporal	$\beta_0 + \beta_1(\text{Day of year})$
Behavior	$\beta_0 + \beta_1(\text{Trap-response})$
Survey design	$\beta_0 + \beta_1(\text{Effort})$
Null	β_0 (intercept-only)

Table S2. Candidate model set for site occupancy for six small mammal species from 225 sites on forest preserves in Lake County, Illinois, USA during August-October 2009-2012.

Hypothesis	Model
Global	$\beta_0 + \beta_1(\text{PC1}) + \beta_2(\text{PC2})$
Canopy	$\beta_0 + \beta_1(\text{PC1})$
Xeric/Mesic	$\beta_0 + \beta_1(\text{PC2})$
Null	β_0 (intercept-only)

Table S3. Total number of detections of six small mammal species from 225 sites on forest preserves in Lake County, Illinois, USA during August-October 2009-2012.

Species		Year				Total
		2009	2010	2011	2012	
Short-tailed shrew	<i>Blarina brevicauda</i>	34	39	17	22	112
Meadow vole	<i>Microtus pennsylvanicus</i>	111	47	55	31	244
White-footed mouse	<i>Peromyscus leucopus</i>	84	177	121	304	686
Gray squirrel	<i>Sciurus carolinensis</i>	7	27	13	16	63
Masked shrew	<i>Sorex cinereus</i>	15	3	7	26	51
Eastern chipmunk	<i>Tamias striatus</i>	5	5	27	24	61
Total detections:		256	298	240	423	1217
Tomahawk trap effort ^a :		537	529	543	490	2099
Sherman trap effort ^a :		1099	998	1137	997	4231
Total effort(trap nights):		1636	1527	1680	1487	6330

^aEffort is calculated separately for Tomahawk and Sherman traps and was adjusted for trap disturbance (see Methods).