

Systematic review of equids and telemetry collars: implications for deployment and reporting

Jacob D. Hennig^{A,D}, J. Derek Scasta^A, Jeffrey L. Beck^A, Kathryn A. Schoenecker^B and Sarah R. B. King^C

^ADepartment of Ecosystem Science and Management, University of Wyoming, Laramie, WY 82071, USA.

^BUnited States Geological Survey, Fort Collins Science Center, Fort Collins, CO 80526, USA.

^CDepartment of Ecosystem Science and Sustainability, Colorado State University, Fort Collins, CO 80523, USA.

^DCorresponding author. Email: jacobhennig@gmail.com

Table S1. All studies meeting the review criteria in the systematic search of wild and feral equid studies utilising telemetry collars

Reference	Continent	Publication type	Included in analyses
<i>Feral horse (Equus ferus caballus)</i>			
Berman 1991	Australia	Thesis	Yes
Hampson <i>et al.</i> 2010a	Australia	Peer-reviewed	Yes
Hampson <i>et al.</i> 2010b	Australia	Peer-reviewed	Yes
Hampson <i>et al.</i> 2011	Australia	Peer-reviewed	Yes
Fortini 2015	Europe	Thesis	Yes
Jodowska <i>et al.</i> 2015	Europe	Peer-reviewed	Yes
Köhler <i>et al.</i> 2016	Europe	Peer-reviewed	Yes
Naslund 2016	Europe	Thesis	No
Popp and Scheibe 2014	Europe	Peer-reviewed	Yes
Radoi <i>et al.</i> 2015	Europe	Peer-reviewed	Yes
van Hoesel and van der Werff 2011	Europe	Thesis	Yes
Asa 1999	North America	Peer-reviewed	No
Collins <i>et al.</i> 2014	North America	Peer-reviewed	Yes
Eagle <i>et al.</i> 1992	North America	Peer-reviewed	No
Eagle <i>et al.</i> 1993	North America	Peer-reviewed	No
Ehsan <i>et al.</i> 2012	North America	Peer-reviewed	Yes
Ganskopp and Vavra 1986	North America	Peer-reviewed	Yes
Girard <i>et al.</i> 2013	North America	Peer-reviewed	Yes
Goodloe <i>et al.</i> 2000	North America	Peer-reviewed	Yes
Leverkus 2015	North America	Thesis	Yes
National Research Council 1991	North America	Report	Yes
Siniff <i>et al.</i> 1986	North America	Peer-reviewed	Yes
Zervanos and Keiper 1979	North America	Report	Yes
<i>Przewalski's horse (Equus ferus przewalskii)</i>			
Kaczensky and Huber 2010	Asia	Peer-reviewed	Yes
Kaczensky <i>et al.</i> 2008	Asia	Peer-reviewed	Yes
Kaczensky <i>et al.</i> 2010b	Asia	Peer-reviewed	Yes
Lugauer 2010	Asia	Thesis	Yes
<i>Asiatic wild ass (Equus hemionus)</i>			
Bayarbaatar 2016	Asia	Thesis	No
Giotto <i>et al.</i> 2015	Asia	Peer-reviewed	Yes
Ito <i>et al.</i> 2013	Asia	Peer-reviewed	No
Kaczensky <i>et al.</i> 2008	Asia	Peer-reviewed	Yes
Kaczensky <i>et al.</i> 2010a	Asia	Peer-reviewed	Yes
Kaczensky <i>et al.</i> 2010b	Asia	Peer-reviewed	Yes
Kaczensky <i>et al.</i> 2011a	Asia	Peer-reviewed	Yes
Kaczensky <i>et al.</i> 2011b	Asia	Peer-reviewed	Yes
Lugauer 2010	Asia	Thesis	No
Nandintsetseg <i>et al.</i> 2016	Asia	Peer-reviewed	No
Shah and Qureshi 2007	Asia	Peer-reviewed	Yes
Sheehy <i>et al.</i> 2010	Asia	Report	No
Sheehy <i>et al.</i> 2012	Asia	Report	No
World Bank 2006	Asia	Report	Yes
<i>Feral burro (Equus asinus)</i>			
Marshal <i>et al.</i> 2012	North America	Peer-reviewed	Yes
Seegmiller and Ohmart 1981	North America	Peer-reviewed	Yes
<i>Grevy's zebra (Equus grevyi)</i>			
Hostens 2009	Africa	Thesis	Yes
Letoiye 2014	Africa	Peer-reviewed	No
Levikov 2014	Africa	Thesis	Yes

Low <i>et al.</i> 2009	Africa	Peer-reviewed	No
Sundaresan <i>et al.</i> 2007	Africa	Peer-reviewed	Yes
Wheeler 2013	Africa	Thesis	Yes
Younan 2015	Africa	Thesis	Yes
Zero <i>et al.</i> 2013	Africa	Peer-reviewed	No
Plains zebra (<i>Equus quagga</i>)			
Barnier <i>et al.</i> 2014	Africa	Peer-reviewed	Yes
Bartlam-Brooks <i>et al.</i> 2011	Africa	Peer-reviewed	Yes
Bartlam-Brooks <i>et al.</i> 2013a	Africa	Peer-reviewed	No
Bartlam-Brooks <i>et al.</i> 2013b	Africa	Peer-reviewed	No
Bracis and Mueller 2017	Africa	Peer-reviewed	No
Bradley 2012	Africa	Thesis	Yes
Brooks 2005	Africa	Thesis	Yes
Brooks and Harris 2008	Africa	Peer-reviewed	No
Brooks <i>et al.</i> 2008	Africa	Peer-reviewed	No
Cain <i>et al.</i> 2012	Africa	Peer-reviewed	No
Courbin <i>et al.</i> 2016	Africa	Peer-reviewed	Yes
Fischhoff <i>et al.</i> 2007	Africa	Peer-reviewed	Yes
Goodall 2014	Africa	Thesis	No
Hopcraft <i>et al.</i> 2014	Africa	Peer-reviewed	Yes
Kamath <i>et al.</i> 2014	Africa	Peer-reviewed	Yes
Macandza 2009	Africa	Thesis	Yes
Macandza <i>et al.</i> 2012a	Africa	Peer-reviewed	No
Macandza <i>et al.</i> 2012b	Africa	Peer-reviewed	No
Macandza <i>et al.</i> 2013	Africa	Peer-reviewed	No
Martin and Owen-Smith 2016	Africa	Peer-reviewed	Yes
Naidoo <i>et al.</i> 2016	Africa	Peer-reviewed	Yes
Owen-Smith 2013	Africa	Peer-reviewed	No
Owen-Smith and Goodall 2014	Africa	Peer-reviewed	No
Owen-Smith and Martin 2015	Africa	Peer-reviewed	No
Owen-Smith <i>et al.</i> 2012	Africa	Peer-reviewed	No
Owen-Smith <i>et al.</i> 2013	Africa	Peer-reviewed	No
Owen-Smith <i>et al.</i> 2015	Africa	Peer-reviewed	No
Traill <i>et al.</i> 2016	Africa	Peer-reviewed	No
Venter <i>et al.</i> 2014	Africa	Peer-reviewed	Yes
Zhang <i>et al.</i> 2004	Africa	Peer-reviewed	No
Zidon <i>et al.</i> 2017	Africa	Peer-reviewed	No
Zinn 2013	Africa	Thesis	No

References

- Asa, C. S. (1999). Male reproductive success in free-ranging feral horses. *Behavioral Ecology and Sociobiology* **47**, 89–93. doi:10.1007/s002650050653
- Barnier, F., Valerix, M., Duncan, P., Chamaillé-Jammes, S., Barre, P., Loveridge, A. J., Macdonald, D. W., and Fritz, H. (2014). Diet quality in a wild grazer declines under the threat of an ambush predator. *Proceedings. Biological Sciences* **281**, 20140446. doi:10.1098/rspb.2014.0446
- Bartlam-Brooks, H. L. A., Bonyongo, M. C., and Harris, S. (2011). Will reconnecting ecosystems allow long-distance mammal migrations to resume? A case study of a zebra *Equus burchelli* migration in Botswana. *Oryx* **45**, 210–216. doi:10.1017/S0030605310000414
- Bartlam-Brooks, H. L. A., Beck, P. S. A., Bohrer, G., and Harris, S. (2013a). In search of greener pastures: using satellite images to predict the effects of environmental change on zebra migration. *Journal of Geophysical Research Biogeosciences* **118**, 1427–1437. doi:10.1002/jgrg.20096
- Bartlam-Brooks, H. L. A., Bonyongo, M. C., and Harris, S. (2013b). How landscape scale changes affect ecological processes in conservation areas: external factors influence land use by zebra (*Equus burchelli*) in the Okavango Delta. *Ecology and Evolution* **3**, 2795–2805. doi:10.1002/ece3.676
- Bayarbaatar, B. (2016). Distribution and population dynamics of ungulates in the Mongolia Gobi. Ph.D. Thesis, University of Massachusetts, Amherst, MA, USA.
- Berman, D. M. (1991). The ecology of feral horses in central Australia. Ph.D. Thesis, University of New England, Armidale.
- Bracis, C., and Mueller, T. (2017). Memory, not just perception, plays an important role in terrestrial mammalian migration. *Proceedings. Biological Sciences* **284**, 20170449. doi:10.1098/rspb.2017.0449
- Bradley, J. T. (2012). The effect of environmental variability on the foraging behaviour of plains zebra (*Equus quagga*) in the Makgadikgadi, Botswana. Ph.D. Thesis, University of Bristol, UK.
- Brooks, C. J. (2005). The foraging behaviour of Burchell's zebra (*Equus burchelli antiquorum*). Ph.D. Thesis, University of Bristol, UK.
- Brooks, C. J., and Harris, S. (2008). Directed movement and orientation across a large natural landscape by zebras, *Equus burchelli antiquorum*. *Animal Behaviour* **76**, 277–285. doi:10.1016/j.anbehav.2008.02.005
- Brooks, C., Bonyongo, C., and Harris, S. (2008). Effects of global positioning system collar weight on zebra behavior and location error. *The Journal of Wildlife Management* **72**, 527–534. doi:10.2193/2007-061
- Cain, J. W., III, Owen-Smith, N., and Macandza, V. A. (2012). The costs of drinking: comparative water dependency of sable antelope and zebra. *Journal of Zoology* **286**, 58–67. doi:10.1111/j.1469-7998.2011.00848.x
- Collins, G. H., Peterson, S. L., Carr, C. A., and Pielstick, L. (2014). Testing VHF/GPS collar design and safety in the study of free-roaming horses. *PLoS One* **9**, e103189. doi:10.1371/journal.pone.0103189

- Courbin, N., Loveridge, A. J., Macdonald, D. W., Fritz, H., Valeix, M., Makuwe, E. T., and Chamaille-Jammes, S. (2016). Reactive responses of zebras to lion encounters shape their predator–prey space game at large scale. *Oikos* **125**, 829–838. doi:10.1111/oik.02555
- Eagle, T. C., Plotka, E. D., Garrott, R. A., Siniff, D. B., and Tester, J. R. (1992). Efficacy of chemical contraception in feral mares. *Wildlife Society Bulletin* **20**, 211–216.
- Eagle, T. C., Asa, C. S., Garrott, R. A., Plotka, E. D., Siniff, D. B., and Tester, J. R. (1993). Efficacy of dominant male sterilization to reduce reproduction in feral horses. *Wildlife Society Bulletin* **21**, 116–121.
- Ehsan, S., Bradford, K., Brugger, M., Hamdaoui, B., Kovchegov, Y., Johnson, D., and Louhaichi, M. (2012). Design and analysis of delay-tolerant sensor networks for monitoring and tracking free-roaming animals. *IEEE Transactions on Wireless Communications* **11**, 1220–1227. doi:10.1109/TWC.2012.012412.111405
- Fischhoff, I. R., Sundaresan, S. R., Cordingley, J., and Rubenstein, D. I. (2007). Habitat use and movements of plains zebra (*Equus burchelli*) in response to predation danger from lions. *Behavioral Ecology* **18**, 725–729. doi:10.1093/beheco/arm036
- Fortini, A. (2015). An ethological field study on spatial ecology and resources selection of feral ponies *Gotland Russ* during winter. M.Sc. Thesis, University of Turin, Italy.
- Ganskopp, D., and Vavra, M. (1986). Habitat use by feral horses in the northern sagebrush steppe. *Journal of Range Management* **39**, 207–212. doi:10.2307/3899050
- Giotto, N., Gerard, J.-F., Ziv, A., Bouskila, A., and Bar-David, S. (2015). Space-use patterns of the Asiatic wild ass (*Equus hemionus*): complementary insights from displacement, recursion movement and habitat selection analyses. *PLoS One* **10**, e0143279. doi:10.1371/journal.pone.0143279
- Girard, T. L., Bork, E. W., Nielsen, S. E., and Alexander, M. J. (2013). Seasonal variation in habitat selection by free-ranging feral horses within Alberta’s forest reserve. *Rangeland Ecology and Management* **66**, 428–437. doi:10.2111/REM-D-12-00081.1
- Goodall, V. L. (2014). Statistical approaches towards analyzing ungulate movement patterns in the Kruger National Park. Ph.D. Thesis, University of Witwatersrand, Johannesburg.
- Goodloe, R. B., Warren, R. J., Osborn, D. A., and Hall, C. (2000). Population characteristics of feral horses on Cumberland Island, Georgia and their management implications. *The Journal of Wildlife Management* **64**, 114–121. doi:10.2307/3802980
- Hampson, B. A., de Laat, M. A., Mills, P. C., and Pollitt, C. C. (2010a). Distances travelled by feral horses in ‘outback’ Australia. *Equine Veterinary Journal* **42**, 582–586. doi:10.1111/j.2042-3306.2010.00203.x
- Hampson, B. A., Morton, J. M., Mills, P. C., Trotter, M. G., Lamb, D. W., and Pollitt, C. C. (2010b). Monitoring distances travelled by horses using GPS tracking collars. *Australian Veterinary Journal* **88**, 176–181. doi:10.1111/j.1751-0813.2010.00564.x

- Hampson, B. A., Zabek, M. A., Pollitt, C. C., and Nock, B. (2011). Health and behaviour consequences of feral horse relocation. *The Rangeland Journal* **33**, 173–180. doi:10.1071/RJ10075
- Hopcraft, J. G. C., Morales, J. M., Beyer, H. L., Borner, M., Mwangomo, E., Sinclair, A. R. E., Olf, H., and Haydon, D. T. (2014). Competition, predation, and migration: individual choice patterns of Serengeti migrants captured by hierarchical models. *Ecological Monographs* **84**, 355–372. doi:10.1890/13-1446.1
- Hostens, E. (2009). Modelling the migration of Grevy's zebra in function of habitat type using remote sensing. Thesis, University of Ghent, Belgium.
- Ito, T. Y., Lhagvasuren, B., Tsunekawa, A., Shinoda, M., Takatsuki, S., Buuveibaatar, B., and Chimeddorj, B. (2013). Fragmentation of the habitat of wild ungulates by anthropogenic barriers in Mongolia. *PLoS One* **8**, e56995. doi:10.1371/journal.pone.0056995
- Jodowska, E., Kuzniak, A. M., Pikula, R., and Smugala, M. (2015). Analysis of Polish primitive ponies migration under registration of the global positioning system. *GSTF Journal of Veterinary Science* **1**, 20–24.
- Kaczensky, P., and Huber, K. (2010). The use of high frequency GPS data to classify main behavioural categories in a Przewalski's horse in the Mongolian Gobi. *Exploration into the Biological Resources of Mongolia* **11**, 281–289.
- Kaczensky, P., Ganbaater, O., von Wehrden, H., and Walzer, C. (2008). Resource selection by sympatric wild equids in the Mongolian Gobi. *Journal of Applied Ecology* **45**, 1762–1769. doi:10.1111/j.1365-2664.2008.01565.x
- Kaczensky, P., Dresley, V., Vetter, D., Otgonbayar, H., and Walzer, C. (2010a). Water use of Asiatic wild asses in the Mongolian Gobi. *Exploration into the Biological Resources of Mongolia* **11**, 291–298.
- Kaczensky, P., Ito, T. Y., and Walzer, C. (2010b). Satellite telemetry of large mammals in Mongolia: what expectations should we have for collar function? *Wildlife Biology in Practice* **6**, 108–126.
- Kaczensky, P., Ganbataar, O., Altansukh, N., Enkhsaikhan, N., Stauffer, C., and Walzer, C. (2011a). The danger of having all your eggs in one basket – winter crash of the re-introduced Przewalski's horses in the Mongolian Gobi. *PLoS One* **6**, e28057. doi:10.1371/journal.pone.0028057
- Kaczensky, P., Kuehn, R., Lhagvasuren, B., Pietsch, S., Yang, W., and Walzer, C. (2011b). Connectivity of the Asiatic wild ass population in the Mongolian Gobi. *Biological Conservation* **144**, 920–929. doi:10.1016/j.biocon.2010.12.013
- Kamath, P. L., Turner, W. C., Küsters, M., and Getz, W. M. (2014). Parasite-mediated selection drives an immunogenetic trade-off in plains zebras (*Equus quagga*). *Proceedings of the Royal Society B: Biological Sciences* **281**, 20140077. doi:10.1098/rspb.2014.0077
- Köhler, M., Hiller, G., and Tischew, S. (2016). Year-round horse grazing supports typical vascular plant species, orchids and rare bird communities in a dry calcareous grassland. *Agriculture, Ecosystems & Environment* **234**, 48–57. doi:10.1016/j.agee.2016.03.020

- Letoiye, D. (2014). Participatory spatial planning for reconciling human activities and conservation of Grevy's zebra (*Equus grevyi*) in northern Kenya. A case study of Meibae Community Conservancy, Samburu. *Merit Research Journal of Education and Review* **2**, 92–103.
- Leverkus, S. E. R. (2015). Conservation of biodiversity in northern Canada through ecological processes and cultural landscapes. Ph.D. Thesis, Oklahoma State University, Stillwater, OK, USA.
- Levikov, N. (2014). To migrate or to forage? The where, when, and why behind Grevy's zebra movement. Thesis, Imperial College London.
- Low, B., Sundaresan, S. R., Fischhoff, I. R., and Rubenstein, D. I. (2009). Partnering with local communities to identify conservation priorities for endangered Grevy's zebra. *Biological Conservation* **142**, 1548–1555. doi:10.1016/j.biocon.2009.02.003
- Lugauer, B. (2010). Differences of movement pattern between Asiatic wild ass (*Equus hemionus*) and Przewalski's horse (*Equus ferus przewalskii*). Ph.D. Thesis, University of Vienna, Austria.
- Macandza, V. A. (2009). Resource partitioning between low-density and high-density grazers: sable antelope, zebra, and buffalo. Ph.D. Thesis, University of Witwatersrand, Johannesburg, South Africa.
- Macandza, V. A., Owen-Smith, N., and Cain, J. W., III (2012a). Dynamic spatial partitioning and coexistence among tall grass grazers in an African savanna. *Oikos* **121**, 891–898. doi:10.1111/j.1600-0706.2012.20250.x
- Macandza, V. A., Owen-Smith, N., and Cain, J. W., III (2012b). Habitat and resource partitioning between abundant and relatively rare grazing ungulates. *Journal of Zoology* **287**, 175–185. doi:10.1111/j.1469-7998.2012.00900.x
- Macandza, V. A., Owen-Smith, N., and Le Roux, E. (2013). Faecal nutritional indicators in relation to the comparative population performance of sable antelope and other grazers. *African Journal of Ecology* **52**, 300–307.
- Marshal, J. P., Bleich, V. C., Krausman, P. R., Reed, M.-L., and Neibergs, A. (2012). Overlap in diet and habitat between the mule deer (*Odocoileus hemionus*) and feral ass (*Equus asinus*) in the Sonoran Desert. *The Southwestern Naturalist* **57**, 16–25. doi:10.1894/0038-4909-57.1.16
- Martin, J., and Owen-Smith, N. (2016). Habitat selectivity influences the reactive responses of African ungulates to encounters with lions. *Animal Behaviour* **116**, 163–170. doi:10.1016/j.anbehav.2016.04.003
- Naidoo, R., Chase, M. J., Beytell, P., Du Preez, P., Landen, K., Stuart-Hill, G., and Taylor, R. (2016). A newly discovered wildlife migration in Namibia and Botswana is the longest in Africa. *Oryx* **50**, 138–146. doi:10.1017/S0030605314000222
- Nandintsetseg, D., Kaczensky, P., Ganbaatar, O., Leimgruber, P., and Mueller, T. (2016). Spatiotemporal habitat dynamics of ungulates in unpredictable environments: the khulan (*Equus hemionus*) in the Mongolian Gobi desert as a case study. *Biological Conservation* **204**, 313–321. doi:10.1016/j.biocon.2016.10.021

- Naslund, K. (2016). Habitat preferences and shelter seeking behaviour of extensively kept Gotland Ponies. M.Sc. Thesis, Swedish University of Agricultural Sciences, Uppsala, Sweden.
- National Research Council (NRC) (1991). Wild horse populations: field studies in genetics and fertility. Report to the Bureau of Land Management, US Department of the Interior. The National Academies Press, Washington, DC, USA.
- Owen-Smith, N. (2013). Daily movement responses by African savanna ungulates as an indicator of seasonal and annual food stress. *Wildlife Research* **40**, 232–240. doi:10.1071/WR13024
- Owen-Smith, N., and Goodall, V. (2014). Coping with savanna seasonality: comparative daily activity patterns of African ungulates as revealed by GPS telemetry. *Journal of Zoology* **293**, 181–191. doi:10.1111/jzo.12132
- Owen-Smith, N., and Martin, J. (2015). Identifying space use at foraging arena scale within the home ranges of large herbivores. *PLoS One* **10**, e0128821. doi:10.1371/journal.pone.0128821
- Owen-Smith, N., Goodall, V., and Fatti, P. (2012). Applying mixture models to derive activity states of large herbivores from movement rates obtained using GPS telemetry. *Wildlife Research* **39**, 452–462. doi:10.1071/WR12062
- Owen-Smith, N., Le Roux, E., and Macandza, V. (2013). Are relatively rare antelope narrowly selective feeders? A sable antelope and zebra comparison. *Journal of Zoology* **291**, 163–170. doi:10.1111/jzo.12058
- Owen-Smith, N., Martin, J., and Yoganand, K. (2015). Spatially nested niche partitioning between syntopic grazers at foraging arena scale within overlapping home ranges. *Ecosphere* **6**, art152. doi:10.1890/ES14-00487.1
- Popp, A., and Scheibe, K. M. (2014). The ecological influence of large herbivores – behavior and habitat utilization of cattle and horses. *Applied Ecology and Environmental Research* **12**, 681–693. doi:10.15666/aecer/1203_681693
- Radoi, I. E., Mann, J., and Arvind, D. K. (2015). Tracking and monitoring horses in the wild using wireless sensor networks. In ‘2015 IEEE 11th International Conference on Wireless and Mobile Computing, Networking and Communications (WiMob)’, 19–21 October 2015, Abu Dhabi, United Arab Emirates. pp. 732–739. (Institute of Electrical and Electronics Engineers: Piscataway, NJ, USA.)
- Seegmiller, R. F., and Ohmart, R. D. (1981). Ecological relationships of feral burros and desert bighorn sheep. *Wildlife Monographs* **78**, 3–58.
- Shah, N., and Qureshi, Q. (2007). Social organization and determinants of spatial distribution of Khur (*Equus hemionus khur*). *Exploration into the Biological Resources of Mongolia* **10**, 189–200.
- Sheehy, D., Sheehy, C., Johnson, D., Damiran, D., and Fiamengo, M. (2010). Mongolia – livestock and wildlife in the Southern Gobi Region (SGP), with special attention to wild ass. Social, environment, and rural development – East Asia and Pacific region discussion paper. World Bank, Washington, DC, USA.

- Sheehy, D., Hale, M., Damiran, D., Sheehy, T., Tsogoo, D., and Batsukh, S. (2012). Monitoring change on Mongolian rangelands. Final report for Netherlands–Mongolia Environmental Trust Fund for Environmental Reform (NEMO). Available at https://www.researchgate.net/profile/Daalkhaijav_Damiran/publication/274711374_Monitoring_Change_on_Mongolian_Rangelands_Final_report_for_Netherlands-Mongolia_Environmental_Trust_Fund_for_Environmental_Reform_NEMO/links/5ba170d5a6fdccd3cb61f441/Monitoring-Change-on-Mongolian-Rangelands-Final-report-for-Netherlands-Mongolia-Environmental-Trust-Fund-for-Environmental-Reform-NEMO.pdf [verified 2 June 2020].
- Siniff, D. B., Tester, J. R., and McMahon, G. L. (1986). Foaling rate and survival of feral horses in western Nevada. *Journal of Range Management* **39**, 296–297. doi:10.2307/3899765
- Sundaresan, S. R., Fischhoff, I. R., and Rubenstein, D. I. (2007). Male harassment influences female movements and associations in Grevy’s zebra (*Equus grevyi*). *Behavioral Ecology* **18**, 860–865. doi:10.1093/beheco/arm055
- Traill, L. W., Martin, J., and Owen-Smith, N. (2016). Lion proximity, not moon phase, affects the nocturnal movement behaviour of zebra and wildebeest. *Journal of Zoology* **299**, 221–227. doi:10.1111/jzo.12343
- van Hoesel, W., and van der Werff, S. (2011). You can lead a horse to water, but you cannot make it drink. The ecology and social context of the reintroduction of semi-wild horses in the eastern Rhodopi Mountains: an exploratory study. B.Sc. Thesis, Van Hall Larenstein University of Applied Sciences, Leeuwarden, The Netherlands.
- Venter, J. A., Nabe-Nielsen, J., Prins, H. H. T., and Slotow, R. (2014). Forage patch use by grazing herbivores in a South African grazing ecosystem. *Acta Theriologica* **59**, 457–466. doi:10.1007/s13364-014-0184-y
- Wheeler, L. J. (2013). Using telemetry data to study behavioural responses of Grevy’s zebra in a pastoral landscape in Samburu, Kenya. M.Sc. Thesis, Imperial College London, UK.
- World Bank (2006). Mongolia: Room to roam? The threat to Khulan (wild ass) from human intrusion. Mongolian discussion papers. World Bank, Washington, DC, USA. Available at <http://documents.worldbank.org/curated/en/559701468060257075/Mongolia-Room-to-roam-the-threat-to-Khulan-wild-ass-from-human-intrusion> [verified May 2020].
- Younan, R. (2015). Assessing Grevy’s zebra (*Equus grevyi*) and livestock interactions through satellite tracking and community involvement in Samburu County (Kenya). M.Sc. Thesis, Humboldt University, Berlin.
- Zero, V. H., Sundaresan, S. R., O’Brien, T. G., and Kinnaird, M. F. (2013). Monitoring an endangered savannah ungulate, Grevy’s zebra *Equus grevyi*: choosing a method for estimating population densities. *Oryx* **47**, 410–419. doi:10.1017/S0030605312000324
- Zervanos, S. M., and Keiper, R. R. (1979). Seasonal home ranges and activity patterns of feral Assateague Island ponies. In ‘Proceedings of a Conference on the Ecology and Behavior of Feral Equids’. (Ed. R. H. Denniston.) pp. 3–14. (University of Wyoming: Laramie, WY, USA.)

Zhang, P., Sadler, C. M., Lyon, S. A., and Martonosi, M. (2004). Hardware design experiences in ZebraNet. In 'SenSys '04 Proceedings of the 2nd International Conference on Embedded Networked Sensor Systems', November 2004, Baltimore, MD, USA. pp. 277–238.

Zidon, R., Garti, S., Getz, W. M., and Saltz, D. (2017). Zebra migration strategies and anthrax in Ethosha National Park, Namibia. *Ecosphere* 8, e01925. doi:10.1002/ecs2.1925

Zinn, A. D. (2013). Can MODIS NDVI measurements be used to predict zebra (*Equus burchelli*) foraging patterns? Thesis, University of Witwatersrand, Johannesburg, South Africa.