

CSIRO Publishing

Wildlife Research



Volume 28, 2001
© CSIRO 2001

All enquiries and manuscripts should be directed to:

Wildlife Research
CSIRO Publishing
PO Box 1139 (150 Oxford St)
Collingwood, Vic. 3066, Australia



**CSIRO
PUBLISHING**

Telephone: +61 3 9662 7622
Fax: +61 3 9662 7611
Email: publishing.wr@csiro.au

Published by CSIRO Publishing
for CSIRO and the Australian Academy of Science

www.publish.csiro.au/journals/wr

Index to Volume 28

Authors and Titles

- Aberton, J. G.
 See Wilson, B. A. 527
- Alterio, N.
 See Miller, C. 165
- Anderson, D. R.
 See Burnham, K. P. 111
- Anstee, S. D., and Armstrong, K. N.
 The effect of familiarity and mound condition in translocations of the western pebble-mound mouse, *Pseudomys chapmani*, in the Pilbara region of Western Australia. 135
- Armstrong, K. N.
 See Anstee, S. D. 135
 The distribution and roost habitat of the orange leaf-nosed bat, *Rhinonictis aurantius*, in the Pilbara region of Western Australia. 95
- Armstrong, P. J.
 See Twigg, L. E. 261
- Asseline, J.
 See Chapuis, J.-L. 323
- Aumann, T.
 Habitat use, temporal activity patterns and foraging behaviour of raptors in the south-west of the Northern Territory, Australia. 365
 An intraspecific and interspecific comparison of raptor diets in the south-west of the Northern Territory, Australia. 379
- Baker, G. B., Lumsden, L. F., Dettmann, E. B., Schedvin, N. K., Schulz, M., Watkins, D., and Jansen, L.
 The effect of forearm bands on insectivorous bats (Microchiroptera) in Australia. 229
- Barlow, N. D., and Norbury, G. L.
 A simple model for ferret population dynamics and control in semi-arid New Zealand habitats. 87
- Baxter, G. S., Moll, E. J., and Lisle, A. T.
 Pasture grazing by black-striped wallabies (*Macropus dorsalis*) in central Queensland. 269
- Baynes, A.
 See Pearson, S. G. 435
- Bencini, R., McCulloch, C., Mills, H. R., and Start, A. N.
 Habitat and dietary preferences of the dibbler (*Parantechinus apicalis*) on two islands in Jurien Bay, Western Australia. 465
- Bendotti, G.
 See Twigg, L. E. 299
- Bennett, A. F.
 See van der Ree, R. 517
- Berman, D. M.
 See Edwards, G. P. 283
- Berry, L.
 Edge effects on the distribution and abundance of birds in a southern Victorian forest. 239
- Bos, D. G., and Carthew, S. M.
 Population ecology of *Ningaii yvonneae* (Dasyuridae : Marsupialia) in the Middleback Ranges, Eyre Peninsula, South Australia. 507
- Bowen, Z.
 See Read, J. L. 195
- Bradley, J. S.
 See Robley, A. J. 341
- Bradshaw, C. J. A.
 See Harcourt, R. G. 599
- Brooker, L.
 See Brooker, M. G. 205
- Brooker, M. G., and Brooker, L.
 Breeding biology, reproductive success and survival of the blue-breasted fairy-wrens in a fragmented landscape. 205
- Brunner, H.
 See Lobert, B. 637
- Burnham, K. P., and Anderson, D. R.
 Kullback–Leibler information as a basis for strong inference in ecological studies. 111
- Burrow, G.
 See Twigg, L. E. 607
- Burt, R. J.
 See Catling, P. C. 555
- Carthew, S. M.
 See Bos, D. G. 507
- Catling, P. C., Coops, N., and Burt, R. J.
 The distribution and abundance of ground-dwelling mammals in relation to time since wildfire and vegetation structure in southeastern Australia. 555
- Catterall, C. P.
 See Martin, T. G. 17
- Chapuis, J.-L., Le Roux, V., Asseline, J., Lefevre, L., and Kerleau, F.
 Eradication of rabbits (*Oryctolagus cuniculus*) by poisoning on three islands of the subantarctic Kerguelen Archipelago. 323
- Chester, D. R.
 See Twigg, L. E. 299
- Childerhouse, S. J., Dix, B., and Gales, N. J.
 Diet of New Zealand sea lions (*Phocarcos hookeri*) at the Auckland Islands. 291
- Choquenot, D.
 See Ruscoe, W. A. 173
- Claridge, A. W., Trappe, J. M., and Claridge, D. L.
 Mycophagy by the swamp wallaby (*Wallabia bicolor*). 643
- Claridge, D. L.
 See Claridge, A. W. 643
- Cook, C. J.
 See Veltman, C. 589
- Coops, N.
 See Catling, P. C. 555
- Courtenay, J. M.
 See Richards, J. D. 311
- Cowan, P. E.
 Responses of common brushtail possums (*Trichosurus vulpecula*) to translocation on farmland, southern North Island, New Zealand. 277
- Cox, M.
 See Story, P. 179
- Craig, M. D., and Roberts, J. D.
 Evaluation of the impact of time of day, weather, vegetation density and bird movements on outcomes of area searches for birds in eucalypt forests in south-western Australia. 33
- Cunningham, R. B.
 See Lindenmayer, D. B. 105
- Davis, L. S.
 See Harcourt, R. G. 599
- Delahay, R. J.
 See Wilson, G. J. 151
- Delean, J. S. C.
 See Johnson, P. M. 79
- Dettmann, E. B.
 See Baker, G. B. 229

- Devine, C. D.
 See Veltman, C. 589
- Dickman, C. R., Haythornthwaite, A. S., McNaught, I. J., Mahon, P. S., Tamayo, B., and Letnic, M.
 Population dynamics of three species of dasyurid marsupials in arid central Australia: a 10-year study. 493
- Dix, B.
 See Childerhouse, S. J. 291
- Donnelly, C. F.
 See Lindenmayer, D. B. 105
- Dostine, P. L., Johnson, G. C., Franklin, D. C., Zhang, Y., and Hempel, C.
 Seasonal use of savanna landscapes by the Gouldian finch, *Erythrura gouldiae*, and co-existing finches in the Yinberrie Hills area, Northern Territory. 445
- Drake, K. A.
 See Veltman, C. 589
- Edwards, G. P., Eldridge, S. R., Wurst, D., Berman, D. M., and Garbin, V.
 Movement patterns of female feral camels in central and northern Australia. 283
- Eldridge, S. R.
 See Edwards, G. P. 283
- Elliott, M.
 See Miller, C. 165
- Fearn, S., Robinson, B., Sambono, J., and Shine, R.
 Pythons in the pergola: the ecology of 'nuisance' carpet pythons (*Morelia spilota*) from suburban habitats in south-eastern Queensland. 573
- Franklin, D. C.
 See Dostine, P. L. 445
- Freeland, W. J.
 See Stirrat, S. C. 547
- Friend, J. A.
 See Richards, J. D. 311
- Gales, N. J.
 See Childerhouse, S. J. 291
- Garbin, V.
 See Edwards, G. P. 283
- Gibson, L. A.
 Seasonal changes in the diet, food availability and food preference of the greater bilby (*Macrotis lagotis*) in south-western Queensland. 121
- Gilfillan, S. L.
 An ecological study of a population of *Pseudantechinus macdonnellensis* (Marsupialia : Dasyuridae) in central Australia. I. Invertebrate food supply, diet and reproductive strategy. 469
 An ecological study of a population of *Pseudantechinus macdonnellensis* (Marsupialia : Dasyuridae) in central Australia. II. Population dynamics and movements. 481
- Goddard, D.
 See Twigg, L. E. 261
- Goldsmith, R.
 See Ruscoe, W. A. 173
- Goosem, M.
 Effects of tropical rainforest roads on small mammals: inhibition of crossing movements. 351
- Göth, A., and Jones, D. N.
 Transmitter attachment and its effects on Australian brush-turkey hatchlings. 73
- Gowing, G.
 See Major, R. E. 565
- Gray, G. S.
 See Twigg, L. E. 299
- Grigg, J.
 See Lunney, D. 459
- Guarino, F.
 Diet of a large carnivorous lizard, *Varanus varius*. 627
- Harcourt, R. G., Bradshaw, C. J. A., and Davis, L. S.
 Summer foraging behaviour of a generalist predator, the New Zealand fur seal (*Arctocephalus forsteri*). 599
- Haythornthwaite, A. S.
 See Dickman, C. R. 493
- Hempel, C.
 See Dostine, P. L. 445
- Hindell, M. A.
 See Tierney, M. 581
- Holmes, K.
 See Sharp, A. 419
- Hopkins, M. S.
 See Kanowski, J. 1
- Incoll, R. D.
 See Lindenmayer, D. B. 105
- Jansen, L.
 See Baker, G. B. 229
- Johnson, G. C.
 See Dostine, P. L. 445
- Johnson, P. M., and Delean, J. S. C.
 Reproduction in the northern bettong, *Bettongia tropica* Wakefield (Marsupialia : Potoroidae), in captivity, with age estimation and development of pouch young. 79
- Jones, D. N.
 See Göth, A. 73
- Kanowski, J., Hopkins, M. S., Marsh, H. , and Winter, J. W.
 Ecological correlates of folivore abundance in north Queensland rainforests. 1
- Kerleau, F.
 See Chapuis, J.-L. 323
- Kirkpatrick, W. E.
 See Twigg, L. E. 299, 607
- Koenig, J., Shine, R., and Shea, G.
 The ecology of an Australian reptile icon: how do blue-tongued lizards (*Tiliqua scincoides*) survive in suburbia? 215
- Kok, N. E.
 See Twigg, L. E. 607
- Law, B. S.
 The diet of the common blossom bat (*Syconycteris australis*) in upland tropical rainforest and the importance of riparian areas. 619
- Lawson, D.
 See Stirrat, S. C. 547
- le Mar, K., Southwell, C. , and McArthur, C.
 Evaluation of line transect sampling to estimate nocturnal densities of macropods in open and closed habitats. 9
- Le Roux, V.
 See Chapuis, J.-L. 323
- Lea, M.-A.
 See Tierney, M. 581
- Lefevre, L.
 See Chapuis, J.-L. 323

- Letnic, M.
See Dickman, C. R. 493
- Lindenmayer, D. B., Cunningham, R. B., Donnelly, C. F., Incoll, R. D., Pope, M. L., Tribolet, C., Viggers, K. L., and Welsh, A. H.
How effective is spotlighting for detecting the greater glider (*Petauroides volans*)? 105
- Lisle, A. T.
See Baxter, G. S. 269
- Lobert, B., Lumsden, L. F., Brunner, H., and Triggs, B. E.
An assessment of the accuracy and reliability of hair identification of south-east Australian mammals. 637
- Lowe, T. J.
See Twigg, L. E. 299
- Lumsden, L. F.
See Baker, G. B. 229
See Lobert, B. 637
- Lunney, D., and Matthews, A.
The contribution of the community to defining the distribution of a vulnerable species, the spotted-tailed quoll, *Dasyurus maculatus*. 537
- Lunney, D., Matthews, A., and Grigg, J.
The diet of *Antechinus agilis* and *A. swainsonii* in unlogged and regenerating sites in Mumbula State Forest, south-eastern New South Wales. 459
- Mahon, P. S.
See Dickman, C. R. 493
- Major, R. E., and Gowing, G.
Survival of red-capped robins (*Petroica goodenovii*) in woodland remnants of central western New South Wales, Australia. 565
- Marks, A.
See Sharp, A. 419
- Marks, C. A.
See van Polanen Petel, A. M. 395
- Marsh, H.
See Kanowski, J. 1
- Martin, G. R.
See Twigg, L. E. 261
- Martin, T. G., and Catterall, C. P.
Do fragmented coastal heathlands have habitat value to birds in eastern Australia? 17
- Massam, M. C.
See Twigg, L. E. 299
- Matthews, A.
See Lunney, D. 459, 537
- McArthur, C.
See le Mar, K. 9
- McCulloch, C.
See Bencini, R. 465
- McLeod, S. R., and Saunders, G. R.
Improving management strategies for the red fox by using projection matrix analysis. 333
- McNaught, I. J.
See Dickman, C. R. 493
- Miller, C., Elliott, M., and Alterio, N.
Home range of stoats, *Mustela erminea*, in podocarp forest, south Westland, New Zealand: implications for a control strategy. 165
- Mills, H. R.
See Bencini, R. 465
- Minchin, P. R.
See Pearce, J. L. 41
- Moll, E. J.
See Baxter, G. S. 269
- Molsher, R. L.
Trappability of feral cats (*Felis catus*) in central New South Wales. 631
- Morgan, D. G.
See van Polanen Petel, A. M. 395
- Morton, R.
See Stirrat, S. C. 547
- Moseby, K. E.
See Read, J. L. 53
- Moseby, K. E., and Read, J. L.
Factors affecting pitfall capture rates of small ground vertebrates in arid South Australia. II. Optimum pitfall trapping effort. 61
- Norbury, G. L.
See Barlow, N. D. 87
- Norton, M.
See Sharp, A. 419
- Paltridge, R. M., and Southgate, R. I.
The effect of habitat type and seasonal conditions on fauna in two areas of the Tanami Desert. 247
- Pearce, J. L., and Minchin, P. R.
Vegetation of the Yellingbo Nature Conservation Reserve and its relationship to the distribution of the helmeted honeyeater, bell miner and white-eared honeyeater. 41
- Pearson, S. G., Baynes, A., and Triggs, B. E.
The record of fauna, and accumulating agents of hair and bone, found in middens of stick-nest rats, genus *Leporillus* (Rodentia : Muridae). 435
- Pope, L. C.
See Vernes, K. 141
- Pope, M. L.
See Lindenmayer, D. B. 105
- Prince, R. I. T.
See Richards, J. D. 311
- Read, J. L.
See Moseby, K. E. 61
Factors affecting pitfall capture rates of small ground vertebrates in arid South Australia. I. The influence of weather and moon phase on capture rates of reptiles. 53
- Read, J. L., and Bowen, Z.
Population dynamics, diet and aspects of the biology of feral cats and foxes in arid South Australia. 195
- Reichl, T.
See Wilson, B. A. 527
- Richards, J. D., Short, J. C., Prince, R. I. T., Friend, J. A., and Courtenay, J. M.
The biology of banded (*Lagostrophus fasciatus*) and rufous (*Lagorchestes hirsutus*) hare-wallabies (Diprotodontia : Macropodidae) on Dorre and Bernier Islands, Western Australia. 311
- Roberts, J. D.
See Craig, M. D. 33
- Robinson, B.
See Fearn, S. 573
- Robley, A. J., Short, J. C., and Bradley, J. S.
Dietary overlap between the burrowing bettong (*Bettongia lesueur*) and the European rabbit (*Oryctolagus cuniculus*) in semi-arid coastal Western Australia. 341
- Ruscoe, W. A., Goldsmith, R., and Choquenot, D.
A comparison of population estimates and abundance indices for house mice inhabiting beech forests in New Zealand. 173

- Sambono, J.
See Fearn, S. 573
- Saunders, G. R.
See McLeod, S. R. 333
- Schedvin, N. K.
See Baker, G. B. 229
- Schulz, M.
See Baker, G. B. 229
- Sharp, A., Norton, M., Marks, A., and Holmes, K.
An evaluation of two indices of red foxes (*Vulpes vulpes*) in an arid environment. 419
- Shea, G.
See Koenig, J. 215
- Shine, R.
See Koenig, J. 215
See Fearn, S. 573
- Short J. C.
See Richards, J. D. 311
See Robley, A. J. 341
- Smales, L. R.
See Turni, C. 403
- Soderquist, T. R.
See van der Ree, R. 517
- Southgate, R. I.
See Paltridge, R. M. 247
- Southwell, C.
See le Mar, K. 9
- Start, A. N.
See Bencini, R. 465
- Stirrat, S. C., Lawson, D., Freeland, W. J., and Morton, R.
Monitoring *Crocodylus porosus* in the Northern Territory of Australia: a retrospective power analysis. 547
- Story, P., and Cox, M.
A review of the effects of organophosphorous and carbamate insecticides on vertebrates. What are the implications for locust management in Australia? 179
- Tamayo, B.
See Dickman, C. R. 493
- Tierney, M., Hindell, M. A., Lea, M.-A., and Tollit, D.
A comparison of techniques used to estimate body condition of southern elephant seals, *Mirounga leonina*. 581
- Tollit, D.
See Tierney, M. 581
- Trappe, J. M.
See Claridge, A. W. 643
- Tribolet, C.
See Lindenmayer, D. B. 105
- Triggs, B. E.
See Pearson, S. G. 435
See Lobert, B. 637
- Turni, C., and Smales, L. R.
Parasites of the bridled nailtail wallaby (*Onychogalea fraenata*) (Marsupialia : Macropodidae). 403
- Twigg, L. E., Gray, G. S., Massam, M. C., Lowe, T. J., Kirkpatrick, W. E., Bendotti, G., and Chester, D. R.
Evaluation of bait stations for control of urban rabbits. 299
- Twigg, L. E., Kok, N. E., Kirkpatrick, W. E., and Burrow, G.
The longevity of 1080 egg-baits in a regularly baited nature reserve in south-western Australia. 607
- Twigg, L. E., Martin, G. R., Wilson, N., Goddard, D., Watkins, R., and Armstrong, P. J.
Longevity of zinc phosphide on wheat bait in tropical Australia. 261
- van den Hoff, J.
Dispersal of southern elephant seals (*Mirounga leonina* L.) marked at Macquarie Island. 413
- van der Ree, R., Soderquist, T. R., and Bennett, A. F.
Home-range use by the brush-tailed phascogale (*Phascogale tapoatafa*) (Marsupialia) in high-quality, spatially limited habitat. 517
- van Polanen Petel, A. M., Marks, C. A., and Morgan, D. G.
Bait palatability influences the caching behaviour of the red fox (*Vulpes vulpes*). 395
- Veltman, C., Cook, C. J., Drake, K. A., and Devine, C. D.
Potential of delta-decanolactone and (Z)-7-dodecen-1-yl acetate to attract feral goats (*Capra hircus*). 589
- Vernes, K., and Pope, L. C.
Stability of nest use, home range and movement of the northern bettong (*Bettongia tropica*) following moderate-intensity fire in a tropical woodland, north-eastern Queensland. 141
- Viggers, K. L.
See Lindenmayer, D. B. 105
- Watkins, D.
See Baker, G. B. 229
- Watkins, R.
See Twigg, L. E. 261
- Welsh, A. H.
See Lindenmayer, D. B. 105
- Wilson, B. A., Aberton, J. G., and Reichl, T.
Effects of fragmented habitat and fire on the distribution and ecology of the swamp antechinus (*Antechinus minimus maritimus*) in the eastern Otways, Victoria. 527
- Wilson, G. J., and Delahay, R. J.
A review of methods to estimate the abundance of terrestrial carnivores using field signs and observation. 151
- Wilson, N.
See Twigg, L. E. 261
- Winter, J. W.
See Kanowski, J. 1
- Wurst, D.
See Edwards, G. P. 283
- Young, R. A.
The eastern horseshoe bat, *Rhinolophus megaphyllus*, in south-eastern Queensland, Australia: colony demography and dynamics, activity levels, seasonal weight changes, and capture-recapture analyses. 425
- Zhang, Y.
See Dostine, P. L. 445