

## Supplementary Material

### Amy and David Buckingham 1930–2021

*Sir David C. Clary*<sup>A</sup> and *Brian J. Orr*<sup>B,C</sup>

<sup>A</sup>Department of Physical and Theoretical Chemistry, University of Oxford, South Parks Road, Oxford OX1 3QZ, UK.

<sup>B</sup>Emeritus Professor (Molecular and Optical Physics), Faculty of Science and Engineering, Macquarie University, Sydney, NSW 2109, Australia.

<sup>C</sup>Corresponding author. Email: [brian.orr@mq.edu.au](mailto:brian.orr@mq.edu.au)

### Scientific Publications

1. The direct calculation of true dipole moments from measurements on solutions or pure liquids.  
A.D. Buckingham and R.J.W. Le Fèvre, *J. Chem. Soc.*, 1952, 1932–1936.
2. The dielectric constant of a liquid.  
A.D. Buckingham, *Aust. J. Chem.*, 1953, **6**, 93–103.
3. The calculation of true dipole moments from solutions in polar solvents.  
A.D. Buckingham, *Aust. J. Chem.*, 1953, **6**, 323–331.
4. The application of Onsager's theory of dielectrics to spheroidal molecules.  
A.D. Buckingham, *Trans. Faraday Soc.*, 1953, **49**, 881–886.
5. The dipole moment of pyrrole measured in the dissolved and in the gaseous state.  
A.D. Buckingham, B. Harris and R.J.W. Le Fèvre, *J. Chem. Soc.*, 1953, 1626–1627.
6. A comparison of the apparent dipole moments of the brominated methanes dissolved in benzene with the true values determined as gases.  
A.D. Buckingham and R.J.W. Le Fèvre, *J. Chem. Soc.*, 1953, 3432–3435.
7. The dipole moment of acetone in the liquid, dissolved and gaseous states.  
A.D. Buckingham and R.J.W. Le Fèvre, *J. Chem. Soc.*, 1953, 4169–4170.
8. A note on the dipole moment of benzyl alcohol.  
A.D. Buckingham, H.G. Holland and R.J.W. Le Fèvre, *J. Chem. Soc.*, 1954, 1646–1648.
9. Intermolecular force field of linear molecules with quadrupole moments.  
A.D. Buckingham, *J. Chem. Phys.*, 1955, **23**, 412.

10. The dielectric constant of an imperfect non-polar gas.  
A.D. Buckingham and J.A. Pople, *Trans. Faraday Soc.*, 1955, **51**, 1029–1035.
11. The statistical mechanics of imperfect polar gases. I. Second virial coefficients.  
A.D. Buckingham and J.A. Pople, *Trans. Faraday Soc.*, 1955, **51**, 1173–1179.
12. The statistical mechanics of imperfect polar gases. II. Dielectric polarization.  
A.D. Buckingham and J.A. Pople, *Trans. Faraday Soc.*, 1955, **51**, 1179–1183.
13. Theoretical studies of the Kerr effect. I. Deviations from a linear polarization law.  
A.D. Buckingham and J.A. Pople, *Proc. Phys. Soc. A*, 1955, **68**, 905–909.
14. Theoretical studies of the Kerr effect. II. The influence of pressure.  
A.D. Buckingham, *Proc. Phys. Soc. A*, 1955, **68**, 910–919.
15. Quantitative comparison of the approximate dielectric polarization theories with an exact one at low densities.  
A.D. Buckingham, *J. Chem. Phys.*, 1955, **23**, 2370–2375.
16. The dipole moments of pyridine, quinoline and isoquinoline as vapours and as solutes.  
A.D. Buckingham, J.Y.H. Chau, H.C. Freeman, R.J.W. Le Fèvre, D.A.A.S. Narayano Rao and J. Tardif, *J. Chem. Soc.*, 1956, 1405–1411.
17. Birefringence resulting from the application of an intense beam of light to an isotropic medium.  
A.D. Buckingham, *Proc. Phys. Soc. B*, 1956, **69**, 344–349.
18. The Kerr effect in dilute solutions.  
A.D. Buckingham, *Trans. Faraday Soc.*, 1956, **52**, 611–614.
19. The molecular refraction of an imperfect gas.  
A.D. Buckingham, *Trans. Faraday Soc.*, 1956, **52**, 747–753.
20. The quadrupole moment of a hydrogen atom in a uniform electric field.  
A.D. Buckingham, C.A. Coulson and J.T. Lewis, *Proc. Phys. Soc. A*, 1956, **69**, 639–641.
21. The polarizability of a pair of interacting atoms.  
A.D. Buckingham, *Trans. Faraday Soc.*, 1956, **52**, 1035–1041.
22. The polarization of a hydrogen atom in combined electric and magnetic fields.  
A.D. Buckingham and J.A. Pople, *Proc. Camb. Phil. Soc.*, 1957, **53**, 262–264.
23. A theory of magnetic double refraction.  
A.D. Buckingham and J.A. Pople, *Proc. Phys. Soc. B*, 1956, **69**, 1133–1138.
24. A theory of the dielectric polarization of polar substances.  
A.D. Buckingham, *Proc. Roy. Soc. A*, 1956, **238**, 235–244.
25. Electric dipole moments of solutes in non-polar solvents.  
A.D. Buckingham, *Trans. Faraday Soc.*, 1956, **52**, 1551–1556.
26. Theory of the dielectric constant at high field strengths.  
A.D. Buckingham, *J. Chem. Phys.*, 1956, **25**, 428–434.

27. Electromagnetic properties of compressed gases.  
A.D. Buckingham and J.A. Pople, *Discussions Faraday Soc.*, 1956, **22**, 17–21.
28. A theory of the depolarization of light scattered by a dense medium.  
A.D. Buckingham and M.J. Stephen, *Trans. Faraday Soc.*, 1957, **53**, 884–893.
29. A molecular theory of the electro-optical Kerr effect in liquids.  
A.D. Buckingham and R.E. Raab, *J. Chem. Soc.*, 1957, 2341–2351.
30. The influence of a strong magnetic field on the dielectric constant of a diamagnetic fluid.  
A.D. Buckingham, *Proc. Phys. Soc. B*, 1957, **70**, 753–760.
31. Electric quadrupole moments and dielectric constants.  
A.D. Buckingham and J.A. Pople, *J. Chem. Phys.* 1957, **27**, 820–821.
32. A theory of ion-solvent interaction.  
A.D. Buckingham, *Discussions Faraday Soc.*, 1957, **24**, 151–157.
33. The dielectric constant of a compressed gas mixture.  
A.D. Buckingham and R.E. Raab, *Trans. Faraday Soc.*, 1958, **54**, 623–628.
34. Solvent effects in infra-red spectroscopy.  
A.D. Buckingham, *Proc. Roy. Soc. A*, 1958, **248**, 169–182.
35. Solute dimerization and the dielectric constant of a solution.  
A.D. Buckingham and R.E. Raab, *Trans. Faraday Soc.*, 1959, **55**, 377–387.
36. L'absorption des ondes micrométriques induites par la pression dans des gaz non polaires.  
A.D. Buckingham, *Colloques Internationaux du CNRS*, 1959, **77**, 57–70.
37. Théorie de la dépolarisation de la lumière diffusée par un fluide dense.  
A.D. Buckingham, *Colloques Internationaux du CNRS*, 1959, **77**, 391–399.
38. Direct method of measuring molecular quadrupole moments.  
A.D. Buckingham, *J. Chem. Phys.*, 1959, **30**, 1580–1585.
39. Molecular quadrupole moments.  
A.D. Buckingham, *Quarterly Reviews (Chem. Soc., London)*, 1959, **13**, 183–214.
40. Chemical shifts in nuclear magnetic resonance spectra of molecules containing polar groups.  
A.D. Buckingham, *Canadian J. Chem.*, 1960, **38**, 300–307.
41. Solvent effects in nuclear magnetic resonance spectra.  
A.D. Buckingham, T. Schaefer and W.G. Schneider, *J. Chem. Phys.*, 1960, **32**, 1227–1233.
42. A theory of frequency, intensity and band-width changes due to solvents in infra-red spectroscopy.  
A.D. Buckingham, *Proc. Roy. Soc. A*, 1960, **255**, 32–39.

43. The effect of strong electric and magnetic fields on the depolarization of the light scattered by gases.  
A.L. Andrews and A.D. Buckingham, *Molec. Phys.*, 1960, **3**, 183–189.
44. Nuclear magnetic shielding of a hydrogen atom in (1) an electric field-gradient and (2) a cage.  
A.D. Buckingham and K.P. Lawley, *Molec. Phys.*, 1960, **3**, 219–222.
45. Solvent effects in vibrational spectroscopy.  
A.D. Buckingham, *Trans. Faraday Soc.*, 1960, **56**, 753–760.
46. Optical, electrical and magnetic properties of molecules.  
A.D. Buckingham, *Ann. Reports Progr. Chem.*, 1960, **57**, 53–68.
47. Solvent effects in nuclear magnetic resonance.  
A.D. Buckingham, T. Schaefer and W.G. Schneider, *J. Chem. Phys.*, 1961, **34**, 1064–1065.
48. The dielectric polarization of some imperfect polar gases.  
A.D. Buckingham and R.E. Raab, *J. Chem. Soc.*, 1961, 5511–5523.
49. Fluorine nuclear magnetic resonance spectra of some perfluoroalkyl and perfluoracyl metal compounds.  
E. Pitcher, A.D. Buckingham and F.G.A. Stone, *J. Chem. Phys.*, 1962, **36**, 124–129.
50. Pressure-induced shifts and broadenings of infra-red spectral lines.  
A.D. Buckingham, *Trans. Faraday Soc.*, 1962, **58**, 449–461.
51. Frequency dependence of the Kerr constant.  
A.D. Buckingham, *Proc. Roy. Soc. A*, 1962, **267**, 271–282.
52. Nuclear quadrupole coupling in ionic molecules.  
A.D. Buckingham, *Trans. Faraday Soc.*, 1962, **58**, 1277–1283.
53. Temperature-dependent chemical shifts in the n.m.r. spectra of gases.  
A.D. Buckingham, *J. Chem. Phys.*, 1962, **36**, 3096.
54. Medium effects in proton magnetic resonance. I Gases.  
W.T. Raynes, A.D. Buckingham and H.J. Bernstein, *J. Chem. Phys.*, 1962, **36**, 3481–3488.
55. Effects of a strong electric field on n.m.r. spectra. The absolute sign of the spin coupling constant.  
A.D. Buckingham and E.G. Lovering, *Trans. Faraday Soc.*, 1962, **58**, 2077–2081.
56. Prediction of a stable, planar molecule,  $N(\text{BF}_2)_3$ .  
A.D. Buckingham, *Proc. Chem. Soc.*, 1962, 351.
57. Mercury, thallium and lead nuclear magnetic resonances.  
W.G. Schneider and A.D. Buckingham, *Discussions Faraday Soc.*, 1962, **34**, 147–155.
58. The quadrupole moment of the carbon dioxide molecule.  
A.D. Buckingham and R.L. Disch, *Proc. Roy. Soc. A*, 1963, **273**, 275–289.

59. The absolute sign of a nuclear spin-spin coupling constant.  
A.D. Buckingham and K.A. McLauchlan, *Proc. Chem. Soc.*, 1963, 144.
60. Pressure effects in infra-red spectra.  
N.J. Bridge and A.D. Buckingham, *Trans. Faraday Soc.*, 1963, **59**, 1497–1503.
61. High-resolution n.m.r. spectra in electric fields.  
A.D. Buckingham and J.A. Pople, *Trans. Faraday Soc.*, 1963, **59**, 2421–2430.
62. Electric field induced spectra.  
D.A. Dows and A.D. Buckingham, *J. Mol. Spectroscopy*, 1964, **12**, 189–197.
63. The Stark effect in molecules with strong nuclear quadrupole coupling.  
A.D. Buckingham and P.J. Stephens, *Molec. Phys.*, 1964, **7**, 481–491.
64. Electric field induced overtones in nuclear magnetic resonance.  
A.D. Buckingham, *Proc. Chem. Soc.*, 1963, 336–337.
65. Dipole moments and polarizabilities of electronically excited molecules through the Kerr effect.  
A.D. Buckingham and D.A. Dows, *Discussions Faraday Soc.*, 1963, **39**, 48–57.
66. X-ray scattering by a crystal in an electric field.  
A.D. Buckingham, *Acta Crystallographica*, 1964, **17**, 960–962.
67. Proton chemical shifts in the n.m.r. spectra of transition-metal hydrides: Octahedral complexes.  
A.D. Buckingham and P.J. Stephens, *J. Chem. Soc.*, 1964, 2747–2759.
68. Proton chemical shifts in the nuclear magnetic resonance spectra of transition-metal hydrides: Square-planar platinum(II) complexes.  
A.D. Buckingham and P.J. Stephens, *J. Chem. Soc.*, 1964, 4583.
69. Polarization of laser light scattered by gases.  
N.J. Bridge and A.D. Buckingham, *J. Chem. Phys.*, 1964, **40**, 2733–2734.
70. The laws and application of thermodynamics.  
A. D. Buckingham. A 208-page undergraduate textbook. Pergamon Press, May 1964. (Spanish edition published by Alhambra, 1966).
71. Experiments with oriented molecules (Chemical Society Tilden Lecture).  
A. D. Buckingham, *Chemistry in Britain*, 1965, **1**, 54–59.
72. Magnetic birefringence of ethane.  
A.D. Buckingham, W.H. Prichard and D.H. Whiffen, *Chem. Comm.*, 1965, 51.
73. Stark modulation in electronic spectroscopy.  
A.D. Buckingham and D.A. Ramsay, *J. Chem. Phys.*, 1965, **42**, 3721–3722.
74. Theory of the stimulated Raman and related effects.  
A.D. Buckingham, *J. Chem. Phys.*, 1965, **43**, 25–31.
75. The chemical shifts of protons in transition metal hydrides.  
A.D. Buckingham and P.J. Stephens, in "Nuclear Magnetic Resonance in Chemistry", Academic Press (New York), 1965, pp. 35–43.

76. Molecular quadrupole moments. Quantum corrections to the classical formulae.  
A.D. Buckingham and M. Pariseau, *Trans. Faraday Soc.*, 1966, **62**, 1–6.
77. Theory of long-range dispersion forces.  
A.D. Buckingham, *Discussions Faraday Soc.*, 1965, **40**, 232–238.
78. Magnetic optical activity.  
A.D. Buckingham and P.J. Stephens, *Ann. Rev. Phys. Chem.*, 1966, **17**, 399–432.
79. Higher polarizability of the helium atom.  
L.L. Boyle, A.D. Buckingham, R.L. Disch and D.A. Dunmur, *J. Chem. Phys.*, 1966, **45**, 1318–1323.
80. The polarization of laser light scattered by gases.  
N.J. Bridge and A.D. Buckingham, *Proc. Roy. Soc. A*, 1966, **295**, 334–349.
81. Magnetic birefringence of some diamagnetic gases.  
A.D. Buckingham, W.H. Prichard and D.H. Whiffen, *Trans. Faraday Soc.*, 1967, **63**, 1057–1064.
82. Molecular hyperpolarizabilities.  
A.D. Buckingham and B.J. Orr, *Quarterly Reviews (Chem. Soc., London)*, 1967, **21**, 195–212.
83. Chemical shift anisotropies from nuclear magnetic resonance studies of oriented molecules.  
A.D. Buckingham and E.E. Burnell, *J. Amer. Chem. Soc.*, 1967, **89**, 3341.
84. High resolution nuclear magnetic resonance in partially oriented molecules.  
A.D. Buckingham and K.A. McLauchlan, *Progress in Nuclear Magnetic Resonance Spectroscopy*, 1967, **2**, 63–109.
85. The interpretation of magnetic susceptibilities.  
A.D. Buckingham and S.M. Malm, *Chem. Phys. Letters*, 1967, **1**, 143–144.
86. Angular correlation in liquids.  
A.D. Buckingham, *Discussions Faraday Soc.*, 1967, **43**, 205–211.
87. Second-order interactions between polar molecules.  
A.D. Buckingham, *J. Chem. Phys.*, 1967, **47**, 1563.
88. Kerr dispersion of atomic sodium and lithium.  
M.P. Bogaard, A.D. Buckingham and B.J. Orr, *Molec. Phys.*, 1967, **13**, 533–545.
89. Permanent and induced molecular moments and long-range intermolecular forces.  
A.D. Buckingham, *Adv. Chem. Phys.*, 1967, **12**, 107–142.
90. The quadrupole moments of dipolar molecules.  
A.D. Buckingham and H.C. Longuet-Higgins, *Molec. Phys.*, 1968, **14**, 63–72.
91. N.M.R. studies of 3,3,3-trifluoropropyne dissolved in different nematic liquid crystals.  
A.D. Buckingham, E.E. Burnell, C.A. de Lange and A.J. Rest, *Molec. Phys.*, 1968, **14**, 105–109.

92. Permanent and induced molecular multipole moments.  
A.D. Buckingham, Proceedings of the Study Week on Molecular Forces, Pontificiae Academiae Scientiarvm Scripta Varia – 31, Rome, April 1966, pp. 9–24.
93. Electric birefringence in molecular hydrogen.  
A.D. Buckingham and B.J. Orr, Proc. Roy. Soc. A, 1968, **305**, 259–269.
94. The determination of nuclear magnetic shielding anisotropies of solutes in liquid-crystal solvents.  
A.D. Buckingham, E.E. Burnell and C.A. de Lange, J. Am. Chem. Soc., 1968, **90**, 2972–2974.
95. The quadrupole moments of some simple molecules.  
A.D. Buckingham, R.L. Disch and D.A. Dunmur, J. Am. Chem. Soc., 1968, **90**, 3104–3107.
96. Kerr effect in inert gases and sulphur hexafluoride.  
A.D. Buckingham and D.A. Dunmur, Trans. Faraday Soc., 1968, **64**, 1776–1783.
97. Interaction of a dipolar molecule and a spherical atom.  
A.D. Buckingham, J. Chem. Phys., 1968, **48**, 3827–3828.
98. N.M.R. studies of dimethyl-acetylene and perfluorodimethyl-acetylene in nematic solvents.  
A.D. Buckingham, E.E. Burnell and C.A. de Lange, Molec. Phys., 1968, **15**, 285–290.
99. N.M.R. spectra of hydrogen in a nematic phase.  
A.D. Buckingham, E.E. Burnell and C.A. de Lange, Chem. Comm., 1968, 1408–1409.
100. Calculation of the magnetic rotation spectrum of NO in the near infrared.  
A.D. Buckingham and G.A. Segal, J. Chem. Phys., 1968, **49**, 1964–1966.
101. Kerr effect in methane and its four fluorinated derivatives.  
A.D. Buckingham and B.J. Orr, Trans. Faraday Soc., 1969, **65**, 673–681.
102. A nuclear magnetic resonance study of ethyl fluoride dissolved in a nematic liquid crystal.  
A.D. Buckingham, E.E. Burnell and C.A. de Lange, Molec. Phys., 1969, **16**, 191–194.
103. Polarizability and hyperpolarizability of the helium atom.  
A.D. Buckingham and P.G. Hibbard, Symp. Faraday Soc., 1968, **2**, 41–47.
104. N.M.R. studies of 1,1-difluoroethylene in nematic solvents.  
A.D. Buckingham, E.E. Burnell and C.A. de Lange, Molec. Phys., 1969, **16**, 299–302.
105. N.M.R. studies of 1,4-cyclohexadiene oriented in a nematic solvent.  
A.D. Buckingham, E.E. Burnell and C.A. de Lange, Molec. Phys., 1969, **16**, 521–524.
106. A nuclear magnetic resonance study of spiropentane dissolved in a nematic solvent.  
A.D. Buckingham, E.E. Burnell and C.A. de Lange, Molec. Phys., 1969, **17**, 205–207.
107. The addition of optically active compounds to nematic liquid crystals.  
A.D. Buckingham, G.P. Caesar and M.B. Dunn, Chem. Phys. Letters, 1969, **3**, 540–541.

108. The temperature-dependence of electric birefringence in gaseous benzene and carbon disulphide.  
M.P. Bogaard, A.D. Buckingham and G.L.D. Ritchie, *Molec. Phys.*, 1970, **18**, 575–576.
109. General introduction to the Symposium on Magneto Optical Effects.  
A.D. Buckingham, *Symposia Faraday Soc.*, 1969, **3**, 7–13.
110. Electric dipole moment of formaldehyde in the first  $^3A_2$  excited state.  
A.D. Buckingham, D.A. Ramsay and J. Tyrrell, *Canadian J. Phys.*, 1970, **48**, 1242–1253.
111. Theory of the anisotropy of nuclear spin coupling.  
A.D. Buckingham and I. Love, *J. Magn. Resonance*, 1970, **2**, 338–351.
112. Direct determination of the imperfect gas contribution to dielectric polarization.  
A.D. Buckingham, R.H. Cole and H. Sutter, *J. Chem. Phys.*, 1970, **52**, 5960–5961.
113. Kerr effect in some simple non-dipolar gases.  
A.D. Buckingham, M.P. Bogaard, D.A. Dunmur, C.P. Hobbs and B.J. Orr, *Trans. Faraday Soc.*, 1970, **66**, 1548–1553.
114. Electric moments of molecules.  
A.D. Buckingham, Chap. 8, in 'Physical Chemistry – An Advanced Treatise', Ed. H. Eyring, W. Jost and D. Henderson, Academic Press, 1970, pp. 349–386.
115. Intermolecular Forces.  
A.D. Buckingham and B.D. Utting, *Ann. Rev. Phys. Chem.*, 1970, **21**, 287–316.
116. N.M.R. Studies of cis-1,2-difluoroethylene and vinyl fluoride in a nematic solvent.  
A.D. Buckingham and M.B. Dunn, *Molec. Phys.*, 1970, **19**, 721–726.
117. Angular distribution and intensity in molecular photoelectron spectroscopy. General theory for diatomic molecules.  
A.D. Buckingham, B.J. Orr and J.M. Sichel, *Phil. Trans. Roy. Soc. A*, 1970, **268**, 147–157.
118. Theory of the solvent effect on the molar refraction, polarization, Kerr and Cotton-Mouton constants of non-polar solutes.  
A.D. Buckingham, P.J. Stiles and G.L.D. Ritchie, *Trans. Faraday Soc.*, 1971, **67**, 577–582.
119. On the theory of linear electro-optical rotation.  
A.D. Buckingham, C. Graham and R.E. Raab, *Chem. Phys. Letters*, 1971, **8**, 622–624.
120. Intermolecular forces.  
A.D. Buckingham, *Pure and Applied Chemistry*, 1970, **24**, 123–134.
121. Studies of the Kerr effect in high resolution spectroscopy.  
J.M. Brown, A.D. Buckingham and D.A. Ramsay, *Canadian J. Phys.*, 1971, **49**, 914–931.
122. Measurement of the anisotropic shielding of protons in a nematic phase.  
A.D. Buckingham, E.E. Burnell and C.A. de Lange, *J. Chem. Phys.*, 1971, **54**, 3242.



123. Rayleigh and Raman scattering from optically active molecules.  
L.D. Barron and A.D. Buckingham, *Molec. Phys.*, 1971, **20**, 1111–1119.
124. Optical activity of oriented molecules.  
A.D. Buckingham and M.B. Dunn, *J. Chem. Soc. A*, 1971, 1988–1991.
125. The structure of the water dimer.  
P.A. Kollman and A.D. Buckingham, *Molec. Phys.*, 1971, **21**, 567–570.
126. The birefringence induced in spherical molecules by an electric field gradient.  
A.D. Buckingham and M.J. Jamieson, *Molec. Phys.*, 1971, **22**, 117–122.
127. Polarization and alignment in polar fluids.  
A.D. Buckingham and C. Graham, *Molec. Phys.*, 1971, **22**, 335–340.
128. The magnetic susceptibility anisotropy of benzene, 1,3,5-trifluorobenzene and hexafluorobenzene.  
M.P. Bogaard, A.D. Buckingham, M.G. Corfield, D.A. Dunmur and A.H. White, *Chem. Phys. Letters*, 1971, **12**, 558–559.
129. Asymmetry in the nuclear magnetic shielding tensor.  
A.D. Buckingham and S.M. Malm, *Molec. Phys.*, 1971, **22**, 1127–1130.
130. Chemical shifts in paramagnetic gas mixtures.  
A.D. Buckingham and P.A. Kollman, *Molec. Phys.*, 1972, **23**, 65–74.
131. Rayleigh and Raman scattering by molecules in magnetic fields.  
L.D. Barron and A.D. Buckingham, *Molec. Phys.*, 1972, **23**, 145–150.
132. Magnetic multipoles and the 'pseudo-contact' chemical shift.  
A.D. Buckingham and P.J. Stiles, *Molec. Phys.*, 1972, **24**, 99–108.
133. The Stark Effect.  
A.D. Buckingham, M.T.P. International Review, Physical Chemistry, Series I, Vol.3, Ed. D.A. Ramsay, 1972, pp. 73–117.
134. The theory of dielectric polarization.  
A.D. Buckingham, M.T.P. International Review, Physical Chemistry, Series I, Vol.2, Ed. G. Allen, 1972, pp. 241–264.
135. Raman scattering of circularly polarized light by optically active molecules.  
L.D. Barron, M.P. Bogaard and A.D. Buckingham, *J. Am. Chem. Soc.*, 1973, **95**, 603–605.
136. Differential Raman scattering of right and left circularly polarized light by asymmetric molecules.  
L.D. Barron, M.P. Bogaard and A.D. Buckingham, *Nature*, 1973, **241**, 113–114.
137. NMR study of  $^{13}\text{C}$ O-enriched  $\pi$ -cyclopentadienyl manganese tricarbonyl in a nematic solvent.  
D. Bailey, A.D. Buckingham, M.C. McIvor and A.J. Rest, *Molec. Phys.*, 1973, **25**, 479–482.
138. Proton n.m.r. of trimethylenemethaneiron tricarbonyl in a nematic liquid crystal.  
A.D. Buckingham, A.J. Rest and J.P. Yesinowski, *Molec. Phys.*, 1973, **25**, 1457–1460.

139. Raman circular intensity differential observations on some monoterpenes.  
L.D. Barron and A.D. Buckingham, *Chem. Comm.*, 1973, 152–153.
140. Structural study of a ruthenium hydride cluster by nematic-phase proton magnetic resonance.  
A.D. Buckingham, J.P. Yesinowski, A.J. Canty and A.J. Rest, *J. Am. Chem. Soc.*, 1973, **95**, 2732–2734.
141. Spin-orbit coupling and the interaction of molecules with the radiation field.  
L.D. Barron and A.D. Buckingham, *J. Phys. B*, 1973, **6**, 1295–1300.
142. The polarizability of a pair of helium atoms.  
A.D. Buckingham and R.S. Watts, *Molec. Phys.*, 1973, **26**, 7–15.
143. The polarizability of a pair of hydrogen atoms at long range.  
A.D. Buckingham, P.H. Martin and R.S. Watts, *Chem. Phys. Letters*, 1973, **21**, 186–190.
144. Evidence for intramolecular rotation in  $\pi$ -cyclobutadienyliron tricarbonyl from nematic-phase NMR.  
D. Bailey, A.D. Buckingham and A.J. Rest, *Molec. Phys.*, 1973, **26**, 233–236.
145. The chemical shift of an apical hydrogen atom in the nuclear magnetic resonance spectrum of a planar Pd(II) complex.  
A.D. Buckingham and W. Urland, *Molec. Phys.*, 1973, **26**, 1571–1575.
146. The nematic-phase proton NMR spectrum of  $\pi$ -cyclopentadienyl-tricarbonyltungsten hydride. D. Bailey,  
A.D. Buckingham, M.C. McIvor and A.J. Rest, *J. Organometallic Chem.*, 1973, **61**, 311–314.
147. The density dependence of the refractivity of gases.  
A.D. Buckingham and C. Graham, *Proc. Roy. Soc. A*, 1974, **337**, 275–291.
148. Intermolecular forces and the electric and magnetic properties of molecules.  
A.D. Buckingham in "The World of Quantum Chemistry", Proceedings of the First International Congress of Quantum Chemistry, Menton, 1973, Ed. R. Daudel and B. Pullman, D. Reidel Publishing Co., pp. 253–264.
149. Electron-coupled 'through-space' nuclear spin-spin interaction.  
A.D. Buckingham and J.E. Cordle, *J. Chem. Soc. Faraday Trans. II*, 1974, **70**, 994–1004.
150. Electric moments and polarizabilities of molecules.  
A.D. Buckingham in "Critical Evaluation of Chemical and Physical Structural Information", Ed. D.R. Lide and M. Paul, NBS (Washington), 1974, pp. 509–517.
151. A simple two-group model for Rayleigh and Raman optical activity.  
L.D. Barron and A.D. Buckingham, *J. Am. Chem. Soc.*, 1974, **96**, 4769–4773.
152. On the theory of natural optical activity.  
A.D. Buckingham and P.J. Stiles, *Acc. Chem. Res.*, 1974, **7**, 258–264.

153. Nuclear motion corrections to some electric and magnetic properties of diatomic molecules.  
A.D. Buckingham and J.E. Cordle, *Molec. Phys.*, 1974, **28**, 1037–1047.
154. Raman optical activity of bromocamphor solutions.  
L.D. Barron and A.D. Buckingham, *J. Chem. Soc., Chem. Comm.*, 1974, 1028–1029.
155. Inner electron ionization energies of small molecules.  
A.D. Buckingham, N.C. Handy and R.J. Whitehead, *J. Chem. Soc. Faraday Trans. II*, 1975, **71**, 95–101
156. Molecular structure determination by NMR spectroscopy.  
A.D. Buckingham, *Pure and Applied Chem.* 1974, **40**, 1–11.
157. Isotope effects on molecular properties.  
A.D. Buckingham and W. Urland, *Chem. Revs.* 1975, **75**, 113–117.
158. High-resolution nuclear magnetic resonance spectra of tetrahedral molecules and ions in anisotropic environments.  
D. Bailey, A.D. Buckingham, F. Fujiwara and L.W. Reeves, *J. Magn. Resonance*, 1975, **18**, 344–357.
159. Electric-field-induced differential scattering of right and left circularly polarized light.  
A.D. Buckingham and R.E. Raab, *Proc. Roy. Soc. A*, 1975, **345**, 365–377.
160. Intermolecular forces.  
A.D. Buckingham, *Phil. Trans. Roy. Soc. B*, 1975, **272**, 5–12.
161. Rayleigh and Raman optical activity.  
L.D. Barron and A.D. Buckingham, *Ann. Rev. Phys. Chem.*, 1975, **26**, 381–396.
162. Gas phase measurements of the Kerr effect in some n-alkanes and cyclohexane.  
A.D. Buckingham and H. Sutter, *J. Chem. Phys.*, 1976, **64**, 364–369.
163. Pressure-induced absorption in nonpolar gases containing tetrahedral molecules.  
A.D. Buckingham and A.J.C. Ladd, *Canadian J. Phys.*, 1976, **54**, 611–617.
164. Gaseous molecules in electric and magnetic fields.  
A.D. Buckingham, *Berichte der Bunsengesellschaft für physikalische Chemie*, 1976, **80**, 183–187.
165. High resolution studies of magnetic optical activity in the  $^3A_2 - ^1A_1$  system of formaldehyde.  
J.M. Brown, A.D. Buckingham and D.A. Ramsay, *Canadian J. Phys.*, 1976, **54**, 895–906.
166. The *ab initio* computation of some magnetic properties and their variation with an electric field. The hydrogen fluoride molecule.  
B. Day and A. D. Buckingham, *Molec. Phys.*, 1976, **32**, 343–351.
167. Electric birefringence in gases and liquids.  
A.D. Buckingham. Chapter 2 in "Molecular Electro-Optics", Vol. 1, Ed. C.T. O'Konski, Marcel Dekker (New York), 1976, pp. 27–62.

168. John Wilfrid Linnett 3 August 1913 – 7 November 1975.  
A.D. Buckingham, *Biographical Memoirs of Fellows of the Royal Society*, 1977, **23**, 311–343.
169. Collision-induced rotational Raman scattering.  
A.D. Buckingham and G.C. Tabisz, *Optics Letters*, 1977, **1**, 220–222.
170. Basic theory of intermolecular forces: Applications to small molecules.  
A.D. Buckingham in "Intermolecular Interactions: From Diatomics to Biopolymers", Ed. B. Pullman, Wiley (Chichester), Chap. 1, 1978, pp. 1–67.
171. Determination of derivatives of the polarizability anisotropy in a diatomic molecule from relative Raman intensities.  
A.D. Buckingham and A. Szabo, *J. Raman Spectroscopy*, 1978, **7**, 46–48.
172. Interatomic and intermolecular forces.  
A.D. Buckingham in "Microscopic Structure and Dynamics of Liquids", Ed. J. Dupuy and A.J. Dianoux, Plenum Press, (New York), 1978, pp. 107–152.
173. Temperature-dependence of the Kerr effect of the chloromethanes.  
M.P. Bogaard, B.J. Orr, A.D. Buckingham and G.L.D. Ritchie, *J. Chem. Soc. Faraday Trans. II*, 1978, **74**, 1573–1578.
174. Long-range effects of molecular interactions on the polarizability of atoms.  
A.D. Buckingham and K.L. Clarke, *Chem. Phys. Letters*, 1978, **57**, 321–325.
175. Collision-induced polarizabilities of inert gas atoms.  
K.L. Clarke, P.A. Madden and A.D. Buckingham, *Molec. Phys.*, 1978, **36**, 301–316.
176. Collision-induced rotational Raman scattering by tetrahedral and octahedral molecules.  
A.D. Buckingham and G.C. Tabisz, *Molec. Phys.*, 1978, **36**, 583–596.
177. Rayleigh scattering depolarization ratio and the molecular polarizability anisotropy for gases.  
M.P. Bogaard, A.D. Buckingham, R.K. Pierens and A.H. White, *J. Chem. Soc. Faraday Trans. I*, 1978, **74**, 3008–3015.
178. Molecular interactions in organic liquids.  
A.D. Buckingham in "Organic Liquids", Ed. A.D. Buckingham, E. Lippert and S. Bratos, Wiley (Chichester) 1978, Chap. 19, pp. 327–336.
179. Electric circular dichroism.  
A.D. Buckingham and R.A. Shatwell, *Chem. Phys.*, 1978, **35**, 353–354.
180. Hyperpolarizability.  
A.D. Buckingham in "Nonlinear behaviour of molecules, atoms and ions in electric, magnetic or electromagnetic fields", Ed. L. Néel, Elsevier (Amsterdam), 1979, pp. 217–225.
181. The inertial contribution to vibrational optical activity in methyl torsion modes.  
L.D. Barron and A.D. Buckingham, *J. Am. Chem. Soc.*, 1979, **101**, 1979–1987.
182. Polarizability and hyperpolarizability.  
A.D. Buckingham, *Phil. Trans. Roy. Soc. A*, 1979, **293**, 239–248.

183. Nuclear magnetic shielding density.  
C.J. Jameson and A.D. Buckingham, *J. Phys. Chem.*, 1979, **83**, 3366–3371.
184. The polarizability of H<sub>2</sub> in the triplet state.  
K.L. Clarke Hunt and A.D. Buckingham, *J. Chem. Phys.*, 1980, **72**, 2832–2840.
185. Partial miscibility of liquid mixtures of protonated and deuterated high polymers.  
A.D. Buckingham and H.G.E. Hentschel, *J. Polym. Sci.: Polym. Phys. Ed.*, 1980, **18**, 853–861.
186. Theoretical studies of the collision-induced Raman spectrum of carbon dioxide.  
R.D. Amos, A.D. Buckingham and J.H. Williams, *Molec. Phys.*, 1980, **39**, 1519–1526.
187. Linear electro-optic effect in gases.  
A.D. Buckingham and R.A. Shatwell, *Phys. Rev. Letters*, 1980, **45**, 21–23.
188. Depolarization of the near-resonant light scattered by atomic sodium.  
H.-O. Hamaguchi, A.D. Buckingham and M. Kakimoto, *Optics Letters*, 1980, **5**, 114–116.
189. Intermolecular forces.  
A.D. Buckingham in "Vibrational Spectroscopy of Molecular Liquids", Ed. S. Bratos and R.M. Pick, Plenum Press (New York), 1980, pp. 1–41.
190. The pair polarizability anisotropy of SF<sub>6</sub> in the point-atom-polarizability approximation.  
A.D. Buckingham and K.L. Clarke Hunt, *Molec. Phys.*, 1980, **40**, 643–648.
191. The effects of collisions on molecular properties.  
A.D. Buckingham, *Pure and Appl. Chem.*, 1980, **52**, 2253–2260.
192. The second dielectric virial coefficient of dipolar hard-sphere fluids.  
A.D. Buckingham and C.G. Joslin, *Molec. Phys.*, 1980, **40**, 1513–1516.
193. Molecular electronic property density functions: The nuclear magnetic shielding density.  
C.J. Jameson and A.D. Buckingham, *J. Chem. Phys.*, 1980, **73**, 5684–5692.
194. Dipole polarizability formulae.  
D. Bishop, L.M. Cheung and A.D. Buckingham, *Molec. Phys.*, 1980, **41**, 1225–1226.
195. The electric quadrupole moments of benzene and hexafluorobenzene.  
M.R. Battaglia, A.D. Buckingham and J.H. Williams, *Chem. Phys. Letters*, 1981, **78**, 421–423.
196. Dispersion forces.  
A.D. Buckingham in *Inst. Phys. Conference Series*, 1981, **58**, 113–121.
197. Comment on "Chiral discrimination in spherical tops".  
A.D. Buckingham and C.G. Joslin, *Chem. Phys. Letters*, 1981, **80**, 615–620.
198. Determination of derivatives of the polarizability anisotropy in diatomic molecules. I. Theoretical considerations on vibration-rotation Raman intensities.  
H.-O. Hamaguchi, I. Suzuki and A.D. Buckingham, *Molec. Phys.*, 1981, **43**, 963–973.

199. The quadrupole moments of carbon dioxide and carbon disulphide.  
M.R. Battaglia, A.D. Buckingham, D. Neumark, R.K. Pierens and J.H. Williams, *Molec. Phys.*, 1981, **43**, 1015–1020.
200. Differences in the hydrogen and deuterium bonds.  
A.D. Buckingham and Liu Fan-Chen, *Int. Rev. Phys. Chem.*, 1981, **1**, 253–269.
201. Determination of derivatives of the polarizability anisotropy in diatomic molecules. II. The hydrogen and nitrogen molecules.  
H.-O. Hamaguchi, A.D. Buckingham and W.J. Jones, *Molec. Phys.*, 1981, **43**, 1311–1319.
202. Temperature dependence of the Kerr effect of dimethyl ether.  
M.P. Bogaard, A.D. Buckingham and G.L.D. Ritchie, *J. Chem. Soc. Faraday Trans. II*, 1981, **77**, 1547–1551.
203. Small molecules in electric and optical fields.  
A.D. Buckingham in "Molecular Electro-Optics", Ed. S. Krause, Plenum Press (New York), 1981, 61–73.
204. Light Scattering in electric fields.  
A.D. Buckingham, *J. Phys. Chem.*, 1982, **86**, 1175–1177.
205. Symmetry rules for the indirect nuclear spin-spin coupling tensor revisited.  
A.D. Buckingham, P. Pyykkö, J.B. Robert and L. Wiesenfeld, *Molec. Phys.*, 1982, **46**, 177–182.
206. Temperature dependence of the Kerr effect of hydrogen sulphide.  
M.P. Bogaard, A.D. Buckingham and G.L.D. Ritchie, *Chem. Phys. Letters*, 1982, **90**, 183–187.
207. Determination of derivatives of the polarizability anisotropy in diatomic molecules. III. The oxygen molecule in the  $^3\Sigma_g^-$  ground state.  
H.-O. Hamaguchi, A.D. Buckingham and W.J. Jones, *Molec. Phys.*, 1982, **46**, 1093–1098.
208. Optical second-harmonic generation in gases with a low-power laser.  
D.P. Shelton and A.D. Buckingham, *Phys. Rev. A*, 1982, **26**, 2787–2798.
209. Electric-field-induced differential rotational Raman scattering.  
A.D. Buckingham and R.A. Shatwell, *J. Chem. Phys.*, 1983, **78**, 3393–3397
210. Electric field-gradient-induced birefringence in  $N_2$ ,  $C_2H_6$ ,  $C_3H_6$ ,  $Cl_2$ ,  $N_2O$  and  $CH_3F$ .  
A.D. Buckingham, C. Graham and J.H. Williams, *Molec. Phys.*, 1983, **49**, 703–710.
211. Closing Remarks at the Faraday Discussion on Van der Waals Molecules.  
A.D. Buckingham, *Faraday Discussions*, 1982, **73**, 421–423.
212. Polarizabilities of interacting polar molecules.  
A.D. Buckingham, P.A. Galwas and Liu Fan-Chen, *J. Mol. Structure*, 1983, **100**, 3–12.
213. Rotational spectroscopy of  $^{15}N$ -hydrogen cyanide dimer: Detection, relative stability and D-nuclear quadrupole coupling of deuterated species.  
A.J. Fillery-Travis, A.C. Legon, L.C. Willoughby and A.D. Buckingham, *Chem. Phys. Letters*, 1983, **102**, 126–131.

214. The long-range model of intermolecular forces. An SCF study of NeHF.  
P.W. Fowler and A.D. Buckingham, *Molec. Phys.*, 1983, **50**, 1349–1361.
215. Do electrostatic interactions predict structures of Van der Waals molecules?  
A.D. Buckingham and P.W. Fowler, *J. Chem. Phys.*, 1983, **79**, 6426–6428.
216. Temperature dependence of the Cotton-Mouton effects of benzene, 1,3,5-trifluorobenzene and hexafluorobenzene.  
P.B. Lukins, A.D. Buckingham and G.L.D. Ritchie, *J. Phys. Chem.*, 1984, **88**, 2414–2418.
217. A theoretical analysis of the high-resolution SEPT Raman technique.  
M.A. Collins, P.A. Madden and A.D. Buckingham, *Chem. Phys.*, 1985, **94**, 291–308.
218. Intermolecular forces and the properties of interacting molecules.  
A.D. Buckingham, *Canadian J. Phys.*, 1985, **63**, 30–33.
219. Cotton-Mouton effect, magnetic anisotropy, and charge distribution of cyclopropane.  
P.B. Lukins, D.R. Laver, A.D. Buckingham and G.L.D. Ritchie, *J. Phys. Chem.*, 1985, **89**, 1309–1312.
220. Relation of the electric field at a nucleus to other molecular properties.  
P.W. Fowler and A.D. Buckingham. *Chem. Phys.*, 1985, **98**, 167–178.
221. A model for the geometries of Van der Waals complexes.  
A.D. Buckingham and P.W. Fowler, *Canadian J. Chem.*, 1985, **63**, 2018–2025.
222. Measurement of the complex second hyperpolarizability of gaseous benzene at 514.5 nm using electric-field-induced second-harmonic generation.  
A. Pantinakis, K.J. Dean and A.D. Buckingham, *Chem. Phys. Letters*, 1985, **120**, 135–139.
223. Intermolecular Forces – The Glue for any Biomolecular Structure.  
A.D. Buckingham in "Structure and Motion: Membranes, Nucleic Acids and Proteins", Eds. E. Clementi, G. Corongiu, M.H. Sarma and R.H. Sarma. Adenine Press (New York), 1985, pp. 1–7.
224. An accurate ab initio calculation of the dipole moment function of GeH.  
H.-J. Werner and A.D. Buckingham. *Chem. Phys. Letters*, 1986, **125**, 433–437.
225. Electrostatic predictions of shapes and properties of Van der Waals molecules.  
A.D. Buckingham, P.W. Fowler and A.J. Stone, *Int. Rev. Phys. Chem.*, 1986, **5**, 107–114.
226. Intermolecular forces in Van der Waals dimers.  
G.J.B. Hurst, P.W. Fowler, A.J. Stone and A.D. Buckingham, *Int. J. Quantum Chem.*, 1986, **29**, 1223–1239.
227. Reactions involving CO<sub>2</sub>, H<sub>2</sub>O and NH<sub>3</sub>: The formation of (i) carbamic acid, (ii) urea, and (iii) carbonic acid.  
A.D. Buckingham, N.C. Handy, J.E. Rice, K. Somasundram and C. Dijkgraaf, *J. Computational Chem.*, 1986, **7**, 283–293.

228. The structure and properties of a water molecule.  
A.D. Buckingham in "Water and Aqueous Solutions", Ed. G.W. Neilson and J.E. Enderby, Adam Hilger (Bristol), 1986, Chap. 1, pp. 1–10.
229. Velocity-dependent property surfaces and the theory of vibrational circular dichroism.  
A.D. Buckingham, P.W. Fowler and P.A. Galwas, Chem. Phys., 1987, **112**, 1–14.
230. Quantum Chemistry.  
A.D. Buckingham in "Schrödinger: Centenary Celebrations of a Polymath", Ed. C.W. Kilmister, Cambridge University Press, 1987, Chap. 9, pp. 112–118.
231. Comment on: "Magnetic birefringence measurement in hydrogen and deuterium gases".  
A.D. Buckingham and J.H. Williams, J. Chem. Phys., 1987, **86**, 5883–5884.
232. An *Ab Initio* investigation of  $N_2 \dots CO^+$ .  
J. Baker and A.D. Buckingham, J. Chem. Soc. Faraday Trans. II, 1987, **83**, 1609–1614.
233. General Introduction to the Faraday Symposium on "Interaction-induced spectra in dense fluids and disordered solids".  
A.D. Buckingham, J. Chem. Soc. Faraday Trans II, 1987, **83**, 1743–1750.
234. Theoretical aspects of Raman scattering.  
A.D. Buckingham in "Eleventh International Conference on Raman Spectroscopy", Eds. R.J.H. Clark and D.A. Long, Wiley (Chichester), 1988, pp. 3–6.
235. Theoretical studies of Van der Waals molecules and intermolecular forces.  
A.D. Buckingham, P.W. Fowler and J.M. Hutson, Chem. Rev., 1988, **88**, 963–988.
236. Electrostatic models of hydrogen-bonded dimers: A donor—acceptor scale for hydrogen halides and pseudohalides.  
A.D. Buckingham and P.W. Fowler, J. Molec. Structure, 1988, **189**, 203–210.
237. Raymond James Wood Le Fèvre 1 April 1905 – 26 August 1986.  
M.J. Aroney and A.D. Buckingham, Biographical Memoirs of Fellows of the Royal Society, 1988, 34, 375–403. Also in Historical Records of Australian Science, 1988, 7, 273–297.
238. Forces on nuclei in optical fields.  
A.D. Buckingham in "Recent Trends in Raman Spectroscopy", Ed. S.B. Banerjee and S.S. Jha, World Scientific (Singapore), 1989, pp. 1–12.
239. The electrostatic model of field gradients at nuclei. An application to hydrogen-bonded complexes of HCl.  
J. Baker, A.D. Buckingham, P.W. Fowler, E. Steiner, P. Lazzaretti and R. Zanasi, J. Chem. Soc. Faraday Trans. II, 1989, **85**, 901–913.
240. The magnetic hyperpolarizability anisotropy of some two-electron systems.  
P.W. Fowler and A.D. Buckingham, Molec. Phys. 1989, **67**, 681–691.
241. An apparatus for quantitative measurements of the optical Kerr effect.  
A.D. Buckingham and J.H. Williams, J. Phys. E: Scientific Instruments, 1989, **22**, 790–792.



242. Ion-ion interaction in a polarizable lattice.  
C. Jarque and A.D. Buckingham, Chem. Phys. Letters, 1989, **164**, 485–490.
243. General theory of intermolecular forces.  
A.D. Buckingham in "Modelling of Molecular Structures and Properties in Physical Chemistry and Biophysics", Ed. J.-L. Rivail, Elsevier (Amsterdam), 1990, pp. 17–26.
244. Andrew Crowther Hurley.  
A.D. Buckingham, Int. J. Quantum Chem. Symposium 23, p. xxxi (1989).
245. John Anthony Pople: Cambridge Days.  
A.D. Buckingham, J. Phys. Chem. 1990, **94**, 5431–5434.
246. Linear and nonlinear light scattering from the surfaces of liquids.  
A.D. Buckingham, Australian J. Phys., 1990, **43**, 617–624.
247. Central or distributed multipole moments? Electrostatic models of aromatic dimers.  
P.W. Fowler and A.D. Buckingham, Chem. Phys. Letters, 1991, **176**, 11–18.
248. The hydrogen bond, and the structure and properties of H<sub>2</sub>O and (H<sub>2</sub>O)<sub>2</sub>.  
A.D. Buckingham, J. Molec. Structure, 1991, **250**, 111–118.
249. Can addition of a bonding electron weaken a bond?  
A.D. Buckingham and T.W. Rowlands, J. Chem. Ed., 1991, **68**, 282–283.
250. The orientation dependence of the induction contribution to molecule-graphite interactions.  
D.B. Whitehouse, A.D. Buckingham, R.B. Bernstein, V.A. Cho and R.D. Levine, J. Phys. Chem., 1991, **95**, 8175–8177.
251. Isotope effects on the stability of the carbon monoxide–acetylene Van der Waals molecule and the hydrogen fluoride dimer.  
S.A.C. McDowell and A.D. Buckingham, Chem. Phys. Letters, 1991, **182**, 551–555.
252. The three-body contribution to the polarizability of a trimer of inert gas atoms using a dipole–induced-dipole model.  
A.D. Buckingham and I.D. Hands, Chem. Phys. Letters, 1991, **185**, 544–549.
253. Professor R.B. Bernstein: An Appreciation.  
A.D. Buckingham, Faraday Discussions, 1991, **91**, 1–4.
254. Exact results for the polarization energy of clusters of polarizable particles containing one or two ions.  
C. Jarque and A.D. Buckingham, J. Chem. Soc. Faraday Trans. 1992, **88**, 1353–1358.
255. Basic theory of intermolecular forces.  
A.D. Buckingham in "Molecular Liquids: New Perspectives in Physics and Chemistry", Ed. J.J.C. Teixeira-Dias, Kluwer Academic Publishers (Dordrecht), 1992, pp. 121–145.
256. Ion-ion interaction in a polarizable medium.  
C. Jarque and A.D. Buckingham in "Molecular Liquids: New Perspectives in Physics and Chemistry", Ed. J.J.C. Teixeira-Dias, Kluwer Academic Publishers (Dordrecht), 1992, pp. 253–265.

257. Improved sensitivity of a four-rod capacitor.  
A.D. Buckingham and D.B. Whitehouse, *Measurement Science and Technology*, 1992, **3**, 578–580.
258. Using monomer properties to obtain integrated intensities for vibrational transitions of van der Waals complexes.  
S.A.C. McDowell, C.R. Le Sueur, A.D. Buckingham and A.J. Stone, *Molec. Phys.* 1992, **77**, 823–835.
259. Electric nuclear shielding tensors by finite-field methods.  
S.A.C. McDowell and A.D. Buckingham, *J. Chem. Soc. Faraday Trans.*, 1992, **88**, 3281–3285.
260. Isotope effects on the stability of the nitrogen–acetylene Van der Waals dimer.  
S.A.C. McDowell and A.D. Buckingham, *Chem. Phys.*, 1993, **171**, 89–95.
261. Experimental determination of the atomic quadrupole moment of graphite.  
D.B. Whitehouse and A. D. Buckingham, *J. Chem. Soc. Faraday Trans.*, 1993, **89**, 1909–1913.
262. Antisymmetric resonant vibrational Raman scattering.  
F.-C. Liu and A. D. Buckingham, *Chem. Phys. Letters*, 1993, **207**, 325–331.
263. The vibrational contribution to the polarisability of endohedral  $[C_{60}M]^{n+}$  complexes (where M = metal atom).  
D. B. Whitehouse and A. D. Buckingham, *Chem. Phys. Letters*, 1993, **207**, 332–338.
264. "Principles of Molecular Recognition", Ed. A.D. Buckingham, A.C. Legon and S.M. Roberts, Blackie Academic & Professional (Glasgow), 1993.  
A.D. Buckingham, *Intermolecular Forces*, pp. 1–16.
265. Hyperfine coupling in alkaline earth monofluorides. Limitations of the ionic model.  
A.D. Buckingham and R.M. Olegário, *Chem. Phys. Letters*, 1993, **212**, 253–259.
266. A study of the induced dipole moments in  $Li^+F^-$  and  $Li^+\dots Ne$ .  
S.A.C. McDowell and A.D. Buckingham, *Molec. Phys.*, 1993, **80**, 1555–1560.
267. Vibrational frequency shifts in  $OC\dots HF$  and  $N_2\dots HF$ .  
S.A.C. McDowell and A.D. Buckingham, *J. Chem. Soc. Faraday Trans.*, 1993, **89**, 4253–4255.
268. Vibrational frequency shifts in  $NeHF$  and  $ArHF$  complexes.  
S.A.C. McDowell, M.G. Trefry and A.D. Buckingham, *Molec. Phys.*, 1994, **81**, 1225–1237.
269. High-resolution NMR spectroscopy in a circularly polarized laser beam.  
A.D. Buckingham and L.C. Parlett, *Science*, 1994, **264**, 1748–1750.
270. The hyperpolarizability of interacting atoms.  
A.D. Buckingham, E.P. Concannon and I.D. Hands, *J. Phys. Chem.*, 1994, **98**, 10455–10459.
271. Interaction-induced spectra of endohedral complexes of buckminsterfullerene.  
C.G. Joslin, C.G. Gray, J.D. Poll, S. Goldman and A.D. Buckingham in "Collision- and

- Interaction-Induced Spectroscopy", Eds. G.C. Tabisz and M.N. Neuman, Kluwer, Dordrecht, 1995, pp. 261–286.
272. Rules for developing basis sets for the accurate computation of hyperpolarizabilities. Applications to He, H<sub>2</sub>, Be, Ne, F<sup>-</sup> and HF.  
M.G. Papadopoulos, J. Waite and A.D. Buckingham, *J. Chem. Phys.*, 1995, **102**, 371–383.
273. A distributed electrostatic model for field gradients at nuclei in Van der Waals molecules. Application to complexes of HCl.  
A.D. Buckingham, P.W. Fowler, A.C. Legon, S.A. Peebles and E. Steiner, *Chem. Phys. Letters*, 1995, **232**, 437–444.
274. Further evidence for a temperature-dependent hydrophobic interaction: the aggregation of ethane in aqueous solutions.  
R.L. Mancera and A.D. Buckingham, *Chem. Phys. Letters*, 1995, **234**, 296–303.
275. The effect of circularly polarized light on ESR spectra.  
A.D. Buckingham, L.C. Parlett, *Chem. Phys. Letters*, 1995, **243**, 15–21.
276. The theoretical background to vibrational optical activity.  
A.D. Buckingham, *Faraday Discussions*, 1994, **99**, 1–12.
277. The static polarizabilities and hyperpolarizabilities of Li<sub>2</sub>.  
M.G. Papadopoulos, A. Willetts, N.C. Handy and A.D. Buckingham, *Molec. Phys.*, 1995, **85**, 1193–1203.
278. Temperature effects on the hydrophobic hydration of ethane.  
R.L. Mancera and A.D. Buckingham, *J. Phys. Chem.*, 1995, **99**, 14632–14640.
279. Computer simulation studies of the hydration and aggregation of simple hydrophobic molecules.  
N.T. Skipper, C.H. Bridgeman, A.D. Buckingham and R.L. Mancera, *Faraday Discussions*, 1996, **103**, 141–150.
280. Temperature dependence of solvent structure around a hydrophobic solute: a Monte Carlo study of methane in water.  
C.H. Bridgeman, A.D. Buckingham and N.T. Skipper, *Chem. Phys. Letters*, 1996, **253**, 209–215.
281. Degeneracy loss contributions to the stabilisation of the eccentric position of lithium in Li@C<sub>60</sub>.  
A.D. Buckingham and J.P. Read, *Chem. Phys. Letters*, 1996, **253**, 414–419.
282. Application of classical electrostatic theory to the polarisation energy of encapsulated ions in C<sub>60</sub>.  
J.P. Read and A.D. Buckingham, *J. Chem. Soc. Faraday Transactions*, 1996, **92**, 2519–2522.
283. *Ab initio* total energy study of uncharged 2:1 clays and their interaction with water.  
C.H. Bridgeman, A.D. Buckingham, N.T. Skipper and M.C. Payne, *Molec. Phys.*, 1996, **89**, 879–888.

284. The electrostatic model of field gradients at nuclei: an application to hydrogen-bonded dimers of  $C_s$  symmetry.  
J.P. Read and A.D. Buckingham, *Molec. Phys.*, 1997, **90**, 525–531.
285. Hydrophobic hydration of methane.  
P.H.K. de Jong, J. E. Wilson, G.W. Neilson and A.D. Buckingham, *Molec. Phys.*, 1997, **91**, 99–103.
286. Comment on "The  $\nu_3$  infrared spectrum of the He–NH<sub>4</sub><sup>+</sup> complex".  
J.P. Read and A.D. Buckingham, *Chem. Phys. Letters*, 1997, **270**, 245–251.
287. Nuclear quadrupole coupling constants in alkali halide molecules: an *ab initio* quantum chemical study.  
G.B. Bacskay and A.D. Buckingham, *Molec. Phys.*, 1997, **91**, 391–400.
288. Comment on "Structure and spectroscopy of (HCN)<sub>n</sub> clusters: Cooperative and electronic delocalization effects in C–H...N hydrogen bonding."  
A.J. Stone, A.D. Buckingham and P.W. Fowler, *J. Chem. Phys.*, 1997, **107**, 1030–1031.
289. The effect of circularly polarized light on NMR spectra.  
A.D. Buckingham and L.C. Parlett, *Molec. Phys.*, 1997, **91**, 805–813.
290. The hydrogen bond: An electrostatic interaction?  
A.D. Buckingham in "Theoretical treatments of hydrogen bonding", Ed. D. Hadzi. John Wiley & Sons, Chichester, 1997, pp. 1–12.
291. An *ab initio* study of anharmonicity and matrix effects on the hydrogen-bonded BrH : NH<sub>3</sub> complex.  
J.E. Del Bene, M.J.T. Jordan, P.M.W. Gill and A.D. Buckingham, *Molec. Phys.*, 1997, **92**, 429–439.
292. Covalency in ArAu<sup>+</sup> and related species?  
J.P. Read and A.D. Buckingham, *J. Am. Chem. Soc.*, 1997, **119**, 9010–9013.
293. Nuclear magnetic shielding surfaces for CH<sub>3</sub>F, CH<sub>3</sub>Cl, and CH<sub>3</sub>Br.  
A.D. Buckingham and R.M. Olegario, *Molec. Phys.*, 1997, **92**, 773–779.
294. Molecules in optical, electric and magnetic fields. A personal perspective.  
A.D. Buckingham, *Ann. Rev. Phys. Chem.*, 1998, **49**, pp. xiii–xxxv.
295. Linear electro-optic effect in optically active liquids.  
A.D. Buckingham and P. Fischer, *Chem. Phys. Letters*, 1998, **297**, 239–246.
296. Surface second-order nonlinear optical activity.  
P. Fischer and A.D. Buckingham, *J. Opt. Soc. Am. B*, 1998, **15**, 2951–2957.
297. An investigation of the change of nuclear magnetic shielding in HF on forming the Ar...HF complex.  
A.D. Buckingham and Y. Tantirungrotechai, *Molec. Phys.*, 1999, **96**, 1217–1224.
298. Predicting the proton shielding anisotropy in HF...CO<sub>2</sub>: A use of distributed magnetizabilities.  
A.D. Buckingham and Y. Tantirungrotechai, *Molec. Phys.*, 1999, **96**, 1225–1229.

299. Effect of proton motion on molecular properties in the BrH...NH<sub>3</sub> complex.  
A.M. Aicken, A.D. Buckingham and Y. Tantirungrotechai, *Molec. Phys.*, 1999, **97**, 167–176.
300. Collision-induced light scattering by isotropic molecules: The role of the quadrupole polarizability.  
S.M. El-Sheikh, G.C. Tabisz and A.D. Buckingham, *Chem. Phys.*, 1999, **247**, 407–412.
301. Intermolecular forces: Their origin, strength and significance.  
A. D. Buckingham in "Crystal Engineering", Ed. K.R. Seddon and M. Zaworotko, Kluwer, Dordrecht, 1999, pp. 49–68.
302. The second dielectric virial coefficient of the dipolar Gay-Berne fluid.  
A.D. Buckingham and Y. Tantirungrotechai, *Canadian J. Chem.*, 1999, **77**, 1946–1950.
303. The dielectric virial coefficient and model intermolecular potentials.  
A.J. Stone, Y. Tantirungrotechai and A.D. Buckingham, *Phys. Chem. Chem. Phys.*, 2000, **2**, 429–434.
304. Phenomenological damping in optical response tensors.  
A.D. Buckingham and P. Fischer, *Phys. Rev. A*, 2000, **61**, 035801.
305. Three-wave mixing in chiral liquids.  
P. Fischer, D.S. Wiersma, R. Righini, B. Champagne and A. D. Buckingham, *Phys. Rev. Letters*, 2000, **85**, 4253–4256.
306. *Ab initio* investigation of the sum-frequency hyperpolarizability of small chiral molecules.  
B. Champagne, P. Fischer and A.D. Buckingham, *Chem. Phys. Letters*, 2000, **331**, 83–88.
307. The hydrogen bond.  
A.D. Buckingham in "Recent theoretical and experimental advances in hydrogen bonded clusters", Ed. S.S. Xantheas, Kluwer, Dordrecht, 2000, pp. 1–24.
308. Reply to "Comment on 'Phenomenological damping in optical response tensors'".  
A.D. Buckingham and P. Fischer, *Phys. Rev. A*, 2001, **63**, 047802.
309. Isotropic second-order nonlinear optical susceptibilities.  
P. Fischer, A.D. Buckingham and A.C. Albrecht, *Phys. Rev. A*, 2001, **64**, 053816.
310. Time reversal and molecular properties.  
L.D. Barron and A.D. Buckingham, *Acc. Chem. Res.*, 2001, **34**, 781–789.
311. Kenichi Fukui 4 October 1918 – 9 January 1998.  
A.D. Buckingham and H. Nakatsuji, *Biographical Memoirs of Fellows of the Royal Society*, 2001, **47**, 223–237.
312. Optical response of a chiral liquid.  
A.D. Buckingham and P. Fischer in "Chirality: Physical Chemistry", Ed. J. M. Hicks, ACS Symposium Series **810**, 2002, 119–129.
313. Sum-frequency generation at second order in isotropic chiral systems: The microscopic view and the surprising fragility of the signal.

- J. Kirkwood, A.C. Albrecht, P. Fischer and A.D. Buckingham in "Chirality: Physical Chemistry". Ed. J. M. Hicks, ACS Symposium Series **810**, 2002, 130–144.
314. NMR-modulated neutron scattering.  
A.D. Buckingham, Chem. Phys. Letters, 2003, **371**, 517–521.
315. New electro-optic effect: Sum-frequency generation from optically active liquids in the presence of a dc electric field.  
P. Fischer, A.D. Buckingham, K. Beckwitt, D.S. Wiersma and F.W. Wise, Phys. Rev. Letters, 2003, **91**, 173901.
316. Intermolecular forces. Comment on the paper "The general theory of molecular forces" by F. London in "100 years of Physical Chemistry – A celebration of the Faraday Society",  
A.D. Buckingham, Royal Society of Chemistry, London, 2003, 1–2.
317. Chirality in NMR spectroscopy.  
A.D. Buckingham, Chem. Phys. Letters, 2004, **398**, 1–5.
318. A theory of vibrational frequency shifts revisited: application to dimers of LiH with the inert gases He, Ne, Ar and Kr.  
S.A.C. McDowell and A.D. Buckingham, Mol. Phys., 2005, **103**, 257–262.
319. Comparison of some vibrational features of FArH...Rg with FH...Rg complexes (Rg = He, Ne, Ar, Kr).  
S.A.C. McDowell and A.D. Buckingham, Spectrochimica Acta A, 2005, **61**, 1603–1609.
320. On the correlation between bond-length change and vibrational frequency shift in hydrogen-bonded complexes: A computational study of Y...HCl dimers (Y = N<sub>2</sub>, CO, BF).  
S.A.C. McDowell and A.D. Buckingham, J. Am. Chem. Soc., 2005, **127**, 15515–15520.
321. Direct chiral discrimination in NMR spectroscopy.  
A.D. Buckingham and P. Fischer, Chem. Phys., 2006, **324**, 111–116.
322. John Anthony Pople KBE 31 October 1925 – 15 March 2004.  
A.D. Buckingham, Biographical Memoirs of Fellows of the Royal Society, 2006, **52**, 299–314.
323. Shift of proton magnetic shielding in ClH...Y dimers (Y = N<sub>2</sub>, CO, BF).  
S.A.C. McDowell and A.D. Buckingham, Mol. Phys., 2006, **104**, 2527–2531.
324. Investigation of electric-field-induced birefringence in H<sub>2</sub> and D<sub>2</sub>.  
A.D. Buckingham, S. Coriani and A. Rizzo, Theor. Chem. Acc., 2007, **117**, 969–977.
325. A theory of vibrational frequency shifts revisited: Application to dimers of LiH with the inert gases He, Ne, Ar and Kr.  
S.A.C. McDowell and A.D. Buckingham, Mol. Phys., 2007, **103**, 257–262.
326. The change of the proton magnetic shielding in red- and blue-shifted linear hydrogen-bonded complexes.  
S.A.C. McDowell and A.D. Buckingham, Theor. Chem. Accounts, 2008, **119**, 29–34.

327. The hydrogen bond.  
A.D. Buckingham, J.E. Del Bene and S.A.C. McDowell, Chem. Phys. Letters, 2008, **463**, 1–10.
328. The Foundress's Cup of Pembroke College, Cambridge.  
A.D. Buckingham and J. Ringrose, Silver Studies. The Journal of the Silver Society, 2009, **25**, 14–18.
329. Cooperative and diminutive hydrogen bonding in Y...HCN...HCN and NCH...Y...HCN trimers (Y = BF, CO, N<sub>2</sub>).  
S.A.C. McDowell and A.D. Buckingham, J. Chem. Phys., 2010, **132**, 064303.
330. Vibrational optical activity.  
L.D. Barron and A.D. Buckingham, Chem. Phys. Letters, 2010, **492**, 199–213.
331. Cooperative hydrogen bonding in trimers involving HCN and HBO.  
S.A.C. McDowell and A.D. Buckingham, Phys. Chem. Chem. Phys., 2011, **13**, 14097–14100.
332. Theoretical studies of nickel atoms and nickel(II) ions coordinated with CO and BF ligands.  
S.A.C. McDowell and A.D. Buckingham, Chem. Phys. Letters, 2011, **516**, 146–148.
333. Communication: Permanent dipoles contribute to electric polarization in chiral NMR spectra.  
A.D. Buckingham, J. Chem. Phys., 2014, **140**, 011103.
334. Cooperative effects in FH/Li...HCCX...OH<sub>2</sub> complexes (X = F, Cl, Br, H).  
S.A.C. McDowell and A.D. Buckingham, Spectrochimica Acta A, 2015, **136**, 27–31.
335. Comment on "Destabilization of the halogen bond in complexes of protonated NCX (X = F, Cl, Br) molecules" (Chem. Phys. Lett. 603 (2014) 37–40).  
S.A.C. McDowell, J.A. Joseph and A.D. Buckingham, Chem. Phys. Letters, 2015, **622**, 42–44.
336. Chiral discrimination in NMR spectroscopy: Computation of the relevant molecular pseudoscalars.  
A.D. Buckingham, P. Lazzeretti and S. Pelloni, Mol. Phys., 2015, **113**, 1780–1785.
337. Chiral discrimination in NMR spectroscopy.  
A.D. Buckingham, Quarterly Reviews of Biophysics, 2015, **48**, 421–423.
338. Alan Carrington CBE 6 January 1934– 31 August 2013.  
A.D. Buckingham and R.J. Saykally, Biographical Memoirs of Fellows of the Royal Society, 2016, **62**, 7–17.
339. Chirality-sensitive nuclear magnetic resonance effects induced by indirect spin-spin coupling.  
P. Garbacz and A.D. Buckingham, J. Chem. Phys., 2016, **145**, 204201.
340. Fifty years of Chemical Physics Letters.  
A.D. Buckingham, Chem. Phys. Letters, 2017, **684**, 443–445.
341. A computational study of chalcogen-containing H<sub>2</sub>X...YF and (CH<sub>3</sub>)<sub>2</sub>X...YF (X=O, S, Se; Y=F, Cl, H) and pnictogen-containing H<sub>3</sub>X'...YF and (CH<sub>3</sub>)<sub>2</sub>X'...YF (X'=N, P, As)

complexes.

S.A.C. McDowell and A.D. Buckingham, *ChemPhysChem*, 2018, **19**, 1756–1765.