

[10.1071/WR23128](https://doi.org/10.1071/WR23128)

Wildlife Research

Supplementary Material

Trialling a new method to attract feral cats (*Felis catus*) *in situ* – the Mata Hari Judas queen

Abby L. Dennien^{A,B}, Megan C. Edwards^{A,*}, Julia M. Hoy^{B,C}, Vere Nicolson^B, Megan J. Brady^B, and Peter J. Murray^A

^ASchool of Agriculture and Environmental Science, University of Southern Queensland, 487-535 West Street, Darling Heights, Qld 4350, Australia.

^BHidden Vale Research Station, 617 Grandchester Mount Mort Road, Grandchester, Qld 4340, Australia.

^CSchool of the Environment, The University of Queensland, St Lucia, Qld 4067, Australia.

*Correspondence to: Megan C. Edwards School of Agriculture and Environmental Science, University of Southern Queensland, 487-535 West Street, Darling Heights, Qld 4350, Australia Email: meg.edwards@unisq.edu.au

Supplementary Materials

Supplementary Table S1. The generalised linear mixed effects model output. *indicates significance

	Estimate	Standard Error	Z value	P value
Intercept (active vennel)	-3.0786	1.5334	-2.008	0.0447*
Post-monitoring	-1.2216	0.6193	-1.972	0.0486*
Pre-monitoring	-2.3202	1.0248	-2.264	0.0236*

Supplementary Table S2. List of species detected on camera traps at each study site

Species	Common name	Study site 1	Study site 2	Study site 3
<i>Acanthiza chrysorrhoa</i>	Yellow-rumped thornbill			x
<i>Aepyprymnus rufescens</i>	Rufous bettong			x
<i>Alectura lathamii</i>	Australian brush-turkey		x	
<i>Alisterus scapularis</i>	Australian king parrot		x	
<i>Bos taurus</i>	Domestic cattle	x	x	
<i>Canis lupus sp.</i>	Wild dog, dingo	x	x	x
<i>Centropus phasianinus</i>	Pheasant coucal		x	x
<i>Cervus elaphus</i>	Red deer			x
<i>Colluricincla harmonica</i>	Grey shrikethrush			x
<i>Corvus orru</i>	Torresian crow	x		x
<i>Coturnix ypsilophora</i>	Brown quail		x	x
<i>Cracticus torquatus</i>	Grey butcherbird	x	x	x
<i>Dacelo novaeguineae</i>	Laughing kookaburra	x	x	x
<i>Eopsaltria australis</i>	Eastern yellow robin			x
<i>Felis catus</i>	Domestic cat		x	x
<i>Geopelia striata</i>	Peaceful dove			x
<i>Gerygone olivacea</i>	White-throated gerygone			x
<i>Gymnorhina tibicen</i>	Australian magpie	x	x	x
<i>Isodon macrourus</i>	Northern brown bandicoot	x	x	x
<i>Lepus europaeus</i>	European hare	x		x
<i>Leucosarcia picata</i>	Wonga pigeon		x	x
<i>Macropus giganteus</i>	Eastern grey kangaroo	x	x	

<i>Macropus parryi</i>	Pretty-faced wallaby			x
<i>Macropus rufogriseus</i>	Red necked wallaby	x	x	x
<i>Manorina melanocephala</i>	Noisy miner	x	x	x
<i>Morelia spilota mcdowelli</i>	Carpet python			x
<i>Ninox boobook</i>	Australian boobook			x
<i>Perameles nasuta</i>	Long-nosed bandicoot	x	x	x
<i>Phascogale tapoatafa</i>	Brush-tailed phascogale	x		x
<i>Platycercus elegans</i>	Crimson rosella			x
<i>Platycercus eximius</i>	Eastern rosella			x
<i>Podargus strigoides</i>	Tawny frogmouth			x
<i>Pogona barbata</i>	Eastern bearded dragon	x		
<i>Potorous tridactylus</i>	Long-nosed potoroo			x
<i>Ptilonorhynchus violaceus</i>	Satin bowerbird			x
<i>Rhipidura leucophry</i>	Willie wagtail			x
<i>Rhinella marina</i>	Cane toad	x	x	
<i>Sminthopsis murina</i>	Common dunnart			x
<i>Strepera graculina</i>	Pied currawong			x
<i>Sus scrofa</i>	Feral pig		x	
<i>Tachyglossus aculeatus</i>	Short-beaked echidna			x
<i>Trichosurus vulpecula</i>	Brushtail possum	x	x	x
<i>Tyto novaehollandiae</i>	Masked owl			x
<i>Varanus varius</i>	Lace monitor	x	x	x
<i>Vulpes vulpes</i>	Red fox		x	x
<i>Wallabia bicolor</i>	Swamp wallaby			x