Supplementary Material

The incidence of cardiac surgery in adults with treated kidney failure in Australia: a retrospective cohort study

Dominic Keuskamp^{A,B,*} (PhD, Postdoctoral Fellow), *Christopher E. Davies*^{A,B} (PhD, Lead Biostatistician), *Robert A. Baker*^{C,D} (PhD, Director), *Kevan R. Polkinghorne*^{E,F,G} (MBChB, MClinEpi, PhDFRACP, Senior Nephrologist), *Christopher M. Reid*^{F,H} (PhD, Director), *Julian A. Smith*^{I,J} (MBBS, MS, MSurgEd, FRACS, Senior Cardiothoracic Surgeon), *Lavinia Tran*^F (PhD, Research Fellow), *Jenni Williams-Spence*^F (PhD, Program Manager), *Rory Wolfe*^F (PhD, Professor of Biostatistics) and *Stephen P. Mcdonald*^{A,B,K} (MBBS (Hons), PhD, FRACP, Senior Nephrologist)

^AAustralia & New Zealand Dialysis & Transplant Registry (ANZDATA), South Australian Health & Medical Research Institute (SAHMRI), Adelaide, SA, Australia

^BFaculty of Health & Medical Sciences, University of Adelaide, Adelaide, SA, Australia

^CCollege of Medicine & Public Health, Flinders University, Bedford Park, SA, Australia

^DCardiac Surgery Quality & Outcomes Department, Flinders Medical Centre, Bedford Park, SA, Australia

^EDepartment of Nephrology, Monash Health, Clayton, Vic, Australia

^FSchool of Public Health & Preventive Medicine, Monash University, Melbourne, Vic, Australia

^GDepartment of Medicine, Monash University, Melbourne, Vic, Australia

^HSchool of Population Health, Curtin University, Bentley, WA, Australia

¹Department of Surgery (School of Clinical Sciences at Monash Health), Monash University, Clayton, Vic, Australia

^JDepartment of Cardiothoracic Surgery, Monash Health, Clayton, Vic, Australia

^KCentral & Northern Adelaide Renal & Transplantation Services (CNARTS), Royal Adelaide Hospital, Adelaide, SA, Australia

*Correspondence to: Email: dominic@anzdata.org.au

| | | | Dialysis | Transplant | Non-KRT |
|--------|--------|-----------|----------------------|--------------------|---------------------|
| 18-39y | Female | Ν | 13 | 7 | 1,900 |
| | | Rate (CI) | 3.10 (1.65,5.30) | 1.07 (0.43,2.21) | 0.052 (0.05,0.054) |
| | | IRR (CI) | 59.80 (31.78,102.51) | 20.66 (8.29,42.65) | |
| | Male | Ν | 27 | 3 | 2,814 |
| | | Rate (CI) | 5.26 (3.47,7.66) | 0.32 (0.07,0.92) | 0.076 (0.073,0.079) |
| | | IRR (CI) | 69.54 (45.74,101.40) | 4.18 (0.86,12.23) | |
| 40-49y | Female | Ν | 45 | 8 | 1,831 |
| | | Rate (CI) | 7.58 (5.53,10.14) | 1.01 (0.44,1.99) | 0.11 (0.11,0.12) |
| | | IRR (CI) | 66.98 (48.68,90.00) | 8.94 (3.85,17.64) | |
| | Male | N | 98 | 23 | 5,437 |
| | | Rate (CI) | 12.82 (10.41,15.63) | 1.85 (1.17,2.78) | 0.34 (0.33,0.35) |
| | | IRR (CI) | 37.28 (30.21,45.52) | 5.38 (3.41,8.08) | |
| 50-59y | Female | Ν | 91 | 25 | 3,832 |
| | | Rate (CI) | 9.5 (7.65,11.67) | 2.43 (1.57,3.58) | 0.26 (0.25,0.26) |
| | | IRR (CI) | 37.62 (30.25,46.26) | 9.51 (6.14,14.06) | |
| | Male | N | 203 | 50 | 15,108 |
| | | Rate (CI) | 15.34 (13.3,17.60) | 3 (2.23,3.95) | 1.04 (1.02,1.05) |
| | | IRR (CI) | 14.86 (12.88,17.06) | 2.89 (2.14,3.81) | |
| 60-69y | Female | N | 104 | 21 | 7,381 |
| | | Rate (CI) | 8.85 (7.23,10.72) | 2.12 (1.31,3.24) | 0.61 (0.60,0.62) |
| | | IRR (CI) | 14.78 (12.08,17.90) | 3.47 (2.15,5.31) | |
| | Male | N | 331 | 96 | 26,411 |
| | | Rate (CI) | 18.72 (16.76,20.85) | 5.73 (4.64,7.00) | 2.24 (2.22,2.27) |
| | | IRR (CI) | 8.49 (7.61,9.46) | 2.57 (2.09,3.14) | |
| 70y+ | Female | N | 63 | 12 | 14,675 |
| | | Rate (CI) | 3.55 (2.73,4.54) | 2.48 (1.28,4.34) | 1.12 (1.10,1.13) |
| | | IRR (CI) | 3.68 (2.88,4.62) | 2.78 (1.55,4.58) | |
| | Male | Ν | 268 | 53 | 33,737 |
| | | Rate (CI) | 8.91 (7.88,10.04) | 7.18 (5.38,9.39) | 3.12 (3.09,3.15) |
| | | IRR (CI) | 3.04 (2.70,3.42) | 2.47 (1.87,3.20) | |

Supplementary Table S1. Unstandardised cardiac surgery incidence rates (per 1000 persons per year) and incidence rate ratios by age group, sex and modality at the time of surgery for 2010-2019

CI, 95% confidence interval; KRT, kidney replacement therapy; IRR, incidence rate ratio.

| | | Dialysis | Transplant | Non-KRT |
|------------|--------------------|---------------------|------------------|---------------------|
| Isolated | Ν | 440 | 62 | 33,517 |
| CABG | Rate (CI) | 4.97 (4.28,5.73) | 0.58 (0.41,0.82) | 0.31 (0.31,0.31) |
| | Relative Rate (CI) | 15.97 (13.76,18.43) | 1.87 (1.31,2.64) | |
| Isolated | Ν | 61 | 31 | 7,022 |
| AVR | Rate (CI) | 0.66 (0.42,1.00) | 0.36 (0.20,0.62) | 0.065 (0.064,0.067) |
| | Relative Rate (CI) | 10.14 (6.35,15.35) | 5.58 (3.02,9.50) | |
| AVR and | Ν | 63 | 21 | 4,160 |
| CABG | Rate (CI) | 0.37 (0.27,0.54) | 0.18 (0.10,0.32) | 0.037 (0.036,0.038) |
| | Relative Rate (CI) | 10.00 (7.31,14.51) | 4.83 (2.83,8.80) | |
| Isolated | Ν | 25 | 6 | 3,942 |
| MV surgery | Rate (CI) | 0.61 (0.31,1.04) | 0.12 (0.03,0.33) | 0.038 (0.037,0.039) |
| | Relative Rate (CI) | 15.92 (8.07,27.27) | 3.22 (0.71,8.72) | |

Supplementary Table S2. Age-sex-standardised incidence rates (per 1000 persons per year) by modality at the time of surgery and procedure type for 2015-2019. Relative rate denominator is non-KRT population.

AVR, aortic valve replacement; CABG, coronary artery bypass graft; CI, 95% confidence interval; KRT, kidney replacement therapy; MV, mitral valve.