

[10.1071/BT23057](https://doi.org/10.1071/BT23057)

Australian Journal of Botany

Supplementary Material

'There must be something in the soil our little plants need': exploring patterns of potential mycorrhizal associations in the flora of the Sunshine Coast heathlands, Queensland, Australia

Hilary Pearl^{A,}, and Alison Shapcott^A*

^ASchool of Science, Technology and Engineering, and Centre for Bioinnovation, University of the Sunshine Coast, Sippy Downs, Qld 4556, Australia.

*Correspondence to: Hilary Pearl School of Science, Technology and Engineering, and Centre for Bioinnovation, University of the Sunshine Coast, Sippy Downs, Qld 4556, Australia Email: hilarypearl1@gmail.com, ashapcot@usc.edu.au

Supplementary Table S1. Sunshine Coast heathlands species list sorted by Family. The family and botanical name are those as designated by Queensland Herbarium in 2021 (Brown 2021). The working species name is the designated name used during the project and on the phylogeny. The mycorrhizal strategy is shown for each genus as designated by FungalRoot (Soudzilovskaia *et al.* 2020).

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|-----------------|---|----------------------------------|------------|
| Acanthaceae | <i>Brunoniella australis</i> (Cav.) Bremek. | <i>Brunoniella australis</i> | NM-AM |
| Aizoaceae | <i>Carpobrotus glaucescens</i> (Haw.) Schwantes | <i>Carpobrotus glaucescens</i> | NM |
| Apiaceae | <i>Platysace ericoides</i> (Sieber ex Spreng.) C.Norman | <i>Platysace ericoides</i> | EcM-AM |
| Apiaceae | <i>Platysace lanceolata</i> (Labill.) Druce | <i>Platysace lanceolata</i> | EcM-AM |
| Apiaceae | <i>Platysace linearifolia</i> (Cav.) C.Norman | <i>Platysace linearifolia</i> | EcM-AM |
| Apiaceae | <i>Trachymene incisa</i> Rudge | <i>Trachymene incisa</i> | AM |
| Apiaceae | <i>Xanthosia pilosa</i> Rudge | <i>Xanthosia pilosa</i> | AM |
| Apocynaceae | <i>Hoya australis</i> R.Br. ex Traill | <i>Hoya australis</i> | AM |
| Apocynaceae | <i>Leichhardtia fraseri</i> (Benth.) P.I.Forst.B256 | <i>Marsdenia fraseri</i> | AM |
| Apocynaceae | <i>Parsonia straminea</i> (R.Br.) F.Muell. | <i>Parsonia straminea</i> | AM |
| Araliaceae | <i>Astrotricha latifolia</i> Benth. | <i>Astrotricha latifolia</i> | AM |
| Araliaceae | <i>Astrotricha longifolia</i> Benth. | <i>Astrotricha longifolia</i> | AM |
| Asteraceae | <i>Cyanthillium cinereum</i> (L.) H.Rob. | <i>Cyanthillium cinereum</i> | AM |
| Asteraceae | <i>Eclipta prostrata</i> (L.) L. | <i>Eclipta prostrata</i> | NM-AM |
| Asteraceae | <i>Rutidosis murchisonii</i> F.Muell. | <i>Rutidosis murchisonii</i> | EcM-AM |
| Asteraceae | <i>Sphaeromorpheaa australis</i> (Less.) Kitam. | <i>Sphaeromorpheaa australis</i> | Uncertain |
| Blandfordiaceae | <i>Blandfordia grandiflora</i> R.Br. | <i>Blandfordia grandiflora</i> | AM |
| Burmanniaceae | <i>Burmannia disticha</i> L. | <i>Burmannia disticha</i> | AM |
| Byttneriaceae | <i>Commersonia fraseri</i> J.Gay | <i>Commersonia fraseri</i> | AM |
| Campanulaceae | <i>Lobelia anceps</i> L.f. | <i>Lobelia anceps</i> | OM |
| Campanulaceae | <i>Lobelia purpurascens</i> R.Br. | <i>Lobelia purpurascens</i> | OM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|------------------|--|--------------------------------------|------------|
| Casuarinaceae | <i>Allocasuarina emuina</i> L.A.S.Johnson | <i>Allocasuarina emuina</i> | EcM-AM |
| Casuarinaceae | <i>Allocasuarina littoralis</i> (Salisb.) L.A.S.Johnson | <i>Allocasuarina littoralis</i> | EcM-AM |
| Casuarinaceae | <i>Allocasuarina thalassoscopica</i> L.A.S.Johnson | <i>Allocasuarina thalassoscopica</i> | EcM-AM |
| Centrolepidaceae | <i>Centrolepis strigosa</i> (R.Br.) Roem. & Schult. | <i>Centrolepis strigosa</i> | NM-AM |
| Clusiaceae | <i>Hypericum gramineum</i> G.Forst. | <i>Hypericum gramineum</i> | AM |
| Colchicaceae | <i>Burchardia umbellata</i> R.Br. | <i>Burchardia umbellata</i> | AM |
| Colchicaceae | <i>Wurmbea dioica</i> (R.Br.) F.Muell. | <i>Wurmbea dioica</i> | AM |
| Commelinaceae | <i>Commelina lanceolata</i> R.Br. | <i>Commelina lanceolata</i> | NM-AM |
| Commelinaceae | <i>Murdannia graminea</i> (R.Br.) G.Brucekn. | <i>Murdannia graminea</i> | NM |
| Convolvulaceae | <i>Polymeria calycina</i> R.Br. | <i>Polymeria calycina</i> | AM |
| Cunoniaceae | <i>Bauera capitata</i> Ser. ex DC. | <i>Bauera capitata</i> | AM |
| Cyperaceae | <i>Anthelepis paludosa</i> (R.Br.) R.L.Barrett, K.L.Wilson & J.J.Bruhl | <i>Schoenus paludosus</i> | NM-AM |
| Cyperaceae | <i>Carex maculata</i> Boott | <i>Carex maculata</i> | NM-AM |
| Cyperaceae | <i>Caustis blakei</i> Kuek. | <i>Caustis blakei</i> | NM-AM |
| Cyperaceae | <i>Caustis recurvata</i> Spreng. | <i>Caustis recurvata</i> | NM-AM |
| Cyperaceae | <i>Chorizandra sphaerocephala</i> R.Br. | <i>Chorizandra sphaerocephala</i> | NM-AM |
| Cyperaceae | <i>Cladium procerum</i> S.T.Blake | <i>Cladium procerum</i> | NM-AM |
| Cyperaceae | <i>Cyathochaeta diandra</i> (R.Br.) Nees | <i>Cyathochaeta diandra</i> | NM |
| Cyperaceae | <i>Cyperus exaltatus</i> Retz. | <i>Cyperus exaltatus</i> | NM-AM |
| Cyperaceae | <i>Cyperus polystachyos</i> Rottb. | <i>Cyperus polystachyos</i> | NM-AM |
| Cyperaceae | <i>Fimbristylis dichotoma</i> (L.) Vahl | <i>Fimbristylis dichotoma</i> | NM-AM |
| Cyperaceae | <i>Fimbristylis pauciflora</i> R.Br. | <i>Fimbristylis pauciflora</i> | NM-AM |
| Cyperaceae | <i>Fuirena umbellata</i> Rottb. | <i>Fuirena umbellata</i> | NM-AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|--------------|---|-------------------------------------|------------|
| Cyperaceae | <i>Gahnia aspera</i> (R.Br.) Spreng. | <i>Gahnia aspera</i> | NM-AM |
| Cyperaceae | <i>Gahnia clarkei</i> Benl | <i>Gahnia clarkei</i> | NM-AM |
| Cyperaceae | <i>Gahnia sieberiana</i> Kunth | <i>Gahnia sieberiana</i> | NM-AM |
| Cyperaceae | <i>Lepidosperma laterale</i> R.Br. | <i>Lepidosperma laterale</i> | NM-AM |
| Cyperaceae | <i>Lepidosperma longitudinale</i> Labill. | <i>Lepidosperma longitudinale</i> | NM-AM |
| Cyperaceae | <i>Lepidosperma quadrangulatum</i> A.A.Ham. | <i>Lepidosperma quadrangulatum</i> | NM-AM |
| Cyperaceae | <i>Lepironia articulata</i> (Retz.) Domin | <i>Lepironia articulata</i> | NM-AM |
| Cyperaceae | <i>Machaerina articulata</i> (R.Br.) T.Koyama | <i>Baumea articulata</i> | AM |
| Cyperaceae | <i>Machaerina muelleri</i> (C.B.Clarke) T.Koyama | <i>Baumea mulleri</i> | AM |
| Cyperaceae | <i>Machaerina rubiginosa</i> (Spreng.) T.Koyama | <i>Baumea rubiginosa</i> | AM |
| Cyperaceae | <i>Machaerina teretifolia</i> (R.Br.) T.Koyama | <i>Baumea teretifolia</i> | AM |
| Cyperaceae | <i>Ptilothrix deusta</i> (R.Br.) K.L.Wilson | <i>Ptilothrix deusta</i> | NM-AM |
| Cyperaceae | <i>Rhynchospora rubra</i> (Lour.) Makino | <i>Rhynchospora rubra</i> | NM-AM |
| Cyperaceae | <i>Schoenoplectus tabernaemontani</i> (C.C.Gmel.) Palla | <i>Schoenoplectus</i> "pithy sedge" | NM-AM |
| Cyperaceae | <i>Schoenus apogon</i> Roem. & Schult. | <i>Schoenus apogon</i> | NM-AM |
| Cyperaceae | <i>Schoenus brevifolius</i> R.Br. | <i>Schoenus brevifolius</i> | NM-AM |
| Cyperaceae | <i>Schoenus lepidosperma</i> (F.Muell) K.L.Wilson | <i>Schoenus lepidosperma</i> | NM-AM |
| Cyperaceae | <i>Schoenus ornithopodioides</i> (Kuek.) S.T.Blake | <i>Schoenus ornithopodioides</i> | NM-AM |
| Cyperaceae | <i>Schoenus scabripes</i> Benth. | <i>Schoenus scabripes</i> | NM-AM |
| Cyperaceae | <i>Schoenus sparteus</i> R.Br. | <i>Schoenus sparteus</i> | NM-AM |
| Cyperaceae | <i>Schoenus vaginatus</i> F.Muell. ex Benth. | <i>Schoenus vaginatus</i> | NM-AM |
| Cyperaceae | <i>Scleria mackaviensis</i> Boeckeler | <i>Scleria mackaviensis</i> | NM-AM |
| Dilleniaceae | <i>Hibbertia acicularis</i> (Labill.) F.Muell. | <i>Hibbertia acicularis</i> | AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|----------------|--|--------------------------------|------------|
| Dilleniaceae | <i>Hibbertia aspera</i> DC. | <i>Hibbertia aspera</i> | AM |
| Dilleniaceae | <i>Hibbertia fasciculata</i> R.Br. ex DC. | <i>Hibbertia fasciculata</i> | AM |
| Dilleniaceae | <i>Hibbertia linearis</i> R.Br. ex DC. | <i>Hibbertia linearis</i> | AM |
| Dilleniaceae | <i>Hibbertia salicifolia</i> (DC.) F.Muell. | <i>Hibbertia salicifolia</i> | AM |
| Dilleniaceae | <i>Hibbertia scandens</i> (Willd.) Gilg | <i>Hibbertia scandens</i> | AM |
| Dilleniaceae | <i>Hibbertia stricta</i> (DC.) R.Br. ex F.Muell. | <i>Hibbertia stricta</i> | AM |
| Dilleniaceae | <i>Hibbertia vestita</i> A.Cunn. ex Benth. | <i>Hibbertia vestita</i> | AM |
| Dioscoreaceae | <i>Dioscorea transversa</i> R.Br. | <i>Dioscorea transversa</i> | AM |
| Droseraceae | <i>Drosera binata</i> Labill. | <i>Drosera binata</i> | NM |
| Droseraceae | <i>Drosera burmanni</i> Vahl | <i>Drosera burmannii</i> | NM |
| Droseraceae | <i>Drosera lunata</i> Buch.-Ham. ex DC. | <i>Drosera peltata</i> | NM |
| Droseraceae | <i>Drosera pygmaea</i> DC. | <i>Drosera pygmaea</i> | NM |
| Droseraceae | <i>Drosera spatulata</i> Labill. | <i>Drosera spatulata</i> | NM |
| Elaeocarpaceae | <i>Elaeocarpus reticulatus</i> Sm. | <i>Elaeocarpus reticulatus</i> | AM |
| Elaeocarpaceae | <i>Tetrapetra thymifolia</i> Sm. | <i>Tetrapetra thymifolia</i> | AM |
| Ericaceae | <i>Acrotriche aggregata</i> R.Br. | <i>Acrotriche aggregata</i> | ErM |
| Ericaceae | <i>Agiortia pedicellata</i> (C.T.White) Quinn | <i>Agiortia pedicellata</i> | ErM |
| Ericaceae | <i>Brachyloma daphnoides</i> (Sm.) Benth. | <i>Brachyloma daphnoides</i> | uncertain |
| Ericaceae | <i>Brachyloma scorchedinii</i> F.Muell. | <i>Brachyloma scorchedinii</i> | uncertain |
| Ericaceae | <i>Epacris microphylla</i> R.Br. | <i>Epacris microphylla</i> | ErM |
| Ericaceae | <i>Epacris obtusifolia</i> Sm. | <i>Epacris obtusifolia</i> | ErM |
| Ericaceae | <i>Epacris pulchella</i> Cav. | <i>Epacris pulchella</i> | ErM |
| Ericaceae | <i>Leucopogon parviflorus</i> (Andrews) Lindl. | <i>Leucopogon parviflorus</i> | ErM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|---------------|---|-----------------------------------|------------|
| Ericaceae | <i>Leucopogon pimeleoides</i> A.Cunn. ex DC. | <i>Leucopogon pimeleoides</i> | ErM |
| Ericaceae | <i>Leucopogon virgatus</i> (Labill.) R.Br. | <i>Leucopogon virgatus</i> | ErM |
| Ericaceae | <i>Monotoca scoparia</i> (Sm.) R.Br. | <i>Monotoca scoparia</i> | ErM |
| Ericaceae | <i>Monotoca</i> sp. (Fraser Island P.Baxter 777) | <i>Monotoca</i> sp Fraser Island | ErM |
| Ericaceae | <i>Sprengelia sprengelioides</i> (R.Br.) Druce | <i>Sprengelia sprengelioides</i> | ErM |
| Ericaceae | <i>Styphelia deformis</i> (R.Br.) Spreng. | <i>Leucopogon deformis</i> | ErM |
| Ericaceae | <i>Styphelia ericoides</i> Sm. | <i>Leucopogon ericoides</i> | ErM |
| Ericaceae | <i>Styphelia leptospermoides</i> (R.Br.) Spreng. | <i>Leucopogon leptospermoides</i> | ErM |
| Ericaceae | <i>Styphelia margarodes</i> (R.Br.) Spreng. | <i>Leucopogon margarodes</i> | ErM |
| Ericaceae | <i>Styphelia rupicola</i> (C.T.White) Sleumer | <i>Leucopogon rupicola</i> | ErM |
| Ericaceae | <i>Styphelia sieberi</i> (DC.) Hislop, Crayn & Puente-Lel | <i>Leucopogon juniperinus</i> | ErM |
| Ericaceae | <i>Styphelia viridis</i> Andrews | <i>Styphelia viridis</i> | ErM |
| Ericaceae | <i>Woollsia pungens</i> (Cav.) F.Muell. | <i>Woollsia pungens</i> | ErM |
| Ericacee | <i>Melichrus procumbens</i> (Cav.) Druce | <i>Melichrus procumbens</i> | ErM |
| Eriocaulaceae | <i>Eriocaulon australe</i> R.Br. | <i>Eriocaulon australe</i> | AM |
| Eriocaulaceae | <i>Eriocaulon scariosum</i> Sm. | <i>Eriocaulon scariosum</i> | AM |
| Euphorbiaceae | <i>Amperea xiphoclada</i> (Sieber ex Spreng.) Druce | <i>Amperea xiphoclada</i> | uncertain |
| Euphorbiaceae | <i>Bertya sharpeana</i> Guymer | <i>Bertya shapeana</i> | AM |
| Euphorbiaceae | <i>Ricinocarpus pinifolius</i> Desf. | <i>Ricinocarpus pinifolius</i> | AM |
| Goodeniaceae | <i>Dampiera stricta</i> (Sm.) R.Br. | <i>Dampiera stricta</i> | EcM-AM |
| Goodeniaceae | <i>Goodenia bellidifolia</i> Sm. | <i>Goodenia bellidifolia</i> | EcM-AM |
| Goodeniaceae | <i>Goodenia mystrophylla</i> K.A.Sheph. | <i>Velleia spathulata</i> | AM |
| Goodeniaceae | <i>Goodenia rotundifolia</i> R.Br. | <i>Goodenia rotundifolia</i> | EcM-AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|-------------------|--|--|------------|
| Goodeniaceae | <i>Goodenia stelligera</i> R.Br. | <i>Goodenia stelligera</i> | EcM-AM |
| Haemodoraceae | <i>Haemodorum austroqueenslandicum</i> Domin | <i>Haemodorum austroqueenslandicum</i> | NM |
| Haemodoraceae | <i>Haemodorum tenuifolium</i> A.Cunn. ex Benth. | <i>Haemodorum tenuifolium</i> | NM |
| Haloragaceae | <i>Gonocarpus chinensis</i> (Lour.) Orchard | <i>Gonocarpus chinensis</i> | AM |
| Haloragaceae | <i>Gonocarpus effusus</i> Orchard | <i>Gonocarpus effusus</i> | AM |
| Haloragaceae | <i>Gonocarpus humilis</i> Orchard | <i>Gonocarpus humilis</i> | AM |
| Haloragaceae | <i>Gonocarpus micranthus</i> Thunb. | <i>Gonocarpus micranthus</i> | AM |
| Hemerocallidaceae | <i>Dianella caerulea</i> Sims | <i>Dianella caerulea</i> | AM |
| Hemerocallidaceae | <i>Dianella longifolia</i> R.Br. | <i>Dianella longifolia</i> | AM |
| Hemerocallidaceae | <i>Dianella nervosa</i> R.J.F.Hend. | <i>Dianella nervosa</i> | AM |
| Hemerocallidaceae | <i>Dianella rara</i> R.Br. | <i>Dianella rara</i> | AM |
| Hemerocallidaceae | <i>Dianella revoluta</i> R.Br. | <i>Dianella revoluta</i> | AM |
| Hemerocallidaceae | <i>Geitonoplesium cymosum</i> (R.Br.) A.Cunn. ex Hook. | <i>Geitonoplesium cymosum</i> | AM |
| Hemerocallidaceae | | <i>Dianella sp 600400408</i> | AM |
| Hypoxidaceae | <i>Curculigo ensifolia</i> R.Br. | <i>Curculigo ensifolia</i> | AM |
| Hypoxidaceae | <i>Hypoxis pratensis</i> R.Br. | <i>Hypoxis pratensis</i> | AM |
| Iridaceae | <i>Patersonia fragilis</i> (Labill.) Asch. & Graebn. | <i>Patersonia fragilis</i> | AM |
| Iridaceae | <i>Patersonia glabrata</i> R.Br. | <i>Patersonia glabrata</i> | AM |
| Iridaceae | <i>Patersonia sericea</i> R.Br. | <i>Patersonia sericea</i> | AM |
| Johnsoniaceae | <i>Caesia parviflora</i> R.Br. | <i>Caesia parviflora</i> | AM |
| Johnsoniaceae | <i>Tricoryne elatior</i> R.Br. | <i>Tricoryne elatior</i> | AM |
| Juncaceae | <i>Juncus continuus</i> L.A.S.Johnson | <i>Juncus continuus</i> | NM-AM |
| Lamiaceae | <i>Clerodendrum floribundum</i> R.Br. | <i>Clerodendrum floribundum</i> | AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|---------------|---|-------------------------------|------------|
| Lamiaceae | <i>Coleus graveolens</i> (R.Br.) A.J.Paton | <i>Coleus graveolens</i> | AM |
| Lamiaceae | <i>Westringia tenuicaulis</i> C.T.White & W.D.Francis | <i>Westringia tenuicaulis</i> | AM |
| Lauraceae | <i>Cassytha filiformis</i> L. | <i>Cassytha filiformis</i> | NM |
| Lauraceae | <i>Cassytha glabella</i> R.Br. | <i>Cassytha glabella</i> | NM |
| Lauraceae | <i>Cassytha pubescens</i> R.Br. | <i>Cassytha pubescens</i> | NM |
| Laxmanniaceae | <i>Eustrephus latifolius</i> R.Br. | <i>Eustrephus latifolius</i> | AM |
| Laxmanniaceae | <i>Laxmannia compacta</i> Conran & P.I.Forst. | <i>Laxmannia compacta</i> | AM |
| Laxmanniaceae | <i>Lomandra confertifolia</i> (F.M.Bailey) Fahn subsp. <i>confertifolia</i> | <i>Lomandra confertifolia</i> | NM-AM |
| Laxmanniaceae | <i>Lomandra confertifolia</i> subsp. <i>pallida</i> A.T.Lee | <i>Lomandra confertifolia</i> | NM-AM |
| Laxmanniaceae | <i>Lomandra elongata</i> (Benth.) Ewart | <i>Lomandra elongata</i> | NM-AM |
| Laxmanniaceae | <i>Lomandra filiformis</i> (Thunb.) Britten | <i>Lomandra filiformis</i> | NM-AM |
| Laxmanniaceae | <i>Lomandra longifolia</i> Labill. | <i>Lomandra longifolia</i> | NM-AM |
| Laxmanniaceae | <i>Lomandra multiflora</i> (R.Br.) Britten | <i>Lomandra multiflora</i> | NM-AM |
| Laxmanniaceae | <i>Sowerbaea juncea</i> Andrews | <i>Sowerbaea juncea</i> | AM |
| Laxmanniaceae | <i>Thysanotus tuberosus</i> R.Br. | <i>Thysanotus tuberosus</i> | Thysanotus |
| Leguminosae | <i>Acacia attenuata</i> Maiden & Blakely | <i>Acacia attenuatta</i> | EcM-AM |
| Leguminosae | <i>Acacia baueri</i> Benth. | <i>Acacia baueri</i> | EcM-AM |
| Leguminosae | <i>Acacia cincinnata</i> F.Muell. | <i>Acacia cincinnata</i> | EcM-AM |
| Leguminosae | <i>Acacia complanata</i> A.Cunn. ex Benth. | <i>Acacia complanata</i> | EcM-AM |
| Leguminosae | <i>Acacia concurrens</i> Pedley | <i>Acacia concurrens</i> | EcM-AM |
| Leguminosae | <i>Acacia disparrima</i> M.W.McDonald & Maslin | <i>Acacia disparrima</i> | EcM-AM |
| Leguminosae | <i>Acacia falcata</i> Willd. | <i>Acacia falcata</i> | EcM-AM |
| Leguminosae | <i>Acacia flavescens</i> A.Cunn. ex Benth. | <i>Acacia flavescens</i> | EcM-AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|-------------|---|------------------------------|------------|
| Leguminosae | <i>Acacia hubbardiana</i> Pedley | <i>Acacia hubbardiana</i> | EcM-AM |
| Leguminosae | <i>Acacia juncifolia</i> Benth. | <i>Acacia juncifolia</i> | EcM-AM |
| Leguminosae | <i>Acacia leiocalyx</i> (Domin) Pedley | <i>Acacia leiocalyx</i> | EcM-AM |
| Leguminosae | <i>Acacia longissima</i> H.L.Wendl. | <i>Acacia longissima</i> | EcM-AM |
| Leguminosae | <i>Acacia maidenii</i> F.Muell. | <i>Acacia maidenii</i> | EcM-AM |
| Leguminosae | <i>Acacia myrtifolia</i> (Sm.) Willd. | <i>Acacia myrtifolia</i> | EcM-AM |
| Leguminosae | <i>Acacia oshanesii</i> F.Muell. & Maiden | <i>Acacia oshanesii</i> | EcM-AM |
| Leguminosae | <i>Acacia penninervis</i> Sieber ex DC. | <i>Acacia penninervis</i> | EcM-AM |
| Leguminosae | <i>Acacia sophorae</i> (Labill.) R.Br. | <i>Acacia sophorae</i> | EcM-AM |
| Leguminosae | <i>Acacia suaveolens</i> (Sm.) Willd. | <i>Acacia suaveolens</i> | EcM-AM |
| Leguminosae | <i>Acacia ulicifolia</i> (Salisb.) Court | <i>Acacia ulicifolia</i> | EcM-AM |
| Leguminosae | <i>Aotus ericoides</i> (Vent.) G.Don | <i>Aotus ericoides</i> | EcM-AM |
| Leguminosae | <i>Aotus lanigera</i> A.Cunn. ex Benth. | <i>Aotus lanigera</i> | EcM-AM |
| Leguminosae | <i>Bossiaea ensata</i> Sieber ex DC. | <i>Bossiaea ensata</i> | AM |
| Leguminosae | <i>Bossiaea heterophylla</i> Vent. | <i>Bossiaea heterophylla</i> | AM |
| Leguminosae | <i>Chorizema parviflorum</i> Benth. | <i>Chorizema parviflorum</i> | EcM-AM |
| Leguminosae | <i>Daviesia umbellulata</i> Sm. | <i>Daviesia umbellulata</i> | EcM-AM |
| Leguminosae | <i>Daviesia wyattiana</i> F.M.Bailey | <i>Daviesia wyattiana</i> | EcM-AM |
| Leguminosae | <i>Desmodium gunnii</i> Benth. ex Hook.f. | <i>Desmodium gunnii</i> | AM |
| Leguminosae | <i>Dillwynia floribunda</i> Sm. | <i>Dillwynia floribunda</i> | EcM-AM |
| Leguminosae | <i>Dillwynia glaberrima</i> Sm. | <i>Dillwynia glabberina</i> | EcM-AM |
| Leguminosae | <i>Dillwynia retorta</i> (J.C.Wendl.) Druce | <i>Dillwynia retorta</i> | EcM-AM |
| Leguminosae | <i>Glycine clandestina</i> J.C.Wendl. | <i>Glycine clandestina</i> | AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|------------------|---|--------------------------------|------------|
| Leguminosae | <i>Glycine tabacina</i> (Labill.) Benth. | <i>Glycine tabacina</i> | AM |
| Leguminosae | <i>Gompholobium pinnatum</i> Sm. | <i>Gompholobium pinnatum</i> | EcM-AM |
| Leguminosae | <i>Gompholobium virgatum</i> Sieber ex DC. | <i>Gompholobium virgatum</i> | EcM-AM |
| Leguminosae | <i>Hardenbergia violacea</i> (Schneev.) Stearn | <i>Hardenbergia violacea</i> | AM |
| Leguminosae | <i>Hovea acutifolia</i> A.Cunn. ex G.Don | <i>Hovea acutifolia</i> | AM |
| Leguminosae | <i>Jacksonia scoparia</i> R.Br. | <i>Jacksonia scoparia</i> | EcM-AM |
| Leguminosae | <i>Jacksonia stackhousei</i> F.Muell. | <i>Jacksonia stackhousei</i> | EcM-AM |
| Leguminosae | <i>Mirbelia rubrifolia</i> (Andrews) G.Don | <i>Mirbelia rubrifolia</i> | EcM-AM |
| Leguminosae | <i>Phyllota phylloides</i> (Sieber ex DC.) Benth. | <i>Phyllota phylloides</i> | EcM-AM |
| Leguminosae | <i>Platylobium formosum</i> Sm. | <i>Platylobium formosum</i> | EcM-AM |
| Leguminosae | <i>Podolobium ilicifolium</i> (Andrews) Crisp & P.H.Weston | <i>Podolobium ilicifolium</i> | EcM-AM |
| Leguminosae | <i>Pultenaea myrtoides</i> A.Cunn. ex Benth. | <i>Pultenaea myrtoides</i> | EcM-AM |
| Leguminosae | <i>Pultenaea robusta</i> (H.B.Will.) de Kok | <i>Pultenaea robusta</i> | EcM-AM |
| Leguminosae | <i>Pultenaea villosa</i> Willd. | <i>Pultenaea villosa</i> | EcM-AM |
| Leguminosae | <i>Viminaria juncea</i> (Schrad.) Hoffmanns. | <i>Viminaria juncea</i> | EcM-AM |
| Lentibulariaceae | <i>Utricularia lateriflora</i> R.Br. | <i>Utricularia lateriflora</i> | NM-AM |
| Loganiaceae | <i>Logania albiflora</i> (Andrews & Jacks.) Druce | <i>Logania albiflora</i> | uncertain |
| Loganiaceae | <i>Mitrasacme alsinoides</i> R.Br. | <i>Mitrasacme alsinoides</i> | AM |
| Loganiaceae | <i>Mitrasacme paludosa</i> R.Br. | <i>Mitrasacme paludosa</i> | AM |
| Loranthaceae | <i>Amyema bifurcata</i> (Benth.) Tiegh. | <i>Amyema bifurcata</i> | NM |
| Loranthaceae | <i>Amyema congener</i> (Sieber ex Schult. & Schult.f.) Tiegh. | <i>Amyema congener</i> | NM |
| Loranthaceae | <i>Diplatia furcata</i> Barlow | <i>Diplatia furcata</i> | NM |
| Loranthaceae | | <i>Mistletoe speciesX</i> | |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|-----------------|--|---|------------|
| Macarthuriaceae | <i>Macarthuria complanata</i> E.M.Ross | <i>Macarthuria complanata</i> | uncertain |
| Macarthuriaceae | <i>Macarthuria neocambrica</i> F.Muell. | <i>Macarthuria neocambrica</i> | uncertain |
| Malvaceae | <i>Hibiscus splendens</i> C.Fraser ex Graham | <i>Hibiscus splendens</i> | AM |
| Melastomataceae | <i>Melastoma malabathricum</i> L. subsp. <i>malabathricum</i> | <i>Melastoma malabathricum</i> | AM |
| Menyanthaceae | <i>Liparophyllum exaltatum</i> (Sol. ex Sims) Tippery & Les | <i>Liparophyllum exaltatum</i> | NM-AM |
| Menyanthaceae | <i>Nymphoides exiliflora</i> (F.Muell.) Kuntze | <i>Nymphoides exiliflora</i> | NM-AM |
| Myrtaceae | <i>Angophora woodsiana</i> F.M.Bailey | <i>Angophora woodsiana</i> | EcM-AM |
| Myrtaceae | <i>Austromyrtus dulcis</i> (C.T.White) L.S.Sm. | <i>Austromyrtus dulcis</i> | AM |
| Myrtaceae | <i>Baeckea frutescens</i> L. | <i>Baeckea frutescens</i> | EcM-AM |
| Myrtaceae | <i>Baeckea imbricata</i> (Gaertn.) Druce | <i>Baeckea imbricata</i> | EcM-AM |
| Myrtaceae | <i>Calytrix tetragona</i> Labill. | <i>Calytrix tetragona</i> | EcM-AM |
| Myrtaceae | <i>Corymbia gummifera</i> (Gaertn.) K.D.Hill & L.A.S.Johnson | <i>Corymbia gummifera</i> | EcM-AM |
| Myrtaceae | <i>Corymbia intermedia</i> (R.T.Baker) K.D.Hill & L.A.S.Johnson | <i>Corymbia intermedia</i> | EcM-AM |
| Myrtaceae | <i>Corymbia trachyphloia</i> (F.Muell.) K.D.Hill & L.A.S.Johnson | <i>Corymbia trachyphloia</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus bancroftii</i> (Maiden) Maiden | <i>Eucalyptus bancroftii</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus carnea</i> R.T.Baker | <i>Eucalyptus carnea</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus exserta</i> F.Muell. | <i>Eucalyptus exserta</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus kabiana</i> L.A.S.Johnson & K.D.Hill | <i>Eucalyptus kabiana</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus latisinensis</i> K.D.Hill | <i>Eucalyptus latisinensis</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus racemosa</i> Cav. | <i>Eucalyptus racemosa</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus resinifera</i> Sm. | <i>Eucalyptus resinifera</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus robusta</i> Sm. | <i>Eucalyptus robusta</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus robusta</i> Sm. x <i>Eucalyptus tereticornis</i> Sm. | <i>Eucalyptus robusta</i> X <i>tereticornis</i> | EcM-AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|-----------|--|------------------------------------|------------|
| Myrtaceae | <i>Eucalyptus seeana</i> Maiden | <i>Eucalyptus seeana</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus siderophloia</i> Benth. | <i>Eucalyptus siderophloia</i> | EcM-AM |
| Myrtaceae | <i>Eucalyptus tereticornis</i> Sm. | <i>Eucalyptus tereticornis</i> | EcM-AM |
| Myrtaceae | <i>Homoranthus virgatus</i> A.Cunn. ex Schauer | <i>Homoranthus virgatus</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum juniperinum</i> Sm. | <i>Leptospermum juniperinum</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum liversidgei</i> R.T.Baker & H.G.Sm. | <i>Leptospermum liversidgei</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum leuhmannii</i> F.M.Bailey | <i>Leptospermum leuhmannii</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum microcarpum</i> Cheel | <i>Leptospermum microcarpum</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum petersonii</i> F.M.Bailey | <i>Leptospermum petersonii</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum polygalifolium</i> Salisb. | <i>Leptospermum polygalifolium</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum semibaccatum</i> Cheel | <i>Leptospermum semibaccatum</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum speciosum</i> Schauer | <i>Leptospermum speciosum</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum trinervium</i> (Sm.) Joy Thoms. | <i>Leptospermum trinervium</i> | EcM-AM |
| Myrtaceae | <i>Leptospermum whitei</i> Cheel | <i>Leptospermum whitei</i> | EcM-AM |
| Myrtaceae | <i>Lophostemon confertus</i> (R.Br.) Peter G.Wilson & J.T.Waterh. | <i>Lophostemon confertus</i> | EcM-AM |
| Myrtaceae | <i>Lophostemon suaveolens</i> (Sol. ex Gaertn.) Peter G.Wilson & J.T.Waterh. | <i>Lophostemon suaveolens</i> | EcM-AM |
| Myrtaceae | <i>Melaleuca nodosa</i> (Gaertn.) Sm. | <i>Melaleuca nodosa</i> | Ecm-AM |
| Myrtaceae | <i>Melaleuca pachyphylla</i> (Cheel) Craven | <i>Melaleuca pachyphylla</i> | Ecm-AM |
| Myrtaceae | <i>Melaleuca quinquenervia</i> (Cav.) S.T.Blake | <i>Melaleuca quinquenervia</i> | Ecm-AM |
| Myrtaceae | <i>Melaleuca sieberi</i> Schauer | <i>Melaleuca sieberi</i> | Ecm-AM |
| Myrtaceae | <i>Melaleuca thymifolia</i> Sm. | <i>Melaleuca thymifolia</i> | Ecm-AM |
| Myrtaceae | <i>Melaleuca viridiflora</i> Sol. ex Gaertn. | <i>Melaleuca viridiflora</i> | Ecm-AM |
| Myrtaceae | <i>Micromyrtus littoralis</i> A.R.Bean | <i>Micromyrtus littoralis</i> | EcM-AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|-----------------|--|---------------------------------|------------|
| Myrtaceae | <i>Ochrosperma lineare</i> (C.T.White) Trudgen | <i>Ochrosperma lineare</i> | EcM-AM |
| Myrtaceae | <i>Triplarina volcanica</i> A.R.Bean subsp. <i>volcanica</i> | <i>Triplarina volcanica</i> | EcM-AM |
| Olacaceae | <i>Olax retusa</i> Benth. | <i>Olax retusa</i> | AM |
| Oleaceae | <i>Notelaea ovata</i> R.Br. | <i>Notelaea ovata</i> | AM |
| Onagraceae | <i>Ludwigia octovalvis</i> (Jacq.) P.H.Raven | <i>Ludwigia octovalvis</i> | NM-AM |
| Orobanchaceae | <i>Buchnera urticifolia</i> R.Br. | <i>Buchnera urticifolia</i> | NM-AM |
| Philydraceae | <i>Philydrum lanuginosum</i> Banks & Sol. ex Gaertn. | <i>Philydrum lanuginosum</i> | AM |
| Phyllanthaceae | <i>Glochidion ferdinandi</i> (Muell.Arg.) F.M.Bailey | <i>Glochidion ferdinandi</i> | AM |
| Phyllanthaceae | <i>Phyllanthus hirtellus</i> F.Muell. ex Muell.Arg. | <i>Phyllanthus hirtellus</i> | AM |
| Phyllanthaceae | <i>Poranthera microphylla</i> Brongn. | <i>Poranthera microphylla</i> | EcM-AM |
| Picredendraceae | <i>Micrantheum ericoides</i> Desf. | <i>Micrantheum ericoides</i> | AM |
| Picredendraceae | <i>Pseudanthus ligulatus</i> Halford & R.J.F.Hend. | <i>Pseudanthus ligulatus</i> | AM |
| Picredendraceae | <i>Pseudanthus orientalis</i> F.Muell. | <i>Pseudanthus orientalis</i> | AM |
| Pittosporaceae | <i>Billardiera scandens</i> Sm. | <i>Billardiera scandens</i> | AM |
| Poaceae | <i>Alloteropsis semialata</i> (R.Br.) Hitchc. | <i>Alloteropsis semialata</i> | AM |
| Poaceae | <i>Aristida benthamii</i> Henrard | <i>Aristida benthamii</i> | AM |
| Poaceae | <i>Aristida queenslandica</i> Henrard | <i>Aristida queenslandica</i> | AM |
| Poaceae | <i>Aristida vagans</i> Cav. | <i>Aristida vagans</i> | AM |
| Poaceae | <i>Aristida warburgii</i> Mez | <i>Aristida warburgii</i> | AM |
| Poaceae | <i>Arundinella montana</i> S.T.Blake | <i>Arundinella montana</i> | AM |
| Poaceae | <i>Capillipedium spicigerum</i> S.T.Blake | <i>Capillipedium spicigerum</i> | AM |
| Poaceae | <i>Chrysopogon sylvaticus</i> C.E.Hubb. | <i>Chrysopogon sylvaticus</i> | NM-AM |
| Poaceae | <i>Cymbopogon refractus</i> (R.Br.) A.Camus | <i>Cymbopogon refractus</i> | AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|---------------|--|--------------------------------|------------|
| Poaceae | <i>Dichelachne montana</i> Endl. | <i>Dichelachne montana</i> | uncertain |
| Poaceae | <i>Digitaria diminuta</i> Hughes | <i>Digitaria diminuta</i> | AM |
| Poaceae | <i>Digitaria parviflora</i> (R.Br.) Hughes | <i>Digitaria parviflora</i> | AM |
| Poaceae | <i>Entolasia marginata</i> (R.Br.) Hughes | <i>Entolasia marginata</i> | AM |
| Poaceae | <i>Entolasia stricta</i> (R.Br.) Hughes | <i>Entolasia stricta</i> | AM |
| Poaceae | <i>Eragrostis brownii</i> (Kunth) Nees ex Wight | <i>Eragrostis brownii</i> | NM-AM |
| Poaceae | <i>Eremochloa bimaculata</i> Hack. | <i>Eremochloa bimaculata</i> | AM |
| Poaceae | <i>Eriachne glabrata</i> (Maiden) W.Hartley | <i>Eriachne glabrata</i> | AM |
| Poaceae | <i>Eriachne pallescens</i> R.Br. | <i>Eriachne pallescens</i> | AM |
| Poaceae | <i>Imperata cylindrica</i> (L.) Raeusch. | <i>Imperata cylindrica</i> | AM |
| Poaceae | <i>Ischaemum australe</i> R.Br. | <i>Ischaemum australe</i> | AM |
| Poaceae | <i>Leersia hexandra</i> Sw. | <i>Leersia hexandra</i> | AM |
| Poaceae | <i>Micraira subulifolia</i> F.Muell. | <i>Micraira subulifolia</i> | AM |
| Poaceae | <i>Microlaena stipoides</i> (Labill.) R.Br. | <i>Microlaena stipoides</i> | uncertain |
| Poaceae | <i>Panicum effusum</i> R.Br. | <i>Panicum effusum</i> | AM |
| Poaceae | <i>Panicum simile</i> Domin | <i>Panicum simile</i> | AM |
| Poaceae | <i>Paspalidium distans</i> (Trin.) Hughes | <i>Paspalidium distans</i> | NM-AM |
| Poaceae | <i>Paspalidium gracile</i> (R.Br.) Hughes | <i>Paspalidium gracile</i> | NM-AM |
| Poaceae | <i>Themeda triandra</i> Forssk. | <i>Themeda triandra</i> | AM |
| Poaceae | <i>Tripogon loliiformis</i> (F.Muell.) C.E.Hubb. | <i>Tripogon loliiformis</i> | AM |
| Polygalaceae | <i>Comesperma defoliatum</i> F.Muell. | <i>Comesperma defoliatum</i> | AM |
| Polygalaceae | <i>Comesperma hispidulum</i> Pedley | <i>Comesperma hispidulum</i> | AM |
| Portulacaceae | <i>Calandrinia pickeringii</i> A.Gray | <i>Calandrinia pickeringii</i> | NM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|--------------|--|----------------------------------|------------|
| Proteaceae | <i>Banksia aemula</i> R.Br. | <i>Banksia aemula</i> | NM |
| Proteaceae | <i>Banksia conferta</i> A.S.George | <i>Banksia conferta</i> | NM |
| Proteaceae | <i>Banksia integrifolia</i> L.f. | <i>Banksia integrifolia</i> | NM |
| Proteaceae | <i>Banksia oblongifolia</i> Cav. | <i>Banksia oblongifolia</i> | NM |
| Proteaceae | <i>Banksia robur</i> Cav. | <i>Banksia robur</i> | NM |
| Proteaceae | <i>Banksia serrata</i> L.f. | <i>Banksia serrata</i> | NM |
| Proteaceae | <i>Banksia spinulosa</i> Sm. | <i>Banksia spinulosa</i> | NM |
| Proteaceae | <i>Conospermum taxifolium</i> C.F.Gaertn. | <i>Conospermum taxifolium</i> | NM |
| Proteaceae | <i>Grevillea reptans</i> Makinson | <i>Grevillea reptans</i> | NM |
| Proteaceae | <i>Hakea actites</i> W.R.Barker | <i>Hakea actites</i> | NM |
| Proteaceae | <i>Hakea benthamii</i> I.M.Turner | <i>Hakea benthamii</i> | NM |
| Proteaceae | <i>Hakea florulenta</i> Meisn. | <i>Hakea florulenta</i> | NM |
| Proteaceae | <i>Lomatia silaifolia</i> (Sm.) R.Br. | <i>Lomatia silaifolia</i> | NM |
| Proteaceae | <i>Persoonia sericea</i> A.Cunn. ex R.Br. | <i>Persoonia sericea</i> | NM |
| Proteaceae | <i>Persoonia stradbrokeensis</i> Domin | <i>Persoonia stradbrokeensis</i> | NM |
| Proteaceae | <i>Persoonia tenuifolia</i> R.Br. | <i>Persoonia tenuifolia</i> | NM |
| Proteaceae | <i>Persoonia virgata</i> R.Br. | <i>Persoonia virgata</i> | NM |
| Proteaceae | <i>Petrophile shirleyae</i> F.M.Bailey | <i>Petrophile shirleyae</i> | NM |
| Proteaceae | <i>Strangea linearis</i> Meisn. | <i>Strangea linearis</i> | NM |
| Restionaceae | <i>Baloskion pallens</i> (R.Br.) B.G.Briggs & L.A.S.Johnson | <i>Baloskion pallens</i> | NM-AM |
| Restionaceae | <i>Baloskion tenuiculme</i> (S.T.Blake) B.G.Briggs & L.A.S.Johnson | <i>Baloskion tenuiculme</i> | NM-AM |
| Restionaceae | <i>Baloskion tetraphyllum</i> (Labill.) B.G.Briggs & L.A.S.Johnson | <i>Baloskion tetraphyllum</i> | NM-AM |
| Restionaceae | <i>Coleocarya gracilis</i> S.T.Blake | <i>Coleocarya gracilis</i> | NM-AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|--------------|---|----------------------------------|------------|
| Restionaceae | <i>Empodium minus</i> (Hook.f.) L.A.S.Johnson & D.F.Cutler | <i>Empodium minus</i> | NM-AM |
| Restionaceae | <i>Eurychorda complanata</i> (R.Br.) B.G.Briggs & L.A.S.Johnson | <i>Eurychorda complanata</i> | NM-AM |
| Restionaceae | <i>Hypolaena fastigiata</i> R.Br. | <i>Hypolaena fastigiata</i> | NM-AM |
| Restionaceae | <i>Leptocarpus tenax</i> (Labill.) R.Br. | <i>Leptocarpus tenax</i> | NM |
| Restionaceae | <i>Lepyrodia imitans</i> B.G.Briggs & L.A.S.Johnson | <i>Lepyrodia imitans</i> | NM-AM |
| Restionaceae | <i>Lepyrodia scariosa</i> R.Br. | <i>Lepyrodia scariosa</i> | NM-AM |
| Restionaceae | <i>Sporadanthus caudatus</i> (L.A.S.Johnson & O.D.Evans) B.G.Briggs & L.A.S.Johnson | <i>Sporadanthus caudatus</i> | NM-AM |
| Restionaceae | <i>Sporadanthus interruptus</i> (F.Muell.) B.G.Briggs & L.A.S.Johnson | <i>Sporadanthus interruptus</i> | NM-AM |
| Rhamnaceae | <i>Alphitonia excelsa</i> (Fenzl) Benth. | <i>Alphitonia excelsa</i> | AM |
| Rhamnaceae | <i>Pomaderris argyrophylla</i> N.A.Wakef. | <i>Pomaderris argyrophylla</i> | EcM |
| Rosaceae | <i>Rubus parvifolius</i> L. | <i>Rubus parvifolius</i> | AM |
| Rubiaceae | <i>Cyclophyllum coprosmoides</i> (F.Muell.) S.T.Reynolds & R.J.F.Hend. | <i>Cyclophyllum coprosmoides</i> | AM |
| Rubiaceae | <i>Durringtonia paludosa</i> R.J.F.Hend. & Guymer | <i>Durringtonia paludosa</i> | AM |
| Rubiaceae | <i>Gynochthodes jasminoides</i> (A.Cunn.) Razafim. & B.Bremer | <i>Gynochthodes jasminoides</i> | AM |
| Rubiaceae | <i>Pomax umbellata</i> (Gaertn.) Sol. ex A.Rich. | <i>Pomax umbellata</i> | AM |
| Rubiaceae | <i>Psychotria loniceroides</i> Sieber ex DC. | <i>Psychotria loniceroides</i> | AM |
| Rutaceae | <i>Acronychia imperforata</i> F.Muell. | <i>Acronychia imperforata</i> | AM |
| Rutaceae | <i>Boronia falcifolia</i> A.Cunn. ex Endl. | <i>Boronia falcifolia</i> | AM |
| Rutaceae | <i>Boronia keysii</i> Domin | <i>Boronia keysii</i> | AM |
| Rutaceae | <i>Boronia rivularis</i> C.T.White | <i>Boronia rivularis</i> | AM |
| Rutaceae | <i>Boronia rosmarinifolia</i> A.Cunn. ex Endl. | <i>Boronia rosmarinifolia</i> | AM |
| Rutaceae | <i>Eriostemon australasicus</i> Pers. | <i>Eriostemon australasicus</i> | AM |
| Rutaceae | <i>Phebalium woombye</i> (F.M.Bailey) Domin | <i>Phebalium woombye</i> | AM |

| Family | Botanical Name (2021) | Working Species Name | Mycorrhiza |
|------------------|--|-----------------------------------|------------|
| Rutaceae | <i>Philotheca difformis</i> (A.Cunn. ex Endl.) Paul G.Wilson | <i>Philotheca difformis</i> | AM |
| Rutaceae | <i>Philotheca queenslandica</i> (C.T.White) P.I.Forst. | <i>Philotheca queenslandica</i> | AM |
| Rutaceae | <i>Zieria laxiflora</i> (Benth.) Domin | <i>Zieria laxiflora</i> | AM |
| Rutaceae | <i>Zieria minutiflora</i> Domin | <i>Zieria minutiflora</i> | AM |
| Rutaceae | <i>Zieria smithii</i> Jacks. | <i>Zieria smithii</i> | AM |
| Santalaceae | <i>Exocarpos cupressiformis</i> Labill. | <i>Exocarpos cupressiformis</i> | NM-AM |
| Santalaceae | <i>Leptomeria acida</i> R.Br. | <i>Leptomeria acida</i> | NM-AM |
| Sapindaceae | <i>Cupaniopsis anacardiooides</i> (A.Rich.) Radlk. | <i>Cupaniopsis anacardiooides</i> | AM |
| Sapindaceae | <i>Dodonaea triquetra</i> J.C.Wendl. | <i>Dodonaea triquetra</i> | AM |
| Sapindaceae | <i>Dodonaea viscosa</i> Jacq. | <i>Dodonaea viscosa</i> | AM |
| Scrophulariaceae | <i>Eremophila debilis</i> (Andrews) Chinnock | <i>Eremophila debilis</i> | AM |
| Solanaceae | <i>Duboisia myoporoides</i> R.Br. | <i>Duboisia myoporoides</i> | AM |
| Stackhousiaceae | <i>Stackhousia nuda</i> Lindl. | <i>Stackhousia nuda</i> | AM |
| Stylidiaceae | <i>Styliodium graminifolium</i> Sw. | <i>Styliodium graminifolium</i> | AM |
| Stylidiaceae | <i>Styliodium ornatum</i> S.T.Blake | <i>Styliodium ornatum</i> | AM |
| Thymelaeaceae | <i>Pimelea linifolia</i> Sm. | <i>Pimelea linifolia</i> | AM |
| Thymelaeaceae | <i>Wikstroemia indica</i> (L.) C.A.Mey. | <i>Wikstroemia indica</i> | AM |
| Violaceae | <i>Pigea monopetala</i> (Schult.) Ging. ex DC. | <i>Hybanthus monopetalus</i> | AM |
| Xanthorrhoeaceae | <i>Xanthorrhoea fulva</i> (A.T.Lee) D.J.Bedford | <i>Xanthorrhoea fulva</i> | AM |
| Xanthorrhoeaceae | <i>Xanthorrhoea johnsonii</i> A.T.Lee | <i>Xanthorrhoea johnsonii</i> | AM |
| Xanthorrhoeaceae | <i>Xanthorrhoea latifolia</i> (A.T.Lee) D.J.Bedford | <i>Xanthorrhoea latifolia</i> | AM |
| Xyridaceae | <i>Xyris complanata</i> R.Br. | <i>Xyris complanata</i> | NM-AM |
| Xyridaceae | <i>Xyris juncea</i> R.Br. | <i>Xyris juncea</i> | NM-AM |

| Vegetation layer | Mycorrhizal group |
|----------------------------------|-------------------|
| Ground Cover | |
| <i>Empodisma minus</i> | NM-AM |
| <i>Ptilothrix deusta</i> | NM-AM |
| <i>Xanthorrhoea fulva</i> | AM |
| <i>Sporadanthus interruptus</i> | NM-AM |
| <i>Xanthorrhoea johnsonii</i> | AM |
| <i>Schoenus brevifolius</i> | NM-AM |
| <i>Caustis recurvata</i> | NM-AM |
| <i>Leptocarpus tenax</i> | NM |
| <i>Baloskion tenuiculme</i> | NM-AM |
| <i>Coleocarya gracilis</i> | NM-AM |
| Shrub Layer | |
| <i>Banksia robur</i> | NM |
| <i>Leptospermum liversidgei</i> | EcM-AM |
| <i>Banksia aemula</i> | NM |
| <i>Hakea actites</i> | NM |
| <i>Banksia oblongifolia</i> | NM |
| <i>Leptospermum semibaccatum</i> | EcM-AM |
| <i>Baeckea frutescens</i> | EcM-AM |
| <i>Melaleuca quinquenervia</i> | Ecm-AM |
| <i>Xanthorrhoea johnsonii</i> | AM |
| <i>Persoonia virgata</i> | NM |
| Tree and Emergent Layer | |
| <i>Banksia aemula</i> | NM |
| <i>Melaleuca quinquenervia</i> | Ecm-AM |
| <i>Allocasuarina littoralis</i> | EcM-AM |
| <i>Leptospermum trinervium</i> | EcM-AM |
| <i>Corymbia intermedia</i> | EcM-AM |
| <i>Eucalyptus latisinensis</i> | EcM-AM |
| <i>Eucalyptus exserta</i> | EcM-AM |
| <i>Lophostemon confertus</i> | EcM-AM |
| <i>Eucalyptus carnea</i> | EcM-AM |
| <i>Corymbia gummifera</i> | EcM-AM |

Supplementary Table S2. The dominant species in terms of coverage for the Ground, Shrub, and Tree & emergent strata of the Sunshine Coast heathlands. For each strata, species are ordered by coverage from highest to lowest amounts of cover. Data are based on coverage determined from surveying 80 sites of 0.1 ha over the Sunshine Coast Region (Pearl *et al.* 2022). Mycorrhizal allocations for each species based on genera, from the “FungalRoot” database (Soudzilovskaia *et al.* 2020).