

Supplementary Material

Synthesis of phosphatidylcholine with conjugated linoleic acid (CLA) and studies on its cytotoxic activity

Natalia Niezgoda,^A Paweł Mituła,^A Katarzyna Kempieńska,^B Joanna Wietrzyk,^B Czesław Wawrzeniec^{A,C}

^A*Department of Chemistry, Wrocław University of Environmental and Life Sciences, Norwida 25, PL-50-375 Wrocław, Poland*


^B*Ludwik Hirsztfeld Institute of Immunology and Experimental Therapy, Polish Academy of Sciences, Department of Experimental Oncology, Weigla 12, PL-53-114 Wrocław, Poland*

^C*Corresponding author. Email: czeslaw.wawrzeniec@up.wroc.pl*


Table of contents



¹ H/ ¹³ C NMR of conjugated linoleic acid 1c	2
¹ H/ ¹³ C NMR of 1,2-dilinoleoyl- <i>sn</i> -glycero-3-phosphocholine 3b	3
¹ H/ ¹³ C NMR of 1,2-di(conjugated)linoleoyl- <i>sn</i> -glycero-3-phosphocholine 3c	4
¹ H/ ¹³ C NMR of 1-palmitoyl-2-linoleoyl- <i>sn</i> -glycero-3-phosphocholine 6b	5
¹ H/ ¹³ C NMR of 1-palmitoyl-2-(conjugated)linoleoyl- <i>sn</i> -glycero-3-phosphocholine 6c	6

conjugated linoleic acid **1c**





1,2-dilinoleoyl-*sn*-glycero-3-phosphocholine **3b**







1,2-di(conjugated)linoleoyl-*sn*-glycero-3-phosphocholine **3c**



1-palmitoyl-2-linoleoyl-*sn*-glycero-3-phosphocholine **6b**



1-palmitoyl-2-(conjugated)linoleoyl-*sn*-glycero-3-phosphocholine **6c**

